



Teachingninja.in

AAI (ATC) Junior Executive 30 Nov 2018 Shift 2

 **Latest Govt Job updates**

 **Private Job updates**

 **Free Mock tests available**

Visit - teachingninja.in



भारतीय विमानपत्तन प्राधिकरण
(मिनी रत्न - श्रेणी - 1 सार्वजनिक क्षेत्र का उद्यम)
AIRPORTS AUTHORITY OF INDIA
(Schedule - 'A' Mini Ratna - Category - 1 Public Sector Enterprise)

Participant ID	
Participant Name	
Test Center Name	
Test Date	30/11/2018
Test Time	12:30 PM - 2:30 PM
Subject	JUNIOR EXECUTIVE (ATC)

Section : General Knowledge

Q.1 In which state is Madai festival celebrated?

- Ans 1. Jharkhand
 2. Chhattisgarh
 3. Jammu and Kashmir
 4. Odisha

Question ID : 5096471028
 Status : Answered
 Chosen Option : 1

Q.2 As per Economic Survey 2017-18, the service sector contributed _____ to India's GVA (Gross Value Added) in 2017-18.

- Ans 1. 55.2%
 2. 45.2%
 3. 25.2%
 4. 95.2%

Question ID : 5096471030
 Status : Answered
 Chosen Option : 1

Q.3 The President has the power to promulgate ordinances under _____ of the Constitution of India.

- Ans 1. Article 123
 2. Article 153
 3. Article 113
 4. Article 130

Question ID : 5096471027
 Status : Answered
 Chosen Option : 1

Q.4 With whom has the Government of India entered into an agreement for flexible financing arrangement to accelerate research towards early development of biopharmaceuticals under National Biopharma Mission?

- Ans 1. International Development Association
 2. Asian Development Bank
 3. New Development Bank
 4. World Bank

Question ID : 5096471021
Status : Answered
Chosen Option : 1

Q.5 Indu Malhotra recently became the _____ woman lawyer to be directly elevated from the Bar to the Supreme Court as a judge.

- Ans
- 1. sixth
 - 2. first
 - 3. tenth
 - 4. second

Question ID : 5096471022
Status : Answered
Chosen Option : 2

Q.6 Which of the following hockey players won the Rajiv Gandhi Khel Ratna award in 2017?

- Ans
- 1. Rupinder Pal Singh
 - 2. Sandeep Singh
 - 3. Sardara Singh
 - 4. Manpreet Singh

Question ID : 5096471023
Status : Answered
Chosen Option : 1

Q.7 Which of the following is correct?

- Ans
- 1. The total number of Fundamental Duties provided by Article 51A of the Constitution of India is 15.
 - 2. The total number of Fundamental Duties provided by Article 51A of the Constitution of India is 8.
 - 3. The total number of Fundamental Duties provided by Article 51A of the Constitution of India is 19.
 - 4. The total number of Fundamental Duties provided by Article 51A of the Constitution of India is 11.

Question ID : 5096471026
Status : Answered
Chosen Option : 4

Q.8 It takes _____ full grown trees to make one tonne of paper.

- Ans
- 1. 5
 - 2. 17
 - 3. 10
 - 4. 25

Question ID : 5096471024
Status : Answered
Chosen Option : 2

Q.9 Who among the following introduced the 'Doctrine of Lapse'?

- Ans
- 1. Lord Canning
 - 2. Lord Ripon

- 3. Lord Dalhousie
- 4. Warren Hastings

Question ID : 5096471029
Status : Answered
Chosen Option : 3

Q.1 Which of the following is the basic unit of inheritance in living organisms which controls the transfer of hereditary characteristics from parents to offspring?

- Ans 1. Gene
- 2. Chromosome
 - 3. DNA
 - 4. Cell

Question ID : 5096471025
Status : Answered
Chosen Option : 1

Section : General Intelligence

Q.1 Select the option that is related to the third term in the same way as the second term is related to the first term:

ACEG : ZXVT :: BDFH : ?

- Ans 1. YWUS
- 2. YWTS
 - 3. SUWY
 - 4. YVUS

Question ID : 5096471036
Status : Answered
Chosen Option : 2

Q.2 Select the option that is different from the other three.

- Ans 1. JKMP
- 2. DEJN
 - 3. HIKNR
 - 4. FGIKP

Question ID : 5096471032
Status : Answered
Chosen Option : 4

Q.3 'Flabby' is related to 'Toned' in the same way as 'Weak' is related to:

- Ans 1. Sluggish
- 2. Week
 - 3. Rigid
 - 4. Robust

Question ID : 5096471031
Status : Answered
Chosen Option : 4

Q.4 Select the number that is different from the other three numbers.

- Ans 1. 9
 2. 13
 3. 3
 4. 17

Question ID : 5096471045
 Status : Answered
 Chosen Option : 1

Q.5 Choose the option that will correctly replace the question mark (?) in the below number series.

15, 35, 63, ?, 143

- Ans 1. 109
 2. 121
 3. 99
 4. 89

Question ID : 5096471033
 Status : Answered
 Chosen Option : 3

Q.6 If all the vowels are removed from the English alphabet, which letter would be ninth to the right of the sixth letter from the left?

- Ans 1. K
 2. T
 3. J
 4. S

Question ID : 5096471043
 Status : Answered
 Chosen Option : 4

Q.7 Select the number that is different from the other three options.

- Ans 1. 9
 2. 13
 3. 11
 4. 7

Question ID : 5096471037
 Status : Answered
 Chosen Option : 1

Q.8 Five children are standing in a single queue, one after another, facing the stage. R is nearest to the stage. S is standing ahead of P and is not before or after T. Q is just after R and T is not standing near Q. Who is at the end of the line?

- Ans 1. P
 2. T
 3. Q
 4. R

Question ID : 5096471035
 Status : Answered
 Chosen Option : 2

Q.9

Given below are two statements and two conclusions. Consider these statements to be true even if they seem factually absurd. Read the conclusions and then decide which of the given conclusions logically follow(s) from the given statements.

Statements:

- A. All tables are chairs.
- B. All chairs are racks.

Conclusions:

- 1. All racks are tables.
- 2. All chairs are tables.

- Ans
- 1. Both the conclusions follow
 - 2. Only conclusion 2 follows
 - 3. Neither conclusion 1 nor 2 follows
 - 4. Only conclusion 1 follows

Question ID : 5096471044
Status : Answered
Chosen Option : 3

Q.1 Select the option that is related to the third number in the same way as the second number is related to the first number.

0

7 : 64 :: 12 : ?

- Ans
- 1. 84
 - 2. 172
 - 3. 110
 - 4. 169

Question ID : 5096471042
Status : Answered
Chosen Option : 4

Q.1 Identify the word-pair that is different from the other three.

1

- Ans
- 1. Tough : Tender
 - 2. Dynamic : Energetic
 - 3. Authoritarian : Dominating
 - 4. Wimpy : Feeble

Question ID : 5096471041
Status : Answered
Chosen Option : 1

Q.1 From the given options, select the word that CANNOT be formed using the letters of the given word.

2

ADMIRATION

- Ans
- 1. ADROIT
 - 2. ADMIRE
 - 3. RANDOM
 - 4. DOMAIN

Question ID : 5096471039
Status : Answered
Chosen Option : 2

Q.1

3 Pointing to a photograph, Somen said, "His mother is my mother-in-law's son's only sister." How is Somen related to the person in the photograph?

- Ans
- 1. Brother-in-law
 - 2. Son
 - 3. Father
 - 4. Himself

Question ID : 5096471034
Status : Answered
Chosen Option : 2

Q.1 In a certain code language 'ADMIT' is written as 'YVMQF'. How will 'TRAIN' be written in the same code language?

4

- Ans
- 1. FHVQM
 - 2. FHYQM
 - 3. FHYQL
 - 4. FIYQM

Question ID : 5096471040
Status : Answered
Chosen Option : 3

Q.1 If the fifth day of a month is 4 days earlier to Friday, what day will it be on the twenty-first day of that month?

5



- Ans
- 1. Wednesday
 - 2. Friday
 - 3. Monday
 - 4. Tuesday

Question ID : 5096471038
Status : Answered
Chosen Option : 1

Section : General Aptitude

Q.1

Study the following pie charts and answer the question.



What is the ratio of the total number of girls in the Engineering and Science disciplines to the total number of boys in Arts, Engineering and Science?

- Ans 1. 9 : 11
 2. 11 : 10
 3. 11 : 9
 4. 10 : 11

Question ID : 5096471060
 Status : Answered
 Chosen Option : 1

Q.2 The ratio between the number of students in class I and II is 8 : 5, that between the number of students in class II and III is 3 : 4 and that between the number of students in class III and IV is 7 : 8. If the difference between the number of students in class II and IV is 33, then the number of students in class III is:

- Ans 1. 68
 2. 90
 3. 84
 4. 76

Question ID : 5096471052
 Status : Answered
 Chosen Option : 3

Q.3 A solid metallic right circular cylinder of base diameter 16 cm and height 2 cm is melted and recast into a right circular cone of height three-times that of the cylinder. The curved surface area of the cone will be:
 (Use $\pi = 3.14$)

- Ans**
- 1. 254.8 cm²
 - 2. 251.2 cm²
 - 3. 250.4 cm²
 - 4. 248.6 cm²

Question ID : 5096471057
 Status : Answered
 Chosen Option : 2

Q.4 A 240 m long train, moving at an average speed of 54 km/h, crosses a platform in 30 s. A man crosses the same platform in 120 s. What is the speed (in km/h) of the man?

- Ans**
- 1. 6.3
 - 2. 7.2
 - 3. 5.7
 - 4. 6.8

Question ID : 5096471058
 Status : Answered
 Chosen Option : 1

Q.5 If $\frac{\sqrt{50} + \sqrt{98} + \sqrt{72}}{5\sqrt{2} - \sqrt{18}} - (\sqrt{75} + \sqrt{108} - \sqrt{147}) = a + b\sqrt{3}$, then the value of $\sqrt{4a - 7b}$ will be:

- Ans**
- 1. 7
 - 2. 6
 - 3. 8
 - 4. 5

Question ID : 5096471048
 Status : Answered
 Chosen Option : 3

Q.6 The value of $\frac{4}{5}$ of $\frac{7(\frac{1}{4} + \frac{5}{4} + \frac{3}{2})}{1\frac{3}{4} + \frac{1}{2}}$ of $(2\frac{16}{17} \div \frac{7}{9})$ is:

- Ans**
- 1. 2
 - 2. $\frac{1}{2}$
 - 3. 3
 - 4. $\frac{2}{3}$

Question ID : 5096471048
 Status : Answered
 Chosen Option : 1

Q.7 Anita borrowed two equal sums at the beginning of two successive years at 10% compound interest. At the end of the second year, she paid ₹ 12,474 to settle her debts. How much did she borrow each year?

- Ans 1. ₹ 4,800
 2. ₹ 5,000
 3. ₹ 5,400
 4. ₹ 5,600

Question ID : 5096471056
 Status : Answered
 Chosen Option : 3

Q.8 Person A sold a car to B at a loss of 28%. B spent ₹ 2,520 on its repair and sold it to C for ₹ 70,875 and thus earned a profit of 12.5%. How much had A paid to buy the car?

- Ans 1. ₹ 84,000
 2. ₹ 63,000
 3. ₹ 75,000
 4. ₹ 60,480

Question ID : 5096471054
 Status : Answered
 Chosen Option : 1

Q.9 A trader marks his goods such that he earns a profit of 50% on its cost. He then sells it by offering a discount of $x\%$ on its marked price. If his actual profit is 9.85%, then the value of x is:

- Ans 1. 15.5
 2. 12
 3. 15
 4. 12.5

Question ID : 5096471055
 Status : Answered
 Chosen Option : 1

Q.1 Let x be the greatest number such that when it divides 5892, 6105 and 6531, the remainder in each case is y . When $(x + y)$ is divided by 33, then the remainder will be:

- Ans 1. 23
 2. 19
 3. 24
 4. 25

Question ID : 5096471049
 Status : Answered
 Chosen Option : 3

Q.1 The income of A is 20% more than that of B, and the income of C is 10% less than the sum of the incomes of A and B. If the income of C is ₹ 19,800, then by what percentage is the income of C more than the income of B?

- Ans 1. 98%
 2. 88%
 3. 95%
 4. 96%

Question ID : 5096471050
 Status : Answered
 Chosen Option : 1

Q.1

2 A sum of ₹ 8,690 is divided among A, B and C such that $\frac{2}{5}$ of A, $\frac{4}{9}$ of B and $\frac{6}{11}$ of C are equal. What is the difference between A and C?

- Ans
- 1. ₹ 550
 - 2. ₹ 860
 - 3. ₹ 380
 - 4. ₹ 880

Question ID : 5096471051
Status : Answered
Chosen Option : 4

Q.1 3 Tap A can fill an empty tank in 10 h while tap B can empty a fully-filled up tank in 12 h. Tap A is turned on first. After 2 hours, Tap B is also turned on. What will the total time (in hours) taken to fill the tank be?

- Ans
- 1. 56
 - 2. 52
 - 3. 50
 - 4. 48

Question ID : 5096471059
Status : Answered
Chosen Option : 3

Q.1 4 The average score of a batsman for a certain number of innings was 42 runs. In the next five innings he scored 20, 35, 25, 10 and 40 runs and his average for all the innings came down by 5. How many innings did he play in all?

- Ans
- 1. 12
 - 2. 16
 - 3. 15
 - 4. 14

Question ID : 5096471053
Status : Answered
Chosen Option : 2

Q.1 5 The value of $\frac{1.331 \times 21.9 \times 1.24}{16.5 \times 0.121 \times 7.3 \times 0.62} \times \frac{2.8 \times 1.36}{31.81}$ is:

- Ans
- 1. 0.24
 - 2. 0.36
 - 3. 0.48
 - 4. 0.18

Question ID : 5096471047
Status : Answered
Chosen Option : 3

Section : General English

Q.1 In the following sentence, four words or phrases have been underlined. One of them is incorrect. Choose the INCORRECT word or phrase from the given options.

If the water level in Periyar rises alarmingly, more people from the banks of Periyar in Ernaaculum District were evacuated.

- Ans
- 1. more people
 - 2. were evacuated
 - 3. alarmingly
 - 4. from the banks

Question ID : 5096471078
Status : Answered
Chosen Option : 2

Q.2 Select the option that is NOT an antonym of another word by way of adding the prefix 'im-'.

- Ans**
- 1. impassive
 - 2. impertinent
 - 3. imperceptible
 - 4. impression

Question ID : 5096471074
Status : Answered
Chosen Option : 4

Q.3 Select the correct passive form of the given sentence.

Somebody has stolen the manhole cover in our lane.

- Ans**
- 1. The manhole cover in our lane has been stolen.
 - 2. The manhole cover in our lane is being stolen.
 - 3. The manhole cover in our lane had been stolen.
 - 4. Our lane in the manhole cover has been stolen.

Question ID : 5096471069
Status : Answered
Chosen Option : 1

Q.4 Select the most appropriate option to fill in the blank.

She didn't buy the second-hand study table because _____ top was chipped off.

- Ans**
- 1. its
 - 2. that
 - 3. it
 - 4. her

Question ID : 5096471065
Status : Answered
Chosen Option : 1

Q.5 Select the most appropriate synonym of the given word.

DUBIOUS

- Ans**
- 1. Assured
 - 2. Convinced
 - 3. Doubtful
 - 4. Certain

Question ID : 5096471071
Status : Answered
Chosen Option : 3

Q.6

Select the most appropriate option to fill in the blank.

_____ I didn't speak French, I managed to make myself understood.

- Ans
- 1. Even though
 - 2. Whether
 - 3. In spite of
 - 4. In case

Question ID : 5096471068
Status : Answered
Chosen Option : 1

Q.7 Select the most appropriate option to fill in the blank.

There is heavy fog at the Delhi airport. The plane, _____, has been diverted.

- Ans
- 1. still
 - 2. therefore
 - 3. because
 - 4. although

Question ID : 5096471067
Status : Answered
Chosen Option : 2

Q.8 Select the most appropriate synonym of the given word.

RECIPROCATE

- Ans
- 1. Remind
 - 2. Receive
 - 3. Remember
 - 4. Respond

Question ID : 5096471072
Status : Answered
Chosen Option : 3

Q.9 Select the most appropriate option to fill in the blank.

I was exhausted last night after driving, so I went to bed _____ than usual.

- Ans
- 1. early
 - 2. earliest
 - 3. earlier
 - 4. as early

Question ID : 5096471063
Status : Answered
Chosen Option : 3

Q.10 Select the wrongly spelt word.

- Ans
- 1. germinate

- 2. geometry
- 3. generalise
- 4. genuine

Question ID : 5096471076
Status : Answered
Chosen Option : 4

Q.1 Select the most appropriate option to fill in the blank.

1

As soon as he _____ home, he sits and talks to his children asking them about their day.

- Ans
- 1. is coming
 - 2. came
 - 3. comes
 - 4. has come

Question ID : 5096471061
Status : Answered
Chosen Option : 3

Q.1 In the following sentence, four words or phrases have been underlined. One of them is incorrect. Choose the INCORRECT word or phrase from the given options.

2

In India most people wears both their traditional clothes and western dresses.

- Ans
- 1. In India
 - 2. their
 - 3. western
 - 4. wears

Question ID : 5096471077
Status : Answered
Chosen Option : 2

Q.1 Select the most appropriate direct form of the given sentence.

3

Addressing the students, the professor said that it gave him great pleasure to be interacting with them.

- Ans
- 1.
Addressing the students, the professor said, "It gives me great pleasure to be interacting with you."
 - 2.
Addressing the students, the professor said, "It gave him great pleasure to be interacting with them."
 - 3.
Addressing the students, the professor said, "It gives him great pleasure to be interacting with you."
 - 4.
Addressing the students, the professor said, "It has given me great pleasure to be interacting with you."

Question ID : 5096471080
Status : Answered
Chosen Option : 1

Q.1 Select the most appropriate indirect form of the given sentence.

4

He wrote, "It is time we thought about settling this deal."

- Ans
- 1.
He wrote that it was time they thought about settling that deal.

2.

He wrote that it was time we thought about settling that deal.

3.

He wrote that it is time we thought about settling this deal.

4.

He wrote that that is time they thought about settling that deal.

Question ID : 5096471079
Status : Answered
Chosen Option : 1

Q.1 Select the most appropriate option to fill in the blank.

5

The flat _____ is very nice but the entrance to the colony is crowded and dirty.

Ans 1. yourself

2. himself

3. itself

4. oneself

Question ID : 5096471066
Status : Answered
Chosen Option : 3

Q.1 Select the most appropriate option to fill in the blank.

6

The old Neem tree which _____ in our compound for fifty years suddenly crashed to the ground last night.

Ans 1. had stood

2. has stood

3. is standing

4. stands

Question ID : 5096471062
Status : Answered
Chosen Option : 1

Q.1 Select the most appropriate antonym of the given word.

7

OBSTRUCTED

Ans 1. Unhindered

2. Closed

3. Confused

4. Blocked

Question ID : 5096471073
Status : Answered
Chosen Option : 1

Q.1 Select the correctly spelt word.

8

Ans 1. comission

2. commision

3. commission

4. comision

Question ID : 5096471075
 Status : Answered
 Chosen Option : 3

Q.1 Select the correct active form of the given sentence.

If he is elected by people in the next election, he will be greatly surprised.

Ans 1.

If people are electing him in the next election, he is greatly surprised.

2.

If he elected the people in the next election, he will be greatly surprised.

3.

If people elected him in the next election, he will be greatly surprised.

4.

If people elect him in the next election, he will be greatly surprised.

Question ID : 5096471070
 Status : Answered
 Chosen Option : 4

Q.2 Select the most appropriate option to fill in the blank.

She looked very graceful in her _____ sari.

Ans 1. new green cotton

2. new cotton green

3. green cotton new

4. cotton green new

Question ID : 5096471064
 Status : Answered
 Chosen Option : 1

Section : Discipline

Q.1 The approximate solution of the system of simultaneous equations

$$2x - 5y + 3z = 7$$

$$x + 4y - 2z = 3$$

$$2x + 3y + z = 2$$

by applying Gauss-Seidel method one time (using initial approximation as $x = 0, y = 0, z = 0$) will be:

Ans 1. $x = 2.32, y = 1.245, z = -3.157$

2. $x = 1.25, y = -2.573, z = -3.135$

3. $x = 2.45, y = -1.725, z = -3.565$

4. $x = 3.5, y = -0.125, z = -4.625$

Question ID : 5096471140
 Status : Answered
 Chosen Option : 4

Q.2 The solution of differential equation $x^2 \frac{d^2y}{dx^2} - 2x \frac{dy}{dx} + 2y = 0$ will be _____, where c_1 and c_2 are arbitrary constants.

Ans 1. $y = c_1x + c_2x^2$

2. $y = c_1 \log x + c_2 x$

3. $y = c_1 + c_2 x$

4. $y = c_1 x^2 + c_2 x^3$

Question ID : 5096471125
Status : Answered
Chosen Option : 1

Q.3 When a ferromagnetic material is heated above the curie temperature, it becomes:

Ans 1. paramagnetic material

2. non-magnetic material

3. diamagnetic material

4. strongly charged

Question ID : 5096471109
Status : Answered
Chosen Option : 2

Q.4 The value of $\lim_{x \rightarrow 2} \frac{x^2 - 4}{3x - 6}$ is:

Ans 1. $\frac{1}{3}$

2. $\frac{4}{3}$

3. 1

4. $\frac{2}{3}$

Question ID : 5096471122
Status : Answered
Chosen Option : 2

Q.5 In a dielectric, the displacement vector D, the polarisation vector P and the electric field vector E are related by the expression:

Ans 1. $D - \epsilon_0 P = \epsilon_0 E$

2. $D - E = \epsilon_0 P$

3. $D - P = \epsilon_0 E$

4. $E - P = \epsilon_0 D$

Question ID : 5096471104
Status : Answered
Chosen Option : 3

Q.6 Two sources of monochromatic light are said to be coherent, if light waves produced by them have the same:

Ans 1. wavelength and constant phase difference

2. wavelength only

3. amplitude and same wavelength

4. amplitude only

Question ID : 5096471087
Status : Answered

Chosen Option : 1

Q.7 Which of the following incident light wavefronts is most suitable for observing a single slit diffraction pattern?

- Ans 1. Either a cylindrical wavefront or a spherical wavefront
 2. Cylindrical wavefront only
 3. Plane wavefront only
 4. Spherical wavefront only

Question ID : 5096471088
 Status : Answered
 Chosen Option : 1

Q.8 The general solution of $\frac{dx}{z^2y} = \frac{dy}{z^2x} = \frac{dz}{y^2x}$ will be _____, where c_1 and c_2 are arbitrary constants.

- Ans 1. $x^2 - y^2 = c_1, y^3 - z^3 = c_2$
 2. $x + y = c_1, x^4 + z^4 = c_2$
 3. $2x^2 + 3y^3 = c_1, 7x^3 - 5z^3 = c_2$
 4. $x^2 + y = c_1, x^3 + z^2 = c_2$

Question ID : 5096471124
 Status : Answered
 Chosen Option : 1

Q.9 For a complex variable $Z = x + iy$, function $f(Z)$ will be a constant function, if f is:

- Ans 1. a bounded function
 2. a bounded function that is differentiable for all Z
 3. not differentiable at origin
 4. differentiable for all Z

Question ID : 5096471118
 Status : Answered
 Chosen Option : 2

Q.10 In a Fresnel's biprism setup, monochromatic light of wavelength 550 nm is used to obtain interference fringes on the screen. On introducing a thin sheet of transparent material of thickness 1.1 microns in the path of one of the interfering beams, the central fringe is shifted through distance equal to the spacing between successive bright fringes. Then, the refractive index of the transparent material is:

- Ans 1. 1.7
 2. 1.5
 3. 1.4
 4. 1.6

Question ID : 5096471092
 Status : Answered
 Chosen Option : 3

Q.11 In a single slit diffraction pattern, the intensity of the principal maximum is I_0 . On doubling the slit width, its intensity will be:

- Ans 1. $I_0/2$
 2. $4 I_0$
 3. I_0

4. $2 I_0$

Question ID : 5096471093
Status : Answered
Chosen Option : 2

Q.1 If a liquid drop is introduced between the plano-convex lens and the glass plate in a Newton's rings experimental setup,
2 then the interference fringe pattern will:

- Ans**
- 1. expand
 - 2. change from circular fringes into straight line fringes
 - 3. shrink
 - 4. remain the same

Question ID : 5096471090
Status : Answered
Chosen Option : 2

Q.1 X rays are produced when a target of suitable material element of high atomic mass is bombarded by a beam of fast
3 moving and high energy particles such as:

- Ans**
- 1. neutrons
 - 2. electrons
 - 3. protons
 - 4. photons

Question ID : 5096471095
Status : Answered
Chosen Option : 1

Q.1 The speed of a fast moving particle, whose total energy is twice the mass energy of the particle at rest, is nearly:
4

- Ans**
- 1. 0.89 c
 - 2. 0.86 c
 - 3. 0.87 c
 - 4. 0.88 c

Question ID : 5096471106
Status : Answered
Chosen Option : 4

Q.1 The ability of an optical instrument by which it can form separate images of two close objects is known as:
5

- Ans**
- 1. magnifying power
 - 2. resolving power
 - 3. optical power
 - 4. dispersive power

Question ID : 5096471105
Status : Answered
Chosen Option : 2

Q.1 A sugar solution in a tube of length 20 cm, produces optical rotation of 13° . The sugar solution is diluted to one-third of
8 its previous concentration. If the diluted solution is contained in a tube of length 30 cm, the optical rotation will be:

- Ans**
- 1. 8.5°
 - 2. 6.5°

3. 5.5°

4. 7.5°

Question ID : 5096471107
Status : Answered
Chosen Option : 2

Q.1
7 The length of the curve $x = t^3, y = \frac{3t^2}{2}, 0 \leq t \leq 1$ will be:

Ans 1. $2^{3/2} - 1$ units

2. $3^{3/2} - 2$ units

3. $5^{3/2} + 1$ units

4. $3^{3/2} + 1$ units

Question ID : 5096471130
Status : Answered
Chosen Option : 4

Q.1
8 Let $f(z) = u(x, y) + i(v(x, y))$ be an analytical function. If $u = 5x + 2xy$ then v is equal to _____, where c is a constant.

Ans 1. $x^2 + y^2 - 5x + c$

2. $x^2 - y^2 - 5xy + c$

3. $x^2 + y^2 + 5xy + c$

4. $y^2 - x^2 + 5y + c$

Question ID : 5096471116
Status : Answered
Chosen Option : 4

Q.1
9 A complete solution of partial differential equation $\frac{\partial z}{\partial x} - 3x^2 - \left(\frac{\partial z}{\partial y}\right)^2 - y$ will be _____, where a and b are arbitrary constants.

Ans 1. $z^2 = ax^2 + by^2 + 1$

2. $z = ax + x^3 + \left(\frac{2}{3}\right)(a + y)^{3/2} + b$

3. $z^{1/2} = (x + a)^{1/2} + (y + b)^{1/2}$

4. $z = (ax^2 + by^2)^{3/2} + 2$

Question ID : 5096471127
Status : Answered
Chosen Option : 1

Q.2
0 If the product of eigenvalues of matrix $A = \begin{bmatrix} 1 & 2 & -1 \\ 3 & 5 & 2 \\ 1 & k & 2 \end{bmatrix}$ is -8 , then the value of k will be:

Ans 1. 3

2. 2

3. -2

4. -3

Question ID : 5096471134

Status : Answered
Chosen Option : 3

Q.2
1 The value of $\int \operatorname{cosec}^6 x \, dx$ will be _____, where c is an arbitrary constant.

- Ans
- 1. $\frac{-1}{5} \cot^5 x - \frac{2}{3} \cot^3 x - \cot x + c$
 - 2. $-\sin^7 x - 5\sin^5 x - 3\sin^3 x - \sin x + c$
 - 3. $\cos^5 x + 3\cos^3 x + \cos x + c$
 - 4. $\cos^6 x - 4\cos^4 x + 2\cos^2 x + c$

Question ID : 5096471129
Status : Answered
Chosen Option : 2

Q.2
2 If $f(Z)$ is an analytical function and (r, θ) denotes the polar co-ordinates, then:

- Ans
- 1. $\frac{\partial u}{\partial r} = \frac{1}{r} \frac{\partial v}{\partial \theta}$ and $\frac{\partial v}{\partial r} = \frac{-1}{r} \frac{\partial u}{\partial \theta}$
 - 2. $\frac{\partial u}{\partial r} = \frac{-1}{r} \frac{\partial v}{\partial \theta}$ and $\frac{\partial v}{\partial r} = \frac{1}{r} \frac{\partial u}{\partial \theta}$
 - 3. $\frac{\partial u}{\partial r} = -r \frac{\partial v}{\partial \theta}$ and $\frac{\partial v}{\partial r} = r \frac{\partial u}{\partial \theta}$
 - 4. $\frac{\partial u}{\partial r} = r \frac{\partial v}{\partial \theta}$ and $\frac{\partial v}{\partial r} = -r \frac{\partial u}{\partial \theta}$

Question ID : 5096471111
Status : Answered
Chosen Option : 1

Q.2
3 Value of $\oint (5Z^4 - Z^3 + 2)dZ$ around unit circle $|Z| = 1$ will be:

- Ans
- 1. 1
 - 2. 6
 - 3. -1
 - 4. 0

Question ID : 5096471117
Status : Answered
Chosen Option : 2

Q.2
4 What happens to the relativistic mass of a moving particle, when its velocity increases?

- Ans
- 1. increases
 - 2. sometimes decreases and at other times increases, depending on the nature of the particles
 - 3. decreases very slowly
 - 4. decreases rapidly

Question ID : 5096471084
Status : Answered
Chosen Option : 1

Q.2
5 In Fresnel's biprism experiment, if the distance between the slits is gradually increased, the fringe width in the interference fringe pattern obtained will:

- Ans 1. decrease
 2. increase
 3. remain unchanged
 4. first increase and then decrease

Question ID : 5096471089
Status : Answered
Chosen Option : 2

Q.2 The magnitude of the vector representing a product of electric field vectors, constituting electromagnetic waves, has the same dimensions as that of:

- Ans 1. electromagnetic power density
 2. electric current density
 3. electromagnetic energy density
 4. electric charge density

Question ID : 5096471081
Status : Answered
Chosen Option : 2

Q.2 Bragg's reflection by crystal in an X-ray beam CANNOT occur for a wavelength, if:

- Ans 1. $\lambda > 2d$
 2. $\lambda > d$
 3. $\lambda < d$
 4. $\lambda < 2d$

Question ID : 5096471082
Status : Answered
Chosen Option : 1

Q.2 Soft magnetic materials like iron and its alloys are used in the manufacture of:

- Ans 1. permanent magnets
 2. magnets for the toys
 3. magnets used in measuring meters of current and voltage
 4. cores of transformers employed in power generation

Question ID : 5096471110
Status : Answered
Chosen Option : 4

Q.2 In an inertial frame, a free particle:

- Ans 1. is accelerated
 2. is decelerated
 3. moves with uniform velocity or is at rest
 4. is either accelerated or decelerated

Question ID : 5096471103
Status : Answered
Chosen Option : 3

Q.3
0 The value of $\int \frac{x^2}{x^2 - 3x + 2} dx$ will be _____, where c is an arbitrary constant.

- Ans
- 1. $x^2 + e^{2x} + 2 \log x + c$
 - 2. $x - \log|x - 1| + 4 \log|x - 2| + c$
 - 3. $x + e^x + \log|x + 1| + c$
 - 4. $1 + x^2 \log|x + 1| - e^x + c$

Question ID : 5096471132
Status : Answered
Chosen Option : 2

Q.3
1 Consider two subsets of \mathbb{R}^2 given as, $S_1 = \{[1, -2], [3, 5]\}$ and $S_2 = \{[1, 1], [0, 0]\}$. Then,

- Ans
- 1. S_1 is not a basis for \mathbb{R}^2 but S_2 is a basis for \mathbb{R}^2 .
 - 2. neither S_1 nor S_2 are bases for \mathbb{R}^2 .
 - 3. both S_1 and S_2 are bases \mathbb{R}^2 .
 - 4. S_1 is a basis for \mathbb{R}^2 but S_2 is not a basis for \mathbb{R}^2 .

Question ID : 5096471135
Status : Answered
Chosen Option : 4

Q.3
2 The standard ordered basis of \mathbb{R}^2 is $\{e_1, e_2\}$. Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be the linear transformation such that T reflects the points through the line $x_1 = -x_2$. The standard matrix of T is:

- Ans
- 1. $\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$
 - 2. $\begin{pmatrix} 0 & -1 \\ -1 & 0 \end{pmatrix}$
 - 3. $\begin{pmatrix} -1 & 0 \\ 0 & -1 \end{pmatrix}$
 - 4. $\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$

Question ID : 5096471136
Status : Answered
Chosen Option : 2

Q.3
3 Let $\langle x_n \rangle$ and $\langle y_n \rangle$ be real sequences and let for some $k \in \mathbb{N}$, $0 \leq x_n \leq y_n$ for $n \geq k$.

Then, which of the following statements is true?

- Ans
- 1. Divergence of $\sum y_n \Rightarrow$ Divergence of $\sum x_n$
 - 2. $\sum x_n$ and $\sum y_n$ are always divergent
 - 3. Convergence of $\sum x_n \Rightarrow$ Convergence of $\sum y_n$
 - 4. Convergence of $\sum y_n \Rightarrow$ Convergence of $\sum x_n$

Question ID : 5096471120
Status : Answered
Chosen Option : 3

Q.3
4 For any two complex numbers Z_1 and Z_2 , which of the following results is true?

- Ans
- 1. $|z_1 - z_2| < |z_1| - |z_2|$
 - 2. $|z_1 - z_2| < ||z_1| - |z_2||$
 - 3. $|z_1 + z_2| < ||z_1| - |z_2||$
 - 4. $|z_1 + z_2|^2 + |z_1 - z_2|^2 = 2(|z_1|^2 + |z_2|^2)$

Question ID : 5096471112
 Status : Answered
 Chosen Option : 4

Q.3
 5 The value of $\int_0^{\frac{\pi}{2}} \frac{1}{1+\sqrt{\cot x}} dx$ will be:

- Ans
- 1. $\frac{\pi}{4}$
 - 2. $\frac{\pi}{3}$
 - 3. $\frac{\pi}{2}$
 - 4. $\frac{\pi}{6}$

Question ID : 5096471131
 Status : Answered
 Chosen Option : 4

Q.3
 8 When a beam of ordinary light is passed through a calcite crystal, the light splits into O-ray and E-ray inside the crystal. Which of the following statements is true?

- Ans
- 1. Only O-ray is polarised
 - 2. Neither E-ray nor O-ray is polarised
 - 3. Only E-ray is polarised
 - 4. Both E-ray and O-ray are polarised

Question ID : 5096471099
 Status : Answered
 Chosen Option : 3

Q.3
 7 For what value of μ do the simultaneous equations $5x - 7y = 2$, $15x + 21y = \mu$ have no solution?

- Ans
- 1. $\mu = 0$
 - 2. $\mu \neq -6$
 - 3. $\mu \neq 0$
 - 4. $\mu = -6$

Question ID : 5096471133
 Status : Answered
 Chosen Option : 2

Q.3
 8 Two lines, A and B, of an X-ray beam give first order reflection maximum at a glancing angle of 30° and third order reflection maximum at an angle of 60° respectively from the face of the same crystal. If the wavelength of line B is 0.098 nm , then the wavelength of line A will be:

- Ans
- 1. 0.170 nm
 - 2. 0.056 nm
 - 3. 0.126 nm

4. 0.092 nm

Question ID : 5096471096
Status : Answered
Chosen Option : 3

Q.3 The approximation to a root of the equation $x^2 + x - 1 = 0$ in the interval (0, 1) by applying method of false position one time, will be:

- Ans** 1. 0.75
 2. 0.5
 3. 0.25
 4. 0.65

Question ID : 5096471139
Status : Answered
Chosen Option : 3

Q.4 For the curve $xy^3 - yx^3 = 6$, the slope of the tangent line at the point (1, -1) is:

- Ans** 1. $\frac{1}{2}$
 2. -1
 3. 2
 4. 1

Question ID : 5096471114
Status : Answered
Chosen Option : 3

Q.4 If $y = x^{n-1} \cdot \ln x$, then the n^{th} order derivative of y with respect to x at $x = \frac{1}{2}$ is:

- Ans** 1. $3 \cdot [n!]$
 2. $2 \cdot [(n + 1)!]$
 3. $3(n - 1) \cdot [n!]$
 4. $2 \cdot [(n - 1)!]$

Question ID : 5096471113
Status : Answered
Chosen Option : 3

Q.4 Ultrasonic waves, propagating through a medium, can be detected by:

- Ans** 1. Light meter
 2. Quincke's tube
 3. Envelope detector
 4. Thermal detector

Question ID : 5096471098
Status : Answered
Chosen Option : 3

Q.4 An acceptable wave function ψ associated with a moving particle must be:

- Ans** 1. finite, single valued and discontinuous

- 2. finite, multiple valued and continuous
- 3. finite, single valued and continuous
- 4. infinite, single valued and continuous

Question ID : 5096471086
Status : Answered
Chosen Option : 3

Q.4
4 Which of the following statements is FALSE?

Ans 1.

If a sequence X of real numbers converges to a real number and has two convergent subsequences X' and X'' whose limits are not equal, then X is divergent.

2. A Cauchy sequence of real numbers is unbounded.

3.

If a sequence (x_n) of real numbers converges to a real number x , then any subsequence (x_{n_k}) of (x_n) also converges to x .

4.

A bounded sequence of real numbers has a convergent subsequence.

Question ID : 5096471121
Status : Answered
Chosen Option : 2

Q.4
5 A calcite crystal has been placed on a black dot on a piece of white sheet and then rotated. On looking through the calcite crystal from above, we can see:

Ans 1. one black dot rotating about the other stationary dot

2. two stationary black dots

3. one black dot only

4. two rotating black dots

Question ID : 5096471102
Status : Answered
Chosen Option : 1

Q.4
6 Dielectric losses may occur due to:

Ans 1. conductivity

2. polarisation

3. radioactivity

4. ionisation

Question ID : 5096471085
Status : Answered
Chosen Option : 2

Q.4
7 Which of the following particles in motion, having same kinetic energy has the longest wavelength?

Ans 1. An electron

2. A proton

3. An alpha-particle

4. A neutron

Question ID : 5096471083
 Status : Answered
 Chosen Option : 1

Q.4
8 A diffraction pattern due to single slit has been obtained using a beam of red light. On replacing the red light by violet light, the:

- Ans
- 1. diffraction bands disappear
 - 2. diffraction bands become narrower and crowd together
 - 3. no change occurs in the diffraction pattern
 - 4. diffraction bands become broader

Question ID : 5096471084
 Status : Answered
 Chosen Option : 2

Q.4
9 For the data,

x : 0 1 2
 $f(x)$: 8 5 6

the value of $\int_0^2 [f(x)]^2 dx$ by Trapezoidal rule will be:

- Ans
- 1. 92
 - 2. 75
 - 3. 123
 - 4. 42

Question ID : 5096471138
 Status : Answered
 Chosen Option : 3

Q.5
0 The relative permeability of a material A is slightly more than unity while that of a material B is slightly less than unity. Which of the following statements relating to the materials A and B is correct?

- Ans
- 1. Material A is diamagnetic and B paramagnetic.
 - 2. Both the materials A and B are ferromagnetic.
 - 3. Both the materials A and B are paramagnetic.
 - 4. Material A is paramagnetic and B diamagnetic.

Question ID : 5096471108
 Status : Answered
 Chosen Option : 1

Q.5
1 Which of the following phenomena CANNOT convert ordinary, unpolarised light to a partially polarised or plane polarised light?

- Ans
- 1. Scattering
 - 2. Double refraction
 - 3. Reflection
 - 4. Diffraction

Question ID : 5096471100
 Status : Answered
 Chosen Option : 3

Q.5
2 In electromagnetic waves, Poynting vector representing the flow of electromagnetic energy per unit area per unit time across the boundary is represented by:

- Ans
- 1. E / H
 - 2. E / B
 - 3. $E \times B$
 - 4. $E \times H$

Question ID : 5096471101
Status : Answered
Chosen Option : 3

Q.5
3 $x^2 \left(\frac{\partial z}{\partial x} \right)^2 = z \left(z - y \frac{\partial z}{\partial y} \right)$ is a partial differential equation of:

- Ans
- 1. first order and first degree
 - 2. second order and second degree
 - 3. first order and second degree
 - 4. second order and first degree

Question ID : 5096471126
Status : Answered
Chosen Option : 3

Q.5
4 The set \mathbb{N} of natural numbers is:

- Ans
- 1. unbounded below in \mathbb{R}
 - 2. bounded above in \mathbb{R}
 - 3. unbounded above in \mathbb{R}
 - 4. bounded above and bounded below in \mathbb{R}

Question ID : 5096471119
Status : Answered
Chosen Option : 3

Q.5
5 An accelerated electric charge produces:

- Ans
- 1. neither an electric field nor the magnetic field
 - 2. magnetic field only
 - 3. electric field only
 - 4. both electric and magnetic fields

Question ID : 5096471091
Status : Answered
Chosen Option : 4

Q.5
6 The volume of the solid obtained by revolving the region bounded by the curve $y = x - x^2$ and the x -axis will be:

- Ans
- 1. $\frac{\pi}{24}$ cubic units
 - 2. $\frac{\pi}{15}$ cubic units
 - 3. $\frac{\pi}{30}$ cubic units

4. $\frac{\pi}{25}$ cubic units

Question ID : 5096471128
Status : Answered
Chosen Option : 1

Q.5
7 The interval of convergence of the series $\sum_{n=0}^{\infty} x^{(n^2)}$ is:

- Ans 1. $\mathbb{R} - [-1, 1]$
 2. $[-1, 1]$
 3. $(-1, 1)$
 4. $\mathbb{R} - \{0\}$

Question ID : 5096471123
Status : Answered
Chosen Option : 4

Q.5
8 If $f(x) = x^2$, then the second order divided difference for the points x_0, x_1, x_2 will be:

- Ans 1. -1
 2. $\frac{-1}{x_1 - x_0}$
 3. 1
 4. $\frac{1}{x_2 - x_1}$

Question ID : 5096471137
Status : Answered
Chosen Option : 2

Q.5
9 Interference effects are possible due to superposition of two or more waves in a certain region of space in case of:

- Ans 1. both transverse and longitudinal waves
 2. longitudinal waves only
 3. transverse waves only
 4.

neither transverse waves nor a combination of transverse and longitudinal waves

Question ID : 5096471097
Status : Answered
Chosen Option : 2

Q.6
0 The volume of the solid bounded by the surface $x = 0, y = 0, x + y + z = 1$, and $z = 0$ will be:

- Ans 1. $\frac{1}{6}$ cubic units
 2. $\frac{2}{3}$ cubic units
 3. $\frac{5}{6}$ cubic units
 4. $\frac{1}{3}$ cubic units

12/7/2018

Qp.html#

Question ID : 5096471115
Status : Answered
Chosen Option : 2

