



Teachingninja.in

- ★ Latest Govt Job updates
- ★ Private Job updates
- ★ Free Mock tests available

Visit - teachingninja.in



AP MLHP 2019 (English)



Q.1 The focus of adolescent health according to RMNCHA + is all except;

Ans

- ☒ 1. Cancer counseling
- ☐ 2. Address teenage pregnancy
- ☐ 3. Strengthen ARSH clinic
- ☐ 4. Menstrual hygiene

Question ID : 39579597
Chosen Option : 1

Q.2 An unconscious child requires intermittent nasogastric feeding. When should the nurse check placement of the tube:

Ans

- ☐ 1. Once a day
- ☐ 2. At every shift change
- ☒ 3. Before administering each feeding
- ☐ 4. During the night shift for the morning report

Question ID : 39579562
Chosen Option : 3

Q.3 The activity of Adolescent Health operate at which four levels:

Ans

- ☒ 1. Individual, Family, School and Community
- ☐ 2. Individual, Home, Hospital and Community
- ☐ 3. Family, College, Individual and Community
- ☐ 4. Individual, Home, School and Community

Question ID : 395795100
Chosen Option : 1

Q.4 Care of mother during delivery is called

Ans

- ☐ 1. Postnatal care
- ☐ 2. Antenatal care
- ☒ 3. Intra-natal care
- ☐ 4. Prenatal care

Question ID : 39579544
Chosen Option : 3

Q.5 Iodine deficiency disorder form a spectrum of abnormalities, EXCEPT

Ans

- ☐ 1. Goitre
- ☒ 2. Neck rigidity
- ☐ 3. Deaf mutism

- 1. Goitre
- 2. Neck rigidity

Question ID : 395795173
Chosen Option : 2

Q.6 The following symptoms are seen after menopause EXCEPT:

- Ans
- ☒ 1. Tachycardia
 - ☒ 2. Atropic vaginitis
 - ☒ 3. Bradycardia
 - ☒ 4. Hot flushes

Question ID : 395795143
Chosen Option : 3

Q.7 Which of the following statement describe Habits

- Ans
- ☒ 1. It is seen in human beings only
 - ☒ 2. It requires effort
 - ☒ 3. It is learned or acquired through repetition
 - ☒ 4. It is based on maturation

Question ID : 395795112
Chosen Option : 3

Q.8 Which of the following forms of cancer has been shown to have a viral cause?

- Ans
- ☒ 1. Cerebellar
 - ☒ 2. Prostate
 - ☒ 3. Cervical
 - ☒ 4. Testicular

Question ID : 39579539
Chosen Option : 3

Q.9 Which of the following is a mechanical method of contraception?

- Ans
- ☒ 1. Condom
 - ☒ 2. MTP
 - ☒ 3. Vasectomy
 - ☒ 4. Mala-D

Question ID : 395795193
Chosen Option : 1

Q.10 Measles is spread by

- Ans
- ☒ 1. Droplet infection
 - ☒ 2. Feco oral route
 - ☒ 3. Blood borne
 - ☒ 4. Parenteral route

Question ID : 395795199
Chosen Option : 1

Q.11 Richest source of protein:

- Ans
- ☒ 1. Soyabean
 - ☒ 2. Egg
 - ☒ 3. Oils

☒ 4. Nuts

Question ID : 395795177
Chosen Option : 1

Q.12 The recommended maximum level of noise tolerable for normal human ear is:

- Ans ☒ 1. 50 dB
☒ 2. 85 dB
☒ 3. Vitamin D
☒ 4. 110 dB

Question ID : 39579549
Chosen Option : 2

Q.13 The objects/articles contaminated by HIV can be decontaminated using:

- Ans ☒ 1. Methanol
☒ 2. Sodium hypochlorite
☒ 3. Glutaraldehyde
☒ 4. Formaldehyde

Question ID : 395795150
Chosen Option : 2

Q.14 Side effects of essential first line anti TB drug Isoniazid EXCEPT:

- Ans ☒ 1. Koplik spot
☒ 2. Skin rash
☒ 3. Hepatitis
☒ 4. Peripheral neuropathy

Question ID : 39579557
Chosen Option : 1

Q.15 The maintenance of steady internal states is called

- Ans ☒ 1. Homeostasis
☒ 2. Arousal
☒ 3. Instincts
☒ 4. Sensation seeking

Question ID : 395795180
Chosen Option : 1

Q.16 Chemical substance used for purifying water

- Ans ☒ 1. Potassium permanganate
☒ 2. Bleaching powder
☒ 3. Lime
☒ 4. Formaldehyde

Question ID : 39579538
Chosen Option : 2

Q.17 Diabetes mellitus is related to impairment in metabolism of

- Ans 1. Fats

- ☒ 2. Proteins
- ☒ 3. Carbohydrates
- ☒ 4. Vitamins

Question ID : 395795165
Chosen Option : 3

Q.18 What is the most common cause of death due to diarrhoea?

- Ans
- ☒ 1. Abdominal pain
 - ☒ 2. Lethargy
 - ☒ 3. Vomiting
 - ☒ 4. Dehydration

Question ID : 39579563
Chosen Option : 4

Q.19 In pregnancy, kit test women is said to be pregnant if

- Ans
- ☒ 1. Two lines appear
 - ☒ 2. Two lines where one is not clear appears
 - ☒ 3. Single line appears
 - ☒ 4. No band appears

Question ID : 395795101
Chosen Option : 1

Q.20 Aspermia is the term used to describe

- Ans
- ☒ 1. Absence of sperm motility
 - ☒ 2. Absence of semen
 - ☒ 3. Absence of sperm
 - ☒ 4. Presence of abnormal sperm

Question ID : 395795147
Chosen Option : 3

Q.21 'National Vector borne disease control programme' aims at prevention and control of all EXCEPT:

- Ans
- ☒ 1. Malaria and dengue
 - ☒ 2. Japanese encephalitis and chikungunya
 - ☒ 3. Lymphatic filariasis and kala-azar
 - ☒ 4. Swine flu and Tetanus

Question ID : 39579553
Chosen Option : 4

Q.22 The best method to dispose of hospital waste is

- Ans
- ☒ 1. Incinerating
 - ☒ 2. Dumping
 - ☒ 3. Burning
 - ☒ 4. Composting

Question ID : 39579560
Chosen Option : 1

Q.23 To avoid constipation, the diet of pregnant women should be rich in:

- Ans
- ☐ 1. Chapattis
 - ☐ 2. Egg
 - ☐ 3. Rice
 - ☒ 4. Salads and fruits

Question ID : 395795197
Chosen Option : 4

Q.24 A woman had her first TT dose at 4 months. She now comes back for check up at 8 months. What will you decide on giving TT injection?

- Ans
- ☐ 1. Give her the TT injection of double strength
 - ☐ 2. Give her 2 more doses at the gap of 15 days
 - ☐ 3. Do not give her TT injection
 - ☒ 4. Give her the second dose of TT injection

Question ID : 395795111
Chosen Option : 4

Q.25 The time interval between the entry of the disease agent into the body and the appearance of first sign or symptom of the disease is

- Ans
- ☒ 1. Incubation period
 - ☐ 2. Transmission
 - ☐ 3. Epidemic
 - ☐ 4. Infection

Question ID : 39579535
Chosen Option : 1

Q.26 After the first 3 months of pregnancy, the chief source of estrogen and progesterone is the:

- Ans
- ☒ 1. Placenta
 - ☐ 2. Corpus Luteum
 - ☐ 3. Anterior pituitary gland
 - ☐ 4. Adrenal Cortex

Question ID : 395795102
Chosen Option : 1

Q.27 Fetal Heart Rate (FHR) should be checked for:

- Ans
- ☐ 1. 5 secs
 - ☒ 2. 60 secs
 - ☐ 3. 30 secs
 - ☐ 4. 10 secs

Question ID : 395795114
Chosen Option : 2

Q.28 Dental caries is caused due to deficiency of:

- Ans
- ☐ 1. Copper
 - ☒ 2. Fluorine
 - ☐ 3. Iron
 - ☐ 4. Iodine

Question ID : 3957954
Chosen Option : 2

Q.29 What is the name of the vaccine against Cervical Cancer?

- Ans ☒ 1. HPV vaccine
☒ 2. Hepatitis
☒ 3. Anti viral vaccine
☒ 4. IPV vaccine

Question ID : 395795174
Chosen Option : 1

Q.30 The most frequent cause of maternal death during child birth is

- Ans ☒ 1. Hemorrhage
☒ 2. Toxemia
☒ 3. Sepsis
☒ 4. Asphyxia

Question ID : 395795127
Chosen Option : 1

Q.31 Which of the following is not an endocrine gland?

- Ans ☒ 1. Salivary glands
☒ 2. Pineal gland
☒ 3. Thymus gland
☒ 4. Parathyroid

Question ID : 39579583
Chosen Option : 1

Q.32 Painful and profoundly swollen limb/limbs are a long term physical consequence of:

- Ans ☒ 1. Lymphatic Filariasis
☒ 2. Yellow Fever
☒ 3. Malaria
☒ 4. Dengue

Question ID : 395795157
Chosen Option : 1

Q.33 Pregnant women should be tested for which infections:

- Ans ☒ 1. HIV, Hepatitis E and syphilis
☒ 2. HIV, Hepatitis B and Syphilis
☒ 3. HIV, Hepatitis A and syphilis
☒ 4. HIV, Hepatitis C and syphilis

Question ID : 395795119
Chosen Option : 4

Q.34 What is the depth of chest compression for an adult?

- Ans ☒ 1. 4-6 cm
☒ 2. 7 - 8 cm
☒ 3. 3-4 cm

☒ 4. 2-3 cm

Question ID : 395795188
Chosen Option : 1

Q.35 Goitre is caused due to deficiency of:

- Ans ☒ 1. Fluorine
☒ 2. Iron
☒ 3. Copper
☒ 4. Iodine

Question ID : 3957955
Chosen Option : 4

Q.36 Sex ratio is:

- Ans ☒ 1. Number of females per hundred males
☒ 2. Number of females per thousand males
☒ 3. Number of females and males
☒ 4. Difference in number of males and females

Question ID : 39579543
Chosen Option : 2

Q.37 Information given by the patient about his illness, which is not visible are called

- Ans ☒ 1. Diagnosis
☒ 2. Symptoms
☒ 3. Prognosis
☒ 4. Signs

Question ID : 39579561
Chosen Option : 2

Q.38 Heimlich maneuver is used:

- Ans ☒ 1. To improve circulation
☒ 2. To stimulate cardiovascular system
☒ 3. To expel foreign bodies in the respiratory tract
☒ 4. To improve lung capacity

Question ID : 39579517
Chosen Option : 3

Q.39 World breastfeeding week is celebrated

- Ans ☒ 1. August 1st week
☒ 2. May 1st week
☒ 3. August 2nd week
☒ 4. May 2nd week

Question ID : 39579580
Chosen Option : 3

Q.40 Rabies is a fatal viral disease of

- Ans ☒ 1. Skeletal system
☒ 2. Cardiovascular system

- ☒ 3. Central nervous system
- ☐ 4. Muscular system

Question ID : 39579532
Chosen Option : 3

Q.41 Commonest obstetric operation performed:

- Ans ☐ 1. Perineal tear
- ☒ 2. Episiotomy
- ☐ 3. Perineorrhaphy
- ☐ 4. Vulval tear

Question ID : 395795141
Chosen Option : 2

Q.42 Visible peristalsis may be seen in

- Ans ☐ 1. Congenital megacolon
- ☒ 2. Pyloric stenosis
- ☐ 3. Peritonitis
- ☐ 4. Constipation

Question ID : 39579587
Chosen Option : 2

Q.43 Which of the following is the first step in the processing of used instruments?

- Ans ☐ 1. Sterilization
- ☐ 2. Cleaning
- ☐ 3. Storage
- ☒ 4. Decontamination

Question ID : 395795184
Chosen Option : 2

Q.44 Break in the bone without break in the skin

- Ans ☐ 1. Complete fracture
- ☐ 2. Open fracture
- ☐ 3. In complete fracture
- ☒ 4. Closed fracture

Question ID : 39579512
Chosen Option : 4

Q.45 The nurse is assessing a six-month old child for developmental skills. Which of the following are normal and should be expected:

- Ans ☐ 1. Pulling up to a standing position
- ☒ 2. Sits alone
- ☐ 3. Can feed self with a spoon
- ☐ 4. Speaks in short sentence

Question ID : 39579569
Chosen Option : 2

Q.46 Which of the following is an example of an intrinsic reward?

- Ans
- ☐ 1. A pat on theback from your boss
 - ☒ 2. An employee's feelings of self - worth
 - ☐ 3. A pay raise
 - ☐ 4. An award

Question ID : 39579589
Chosen Option : 2

Q.47 Diagnosis of obesity can be done by calculating BMI, which stands for

- Ans
- ☐ 1. Basal Metabolic Index
 - ☒ 2. Body Mass Index
 - ☐ 3. BodyMetabolic Index
 - ☐ 4. Body Mind Index

Question ID : 395795170
Chosen Option : 2

Q.48 How frequently deworming is done for adolescents?

- Ans
- ☒ 1. Bi annual
 - ☐ 2. Weekly
 - ☐ 3. Annually
 - ☐ 4. Monthly

Question ID : 39579595
Chosen Option : 1

Q.49 All pregnant women need to be given one tablet of IFA every day for at least 100 days, which contains:

- Ans
- ☐ 1. 150 mg elemental iron and 0.1 mg folic acid
 - ☐ 2. 120 mg elemental iron and 1.5 mg folic acid
 - ☒ 3. 100 mg elemental iron and 0.5 mg folic acid
 - ☐ 4. 150 mg elemental iron and 0.6 mg folic acid

Question ID : 395795107
Chosen Option : 1

Q.50 Metformin belongs to the class of medicines called as-

- Ans
- ☒ 1. Biguanides
 - ☐ 2. Thiazides
 - ☐ 3. Sulfonylureas
 - ☐ 4. Beta Blockers

Question ID : 395795175
Chosen Option : 1

Q.51 Person or animal or object from which the infectious agent is transmitted

- Ans
- ☐ 1. Reservoir
 - ☐ 2. Agent
 - ☐ 3. Host
 - ☒ 4. Source

Question ID : 39579523
Chosen C



Teachingninja.in

Q.52 Oral polio vaccine is

- Ans
- ☐ 1. Killed vaccine
 - ☒ 2. Live attenuated vaccine
 - ☐ 3. Toxoid
 - ☐ 4. Combined vaccine

Question ID : 395795196
Chosen Option : 2

Q.53 In a primary health facility, if retained placenta is undelivered after 30 minutes of oxytocin administration and controlled cord traction and the uterus is contracted, then what is the next step to be done?

- Ans
- ☐ 1. Fundal pressure should be attempted
 - ☒ 2. Refer the woman to a facility which has emergency obstetric care services
 - ☐ 3. Controlled cord traction and fundal pressure should be attempted
 - ☐ 4. More aggressive controlled cord traction should be attempted

Question ID : 395795133
Chosen Option : 3

Q.54 The goal of psychology is to

- Ans
- ☒ 1. Describe, Predict and control behaviour
 - ☐ 2. Describe, understand and analyse behaviour
 - ☐ 3. Describe, Manipulate and control behaviour
 - ☐ 4. Describe, compare and analyse behaviour

Question ID : 39579550
Chosen Option : 2

Q.55 Exclusive breastfeeding for young infants means:

- Ans
- ☐ 1. Feeding the infant with breast milk and water only
 - ☐ 2. Exclude breast milk from young infants' feeds
 - ☐ 3. Feeding the infant with extra milk
 - ☒ 4. The infant receives only breast milk and nothing else

Question ID : 395795124
Chosen Option : 4

Q.56 Osteomalacia is caused due to the deficiency of:

- Ans
- ☐ 1. Vitamin C
 - ☒ 2. Vitamin D
 - ☐ 3. Vitamin E
 - ☐ 4. Vitamin A

Question ID : 39579540
Chosen Option : 2

Q.57 Vector of malaria is

- Ans
- ☐ 1. Male anopheles mosquito
 - ☐ 2. Male culex mosquito
 - ☒ 3. Female anopheles mosquito
 - ☐ 4. Female culex mosquito

Question ID : 39579555
Chosen Option : 3

Q.58 Pinkish linear marks found in abdominal wall, thighs and breasts during pregnancy:

- Ans
- ☒ 1. Linea nigra
 - ☒ 2. Striae gravidarum
 - ☒ 3. Striae albicans
 - ☒ 4. Linea albicans

Question ID : 395795136
Chosen Option : 1

Q.59 Decreased amount of oxygen in the blood:

- Ans
- ☒ 1. Hypoxemia
 - ☒ 2. Hypercapnea
 - ☒ 3. Hypocapnea
 - ☒ 4. Hypoxia

Question ID : 39579515
Chosen Option : 1

Q.60 Foods that can be taken without restriction by the diabetic patients are

- Ans
- ☒ 1. Green leafy vegetables, salads
 - ☒ 2. Rice and potato
 - ☒ 3. Egg yellow, chicken
 - ☒ 4. Milk, curd, paneer, etc

Question ID : 395795167
Chosen Option : 1

Q.61 Starting of menstrual cycle is called:

- Ans
- ☒ 1. Menopause
 - ☒ 2. Menstruation
 - ☒ 3. Menarche
 - ☒ 4. Ovulation

Question ID : 395795137
Chosen Option : 3

Q.62 Chickenpox is caused by

- Ans
- ☒ 1. Varicella virus
 - ☒ 2. Variola virus
 - ☒ 3. Rota virus
 - ☒ 4. Rubeola virus

Question ID : 39579588
Chosen Option : 1

Q.63 The nurse observes the client's amniotic fluid and decides that it appears normal, because it is:

- Ans
- ☒ 1. Clear, almost colorless, and containing little white specks
 - ☒ 2. Milky, greenish yellow, containing shreds of mucus

- ☒ 3. Cloudy, greenish-yellow, and containing little white specks
- ☒ 4. Clear and dark amber in colour

Question ID : 395795131
Chosen Option : 1

Q.64 In how many years is the official enumeration of population carried out for census?

- Ans
- ☒ 1. 10 years
 - ☒ 2. 1 year
 - ☒ 3. 2 years
 - ☒ 4. 5 years

Question ID : 395795194
Chosen Option : 1

Q.65 Best and cheapest investment in the health of children

- Ans
- ☒ 1. Nutrition
 - ☒ 2. Immunization
 - ☒ 3. Growth cards
 - ☒ 4. Breastfeeding

Question ID : 39579584
Chosen Option : 2

Q.66 People working in cement factories are at risk to develop:

- Ans
- ☒ 1. Asbestosis
 - ☒ 2. Leukemia
 - ☒ 3. Silicosis
 - ☒ 4. Bone Marrow Disease

Question ID : 39579541
Chosen Option : 1

Q.67 Anovulatory cycle produce:

- Ans
- ☒ 1. Growth spurt
 - ☒ 2. Delayed puberty
 - ☒ 3. Scanty menstrual bleeding
 - ☒ 4. Heavy and prolonged menstrual bleeding

Question ID : 395795142
Chosen Option : 2

Q.68 Lengthening of umbilical cord and a spurt of blood from the vagina are signs of:

- Ans
- ☒ 1. Uterine atony
 - ☒ 2. Placenta previa
 - ☒ 3. Hematoma
 - ☒ 4. Placental separation

Question ID : 395795130
Chosen Option : 4

Q.69 In cephalic presentation the fetal heart sounds are heard:

- Ans
- ☒ 1. Above umbilicus in upper abdomen
 - ☐ 2. Below umbilicus in lower abdomen
 - ☒ 3. Around umbilicus in lower abdomen
 - ☒ 4. Above umbilicus in lower abdomen

Question ID : 395795110
Chosen Option : 4

Q.70 Epidemic affecting a large population

- Ans
- ☒ 1. Exotic
 - ☒ 2. Endemic
 - ☐ 3. Pandemic
 - ☒ 4. Outbreak

Question ID : 39579525
Chosen Option : 4

Q.71 Most sensitive index of the health of a community is

- Ans
- ☐ 1. Infant Mortality Rate
 - ☒ 2. MMR
 - ☒ 3. Crude Birth Rate
 - ☒ 4. Crude Death Rate

Question ID : 39579530
Chosen Option : 1

Q.72 Constant presence of a disease in population in a geographic area at any given point of time is called

- Ans
- ☒ 1. Exotic
 - ☒ 2. Outbreak
 - ☒ 3. Pandemic
 - ☐ 4. Endemic

Question ID : 39579526
Chosen Option : 4

Q.73 Kangaroo Mother Care (KMC) to a preterm/ LBW baby is given by:

- Ans
- ☒ 1. Father only
 - ☒ 2. Mother only
 - ☐ 3. Any of the family member
 - ☒ 4. Only by health care provider

Question ID : 395795186
Chosen Option : 3

Q.74 The signs of dehydration in child are the following except

- Ans
- ☒ 1. Loss of skin elasticity
 - ☐ 2. Diuresis
 - ☒ 3. Depressed fontanelle
 - ☒ 4. Sunken tearless eyes

Question ID : 39579573
Chosen Option : 2



Q.75 Which of the following is a killed vaccine?

- Ans
- ☐ 1. OPV
 - ☒ 2. Rabies
 - ☐ 3. MMR
 - ☐ 4. BCG

Question ID : 39579564
Chosen Option : 2

Q.76 What is male sterilization called?

- Ans
- ☐ 1. Appendectomy
 - ☐ 2. Salphingectomy
 - ☒ 3. Vasectomy
 - ☐ 4. Tubectomy

Question ID : 395795145
Chosen Option : 3

Q.77 Citrus fruits are an excellent source of

- Ans
- ☐ 1. Calories
 - ☐ 2. Calcium
 - ☐ 3. Vitamin B
 - ☒ 4. Vitamin C

Question ID : 395795200
Chosen Option : 4

Q.78 The counseling tips for adolescents include all of the following, except

- Ans
- ☐ 1. Have a positive outlook
 - ☐ 2. Maintain menstrual hygiene
 - ☐ 3. Avoid unprotected sexual behavior
 - ☒ 4. Keep classmates informed

Question ID : 39579598
Chosen Option : 1

Q.79 The total number of cases of disease or injury in a population occurring in a given time period is called:

- Ans
- ☐ 1. Sensitivity
 - ☐ 2. Positive predictive value
 - ☒ 3. Prevalence
 - ☐ 4. Incidence

Question ID : 39579520
Chosen Option : 3

Q.80 Trisomy 21 is

- Ans
- ☐ 1. Turner's syndrome
 - ☐ 2. Gonadal agenesis
 - ☐ 3. Klinefelters syndrome
 - ☒ 4. Down's syndrome



Question ID : 39579574
Chosen Option : 4

Q.81 The daily requirement of Iodine for normal human growth and development is

- Ans
- ☐ 1. 50-100 micrograms
 - ☐ 2. 150- 200 micrograms
 - ☐ 3. 200-250 micrograms
 - ☒ 4. 100-150 micrograms

Question ID : 395795172
Chosen Option : 4

Q.82 Full form of LLIN

- Ans
- ☐ 1. Long Lasting Imported Bed Nets
 - ☐ 2. Life Lasting Important Bed Nets
 - ☒ 3. Long Lasting Insecticidal Nets
 - ☐ 4. Life Long Imported Bed Nets

Question ID : 395795158
Chosen Option : 1

Q.83 Which is the most populous country of the world?

- Ans
- ☒ 1. China
 - ☐ 2. India
 - ☐ 3. Russia
 - ☐ 4. United States

Question ID : 3957958
Chosen Option : 1

Q.84 Which of the following solution is used for Hb estimation test?

- Ans
- ☐ 1. NaCl
 - ☒ 2. N/10 HCl
 - ☐ 3. HCl
 - ☐ 4. Na

Question ID : 395795118
Chosen Option : 3

Q.85 Attachment of a muscle to a bone:

- Ans
- ☐ 1. Joint
 - ☒ 2. Tendon
 - ☐ 3. Ligament
 - ☐ 4. Cartilage

Question ID : 39579511
Chosen Option : 2

Q.86 The suggested dose of vitamin- A given at 9 months of age is

- Ans
- ☐ 1. 2 lakh IU
 - ☒ 2. 1 lakh IU
 - ☐ 3. 3 lakh IU

☒ 4. 50,000 IU

Question ID : 395795155
Chosen Option : 4

Q.87 Which of the following is not a contraindication of inserting an interval IUCD?

- Ans
- ☒ 1. Pregnancy
 - ☒ 2. Diabetes
 - ☒ 3. Infections
 - ☒ 4. Cervical Cancer

Question ID : 395795144
Chosen Option : 2

Q.88 Which of the following are risk factors for Cervical cancer except:

- Ans
- ☒ 1. Family History
 - ☒ 2. Multi parity
 - ☒ 3. Nulli parity
 - ☒ 4. Smoking

Question ID : 395795168
Chosen Option : 1

Q.89 The hormone which reacts in an emergency is

- Ans
- ☒ 1. Cortisol
 - ☒ 2. Epinephrine
 - ☒ 3. Testosterone
 - ☒ 4. Prolacin

Question ID : 39579519
Chosen Option : 2

Q.90 Expected time of closure of anterior fontanella is

- Ans
- ☒ 1. 6-8 months
 - ☒ 2. 16-18 months
 - ☒ 3. 4-6 months
 - ☒ 4. 9-12 months

Question ID : 39579581
Chosen Option : 2

Q.91 Sexually transmitted diseases are prevented by using

- Ans
- ☒ 1. Natural methods of family planning
 - ☒ 2. Oral pills
 - ☒ 3. IUD's
 - ☒ 4. Condoms

Question ID : 395795146
Chosen Option : 4

Q.92 Yellow, thick secretion from the breasts in the first three days of the delivery

- Ans
- ☒ 1. Colostrum
 - ☒ 2. Transitional milk

☒ 3. Mature milk

☒ 4. Fatty milk

Question ID : 39579586
Chosen Option : 1

Q.93 Basic unit of society is called

Ans ☒ 1. Panchayat

☒ 2. Family

☒ 3. Community

☒ 4. Individual

Question ID : 39579537
Chosen Option : 2

Q.94 The area of the brain that is important for memory storage is the

Ans ☒ 1. Thalamus

☒ 2. Hippocampus

☒ 3. Parietal lobe

☒ 4. Frontal lobe

Question ID : 395795156
Chosen Option : 1

Q.95 The natural habitat in which the infectious agent replicates

Ans ☒ 1. Reservoir

☒ 2. Host

☒ 3. Source

☒ 4. Agent

Question ID : 39579522
Chosen Option : 2

Q.96 What are the diagnostic criteria for pregnancy induced hypertension?

Ans ☒ 1. Two consecutive BP readings 120/80 mmHg taken 4 hours apart after 20 weeks of gestation

☒ 2. Two consecutive BP readings 120/80 mmHg taken 2 hours apart after 20 weeks of gestation

☒ 3. Two consecutive BP readings 140/90 mmHg taken 4 hours apart after 20 weeks of gestation

☒ 4. Two consecutive BP readings 140/90 mmHg taken 2 hours apart after 20 weeks of gestation

Question ID : 395795117
Chosen Option : 3

Q.97 All of the following are macronutrients except:

Ans ☒ 1. Proteins

☒ 2. Carbohydrates

☒ 3. Fats

☒ 4. Vitamins

Question ID : 395795176
Chosen C



Teachingninja.in

Q.98 What are the known risk factors of Cardiovascular Diseases?

- Ans
- ☒ 1. Depression
 - ☒ 2. Tobacco use and alcohol abuse
 - ☒ 3. Physical violence
 - ☒ 4. Risky sexual behavior

Question ID : 39579599
Chosen Option : 2

Q.99 The second dose of tetanus toxoid (TT) is to be given after how much time after the first dose?

- Ans
- ☒ 1. Three months
 - ☒ 2. One month
 - ☒ 3. Two weeks
 - ☒ 4. Two months

Question ID : 395795108
Chosen Option : 1

Q.100 The most significant feature of the Indian population is:

- Ans
- ☒ 1. Size of its adolescent population
 - ☒ 2. Decline in birth rate
 - ☒ 3. Improvement in literacy level
 - ☒ 4. Improvement in health conditions

Question ID : 39579556
Chosen Option : 2

Q.101 Which of the following is an indicator of Magnesium sulphate toxicity?

- Ans
- ☒ 1. Increased urination
 - ☒ 2. Blurred vision
 - ☒ 3. Respiratory depression
 - ☒ 4. Lower abdominal pain

Question ID : 395795187
Chosen Option : 1

Q.102 Sepsis means

- Ans
- ☒ 1. Free from micro-organisms
 - ☒ 2. Absence of infection
 - ☒ 3. Presence of pathogenic organisms
 - ☒ 4. Destroying all pathogens present in an infected person's body

Question ID : 39579534
Chosen Option : 3

Q.103 A 3-year old child with Nephrotic syndrome is treated with corticosteroid therapy. The nurse evaluates that treatment has been successful when the child has decreased:

- Ans
- ☒ 1. Polyuria
 - ☒ 2. Proteinuria
 - ☒ 3. Haematuria
 - ☒ 4. Glycosuria

Question ID : 395795195
Chosen Option : 2

Q.104 The test used to find out syphilis is

- Ans
- ☐ 1. Widal test
 - ☐ 2. Shick test
 - ☒ 3. VDRL test
 - ☐ 4. ELISA test

Question ID : 39579545
Chosen Option : 3

Q.105 Physiological jaundice appears

- Ans
- ☐ 1. After 7 days of birth
 - ☐ 2. On 6th day
 - ☒ 3. On 2nd and 3rd day
 - ☐ 4. Within 24 hours of birth

Question ID : 39579577
Chosen Option : 3

Q.106 Which of the following statements is incorrect?

- Ans
- ☐ 1. Tuberculosis is caused by *Mycobacterium tuberculosis*
 - ☐ 2. Persons with latent TB infection are not infectious and cannot spread infection to others.
 - ☒ 3. Every individual who is exposed to TB develops the disease
 - ☐ 4. People who are exposed to TB may or may not develop the disease

Question ID : 395795151
Chosen Option : 2

Q.107 Our skin, when exposed to excess sunlight, becomes dark, due to the pigment

- Ans
- ☐ 1. Xanthophyll
 - ☐ 2. Flavoxanthin
 - ☐ 3. Carotene
 - ☒ 4. Melanin

Question ID : 3957957
Chosen Option : 4

Q.108 WHO defines " Adolescents" as individuals in the age group of:

- Ans
- ☐ 1. 11-15 years
 - ☒ 2. 10-19 years
 - ☐ 3. 20- 29 years
 - ☐ 4. Less than 10 years

Question ID : 39579593
Chosen Option : 2

Q.109 Signs and symptoms of cervical cancer includes the following EXCEPT:

- Ans
- ☐ 1. Post- menopausal bleeding
 - ☒ 2. Upper abdomen pain.

- ☒ 3. Pain during intercourse
- ☒ 4. Vaginal Bleeding in between periods

Question ID : 395795159
Chosen Option : 2

Q.110 Which of the following is the sign of hirschsprung's disease

- Ans
- ☒ 1. Excessive drooling of saliva
 - ☒ 2. Persistent abdominal distension and no passing of meconium upto 24 – 48 hours after birth
 - ☒ 3. Chocking
 - ☒ 4. Difficulty in swallowing

Question ID : 39579570
Chosen Option : 2

Q.111 The dose of Albendazole for de-worming in adolescents is

- Ans
- ☒ 1. 800 mg BD
 - ☒ 2. 100 mg BD
 - ☒ 3. 200 mg OD
 - ☒ 4. 400 mg OD

Question ID : 39579596
Chosen Option : 3

Q.112 For tying the B.P. Apparatus cuff while measuring blood pressure, it should be placed

- Ans
- ☒ 1. 1 cm above the elbow
 - ☒ 2. 2 cm above the elbow
 - ☒ 3. 3 cm above the elbow with tubing placed medially
 - ☒ 4. 3 cm above the elbow with tubing placed at posterior

Question ID : 395795116
Chosen Option : 3

Q.113 TIA stands for:

- Ans
- ☒ 1. Transient Ischemic Attack
 - ☒ 2. Transparent Ischemic Attack.
 - ☒ 3. Transient Iliac Attack.
 - ☒ 4. Transient Impulsive Attack.

Question ID : 395795160
Chosen Option : 1

Q.114 Tuberculin testis known as:

- Ans
- ☒ 1. Schick test
 - ☒ 2. VDRL
 - ☒ 3. ELISA
 - ☒ 4. Mantoux test

Question ID : 39579516
Chosen Option : 4

Q.115 What is hyperlipidemia?

- Ans ☒ 1. High level of Fat, Cholesterol and Triglycerides
☐ 2. Low level of Fat, Cholesterol
☐ 3. High level of fats
☐ 4. High level of triglycerides

Question ID : 395795171
Chosen Option : 3

Q.116 Best method of variability is

- Ans ☐ 1. Range
☐ 2. Mean
☒ 3. Standard deviation
☐ 4. Median

Question ID : 395795189
Chosen Option : 3

Q.117 Exclusive breast feeding is advocated upto:

- Ans ☐ 1. 4 months of age
☒ 2. 6 months of age
☐ 3. One year of age
☐ 4. Any age

Question ID : 395795125
Chosen Option : 2

Q.118 In which unit is cervical effacement assessed?

- Ans ☒ 1. Percentage
☐ 2. Millimeters
☐ 3. Inches
☐ 4. Centimeters

Question ID : 395795128
Chosen Option : 4

Q.119 What is the full form of MCTS

- Ans ☐ 1. Maternal and Child Tracking System
☐ 2. Mother and Child Transmission Syndrome
☐ 3. Mother - Child Treatment System
☒ 4. Mother and Child Tracking System

Question ID : 3957952
Chosen Option : 3

Q.120 When was the MTP act enacted by the Indian Parliament?

- Ans ☐ 1. 1965
☒ 2. 1971
☐ 3. 1962
☐ 4. 1947

Question ID : 3957951
Chosen Option : 2



Q.121 In a crying baby, when should the cord be clamped normally?

- Ans
- ☒ 1. Delivery of placenta
 - ☐ 2. Once the cord pulsation stops
 - ☐ 3. 10 mins of delivery
 - ☐ 4. Immediately after delivery

Question ID : 395795183
Chosen Option : 4

Q.122 Carriers of Japanese encephalitis virus are:

- Ans
- ☐ 1. Rats and other rodents
 - ☒ 2. Domestic pigs and wild birds
 - ☐ 3. Dogs and Jackals
 - ☐ 4. Sheep and goats

Question ID : 395795153
Chosen Option : 1

Q.123 The nutrient/supplement that helps to reduce the chance of neural tube defect in the foetus is:

- Ans
- ☐ 1. Magnesium
 - ☐ 2. Iron
 - ☐ 3. Calcium
 - ☒ 4. Folic Acid

Question ID : 395795161
Chosen Option : 4

Q.124 Counseling of IUCD insertion should be done:

- Ans
- ☒ 1. Starting from Antenatal visits
 - ☐ 2. Can be done after 2 days of delivery
 - ☐ 3. Only when she is delivering
 - ☐ 4. Only after delivery

Question ID : 395795185
Chosen Option : 2

Q.125 If a soft irregular foetal pole is felt in pelvic grip, then it may be:

- Ans
- ☒ 1. Breech presentation
 - ☐ 2. Transverse lie
 - ☐ 3. Occipito posterior position
 - ☐ 4. Vertex presentation

Question ID : 395795109
Chosen Option : 1

Q.126 Waste water from a community which does not contain human excreta

- Ans
- ☐ 1. Infected water
 - ☐ 2. Sewage
 - ☒ 3. Sullage
 - ☐ 4. Contaminated water



Question ID : 39579548
Chosen Option : 3

Q.127 In which of the following condition a woman does gain more weight than normal expected

- Ans
- ☒ 1. Placental insufficiency
 - ☒ 2. IUGR
 - ☒ 3. Twin Pregnancy
 - ☒ 4. Oligohydramnios

Question ID : 395795105
Chosen Option : 3

Q.128 Cardiovascular disease is attributed to excessive consumption of

- Ans
- ☒ 1. Gingelly oil
 - ☒ 2. Saturated fats
 - ☒ 3. Proteins
 - ☒ 4. Coconut oil

Question ID : 395795178
Chosen Option : 2

Q.129 Which is the single most effective method to prevent cross infection?

- Ans
- ☒ 1. Hand washing
 - ☒ 2. Immunization
 - ☒ 3. Decontamination
 - ☒ 4. Sterilization

Question ID : 3957953
Chosen Option : 1

Q.130 Inanimate objects that can transmit the disease are termed as

- Ans
- ☒ 1. Droplet
 - ☒ 2. Reservoir
 - ☒ 3. Dust
 - ☒ 4. Fomites

Question ID : 39579521
Chosen Option : 4

Q.131 The following diseases spread through respiratory route, except:

- Ans
- ☒ 1. Influenza
 - ☒ 2. Mumps
 - ☒ 3. Measles
 - ☒ 4. Typhoid

Question ID : 395795198
Chosen Option : 4

Q.132 World Tobacco Day is observed every year on

- Ans
- ☒ 1. June 5th
 - ☒ 2. May 31st
 - ☒ 3. August 10th

☒ 4. April 7th

Question ID : 39579510
Chosen Option : 2

Q.133 The number of live births per thousand persons in a year is termed as:

- Ans ☒ 1. Birth rate
☒ 2. Growth rate
☒ 3. None of these
☒ 4. Death rate

Question ID : 39579547
Chosen Option : 1

Q.134 Injectable polio virus is

- Ans ☒ 1. Sabin vaccine
☒ 2. Triple vaccine
☒ 3. OPV
☒ 4. Salk vaccine

Question ID : 39579578
Chosen Option : 4

Q.135 IMNCI package includes following EXCEPT?

- Ans ☒ 1. Ante Natal Care
☒ 2. Identify illness and facilitate referral of children
☒ 3. Promote exclusive breastfeeding of young infants
☒ 4. Teach mothers to keep baby warm

Question ID : 39579571
Chosen Option : 1

Q.136 Among the following which is an international agency which assists in programs that benefit child health

- Ans ☒ 1. Red Cross
☒ 2. UNO
☒ 3. WHO
☒ 4. UNICEF

Question ID : 39579536
Chosen Option : 4

Q.137 The ultrasound anomaly scan is usually carried out at around:

- Ans ☒ 1. 26 weeks
☒ 2. 16 weeks
☒ 3. 12 weeks
☒ 4. 20 weeks

Question ID : 395795120
Chosen Option : 4

Q.138 Hookworm infestation is

- Ans 1. Oxyurias

- ☒ 2. Leishmaniasis
- ☒ 3. Ankylostomiasis
- ☒ 4. Ascariasis

Question ID : 39579592
Chosen Option : 3

Q.139 Which procedure will help in the management of atonic PPH?

- Ans
- ☒ 1. Suturing of cervical and vaginal tears
 - ☒ 2. Uterine muscle dilators
 - ☒ 3. Bimanual compression of uterus
 - ☒ 4. Intra vaginal packing

Question ID : 395795182
Chosen Option : 1

Q.140 Intake of Vitamin C helps in the absorption of:

- Ans
- ☒ 1. Iron
 - ☒ 2. Magnesium
 - ☒ 3. Potassium
 - ☒ 4. Sodium

Question ID : 395795121
Chosen Option : 1

Q.141 Mittelschmerz is pain associated with

- Ans
- ☒ 1. Sexual intercourse
 - ☒ 2. Vomiting
 - ☒ 3. Defecation
 - ☒ 4. Ovulation

Question ID : 395795191
Chosen Option : 4

Q.142 Gestational diabetes occurs in

- Ans
- ☒ 1. Adolescents
 - ☒ 2. Lactating mothers
 - ☒ 3. Elderly population
 - ☒ 4. Pregnant women

Question ID : 395795166
Chosen Option : 4

Q.143 The average amount of blood loss during normal delivery is

- Ans
- ☒ 1. 700 mL
 - ☒ 2. 300 mL
 - ☒ 3. 500 mL
 - ☒ 4. 100 mL

Question ID : 395795126
Chosen Option : 3

Q.144 Normal respiratory rate for a pregnant woman is:

- Ans
- ☒ 1. 18 – 26 breaths per minute
 - ☒ 2. 20 – 24 breaths per minute
 - ☒ 3. 18 – 20 breaths per minute
 - ☒ 4. 12 – 16 breaths per minute

Question ID : 395795106
Chosen Option : 1

Q.145 Rh factor can produce

- Ans
- ☒ 1. Sickle cellanaemia
 - ☒ 2. AIDS
 - ☒ 3. Erythroblastosis fetallis
 - ☒ 4. Turner's syndrome

Question ID : 395795192
Chosen Option : 3

Q.146 While breast feeding the lower lip of baby during attachment should be:

- Ans
- ☒ 1. Inverted
 - ☒ 2. Does not matter the way it is kept
 - ☒ 3. Everted
 - ☒ 4. Straight

Question ID : 395795163
Chosen Option : 4

Q.147 Occupational disease caused by coal dust is

- Ans
- ☒ 1. Silicosis
 - ☒ 2. Asbestosis
 - ☒ 3. Anthracosis
 - ☒ 4. Bagossosis

Question ID : 39579528
Chosen Option : 3

Q.148 Antibiotics are the drugs used to treat:

- Ans
- ☒ 1. Inflammation
 - ☒ 2. Infection
 - ☒ 3. Pain
 - ☒ 4. Itching

Question ID : 39579513
Chosen Option : 2

Q.149 All of the following are parameters to assess progress of labour EXCEPT:

- Ans
- ☒ 1. Descent of Fetus
 - ☒ 2. Fetal Heart Rate
 - ☒ 3. Uterine Contractions
 - ☒ 4. Cervical Dilatation

Question ID : 395795122
Chosen Option : 2



Q.150 Which of the following migration of population does not change the size of the population?

- Ans
- ☒ 1. National migration
 - ☒ 2. Internal migration
 - ☒ 3. International migration
 - ☒ 4. External migration

Question ID : 39579551
Chosen Option : 2

Q.151 We inherit from each of our parents

- Ans
- ☒ 1. 46 genes
 - ☒ 2. 23 chromosomes
 - ☒ 3. 23 genes
 - ☒ 4. 46 chromosomes

Question ID : 39579567
Chosen Option : 4

Q.152 Which of the following is a sign of imminent delivery?

- Ans
- ☒ 1. Membrane rupture
 - ☒ 2. Cervical effacement
 - ☒ 3. Anal pouting
 - ☒ 4. Cervical dilatation

Question ID : 395795123
Chosen Option : 1

Q.153 The best indicator of infant nutrition

- Ans
- ☒ 1. Height
 - ☒ 2. Vital signs
 - ☒ 3. Weight
 - ☒ 4. Vital statistics

Question ID : 39579590
Chosen Option : 1

Q.154 Using live virus vaccine is contraindicated for children receiving corticosteroid, anti-neoplastic or irradiation therapy because they may:

- Ans
- ☒ 1. Be susceptible to infection as a result of a depressed immunity
 - ☒ 2. Have had the disease or have been immunized previously
 - ☒ 3. Have an allergy to serum, which may have been used as a bases for these vaccines
 - ☒ 4. Be unlikely to need this protection during their shortened life span

Question ID : 39579568
Chosen Option : 1

Q.155 Tuberculosis of spine is also called

- Ans
- ☒ 1. Osteomalacia
 - ☒ 2. Charcot's disease
 - ☒ 3. Pott's disease
 - ☒ 4. Erving's disease



Question ID : 3957959
Chosen Option : 3

Q.156 Which of the following hormone causes nausea and vomiting in the first trimester?

- Ans ☒ 1. Human chorionic gonadotropin(hCG)
☐ 2. Progesterone
☐ 3. Estrogen
☐ 4. Luteinizing hormone

Question ID : 395795104
Chosen Option : 1

Q.157 Most common site to administer BCG vaccine is

- Ans ☐ 1. Right deltoid
☐ 2. Right thigh
☒ 3. Left deltoid
☐ 4. Left Thigh

Question ID : 39579558
Chosen Option : 3

Q.158 Strawberry vaginitis is seen infection with

- Ans ☐ 1. Haemophilus Vaginalis
☐ 2. Candida albicans
☒ 3. Trichomonas Vaginalis
☐ 4. Gonococcus

Question ID : 395795190
Chosen Option : 4

Q.159 During abdominal examination which grip determines the back of the fetus?

- Ans ☐ 1. Fundal grip
☐ 2. Second Pelvic grip
☒ 3. Lateral grip
☐ 4. First Pelvic grip

Question ID : 395795115
Chosen Option : 3

Q.160 Incubation period of typhoid

- Ans ☐ 1. 15-30 days
☒ 2. 7-21 days
☐ 3. 5-10 days
☐ 4. 2-7 days

Question ID : 39579591
Chosen Option : 2

Q.161 A client tells the nurse that the first day of her last menstrual period was July 22, 2008.
What is the estimated date of delivery?

- Ans ☒ 1. April 29, 2009
☐ 2. May 7, 2009
☐ 3. April 22, 2009

 4. March 6, 2009





Question ID : 395795103
Chosen Option : 1

Q.162 The immunity acquired by suffering from a disease is

- Ans  1. Acquired natural immunity
 2. Natural immunity
 3. Active immunity
 4. Passive immunity





Question ID : 39579527
Chosen Option : 1

Q.163 What are the uses of VVM (Vaccine Vial Monitor)?

- Ans  1. To check the dose of vaccine to be administered
 2. To check the potency of vaccine at the time of administration
 3. To check the temperature of vial
 4. To check the antibodies present in the vial





Question ID : 395795154
Chosen Option : 2

Q.164 All of the following diseases are associated with overcrowding in residence EXCEPT:

- Ans  1. Depression
 2. Leprosy
 3. Diabetes
 4. Tuberculosis





Question ID : 39579542
Chosen Option : 3

Q.165 Causative organism of diphtheria

- Ans  1. Staphylococcus
 2. Mycobacterium
 3. Streptococcus
 4. Coryne bacteriumdiphtheria



Question ID : 39579572
Chosen Option : 4

Q.166 Islets of Langerhans are present in

- Ans  1. Ovary
 2. Stomach
 3. Brain
 4. Pancreas

Question ID : 395795164
Chosen Option : 4

Q.167 The full form of BMI is

- Ans  1. Brain Muscle Index
 2. Body Mean Index

- ☒ 3. Body Mass Index
☐ 4. Body Muscle Index

Question ID : 39579559
Chosen Option : 3

Q.168 Which of the following fetal position is the most favorable for birth?

- Ans ☒ 1. Vertex presentation
☐ 2. Transverse lie
☐ 3. Frank breech presentation
☐ 4. Posterior position of the fetal head

Question ID : 395795132
Chosen Option : 1

Q.169 The common method of screening for Cervical Cancer in the community is:

- Ans ☒ 1. Visual inspection with acetic acid
☐ 2. Ultra sound
☐ 3. CT scan
☐ 4. Blood smear

Question ID : 395795169
Chosen Option : 4

Q.170 The most important parameter of APGAR score is

- Ans ☒ 1. Heart rate
☐ 2. Respiratory rate
☐ 3. Reflex
☐ 4. Grimace

Question ID : 39579575
Chosen Option : 1

Q.171 Vaccines produce:

- Ans ☐ 1. Passive natural immunity
☐ 2. Natural immunity
☒ 3. Acquired immunity
☐ 4. Active natural immunity

Question ID : 39579533
Chosen Option : 3

Q.172 How many Sustainable Development Goals (SDG's) are part of the 2030 agenda?

- Ans ☒ 1. 17
☐ 2. 14
☐ 3. 13
☐ 4. 12

Question ID : 3957956
Chosen Option : 1

Q.173 The wrapped instruments should be autoclaved for:

Ans

- ☐ 1. 20mins
- ☐ 2. 40 mins
- ☐ 3. 10 mins
- ☒ 4. 30 mins

Question ID : 395795162
Chosen Option : 4

Q.174 Percentage of world population living in India is:

- Ans
- ☐ 1. 0.0505
 - ☐ 2. 0.0328
 - ☐ 3. 0.0204
 - ☒ 4. 0.1607

Question ID : 39579546
Chosen Option : 3

Q.175 Menopausal women are at risk for

- Ans
- ☐ 1. Pregnancy
 - ☐ 2. Hypotension
 - ☐ 3. High HDL
 - ☒ 4. Osteoporosis

Question ID : 395795139
Chosen Option : 4

Q.176 Painful intercourse:

- Ans
- ☐ 1. Menorrhagia
 - ☐ 2. Dysmenorrhea
 - ☒ 3. Dyspareunia
 - ☐ 4. Premenstrual syndrome

Question ID : 395795140
Chosen Option : 3

Q.177 Increase in the angle between nail plate and finger

- Ans
- ☐ 1. Cyanosis
 - ☒ 2. Clubbing
 - ☐ 3. Syndactyly
 - ☐ 4. Polydactyly

Question ID : 39579514
Chosen Option : 4

Q.178 Normal respiratory rate in the newborn

- Ans
- ☒ 1. 30-60 breaths per minute
 - ☐ 2. 60-80 breaths per minute
 - ☐ 3. 20-40 breaths per minute
 - ☐ 4. More than 70 breaths per minute

Question ID : 39579579
Chosen Option : 3



Q.179 When performing vaginal examination, which of the following is not plotted on the partograph?

- Ans
- ☒ 1. Foetal position
 - ☒ 2. Vaginal temperature and wetness
 - ☒ 3. Cervical dilatation
 - ☒ 4. Degree of moulding

Question ID : 395795135
Chosen Option : 2

Q.180 Muscular layer of the uterus:

- Ans
- ☒ 1. Perimetrium
 - ☒ 2. Myometrium
 - ☒ 3. Endometrium
 - ☒ 4. Isthmus

Question ID : 395795138
Chosen Option : 2

Q.181 The dose of Vitamin K for a newborn weighing less than 1000g is ?

- Ans
- ☒ 1. 2 mg
 - ☒ 2. 1 mg
 - ☒ 3. 0.5mg
 - ☒ 4. 1.5 mg

Question ID : 395795129
Chosen Option : 3

Q.182 Which of the following is a communicable disease?

- Ans
- ☒ 1. Hypertension
 - ☒ 2. Diabetes
 - ☒ 3. Diphtheria
 - ☒ 4. Kwashiorkor

Question ID : 395795149
Chosen Option : 3

Q.183 Universal immunization program was launched in the year

- Ans
- ☒ 1. 1975
 - ☒ 2. 1965
 - ☒ 3. 1985
 - ☒ 4. 1971

Question ID : 39579576
Chosen Option : 3

Q.184 What is immunity?

- Ans
- ☒ 1. Capacity of host to contain infection
 - ☒ 2. Capacity of host to resist infection
 - ☒ 3. Capacity of the host to retain infection
 - ☒ 4. Capacity of host to treat infection



Question ID : 395795148
Chosen Option : 2

Q.185 Infancy means a period

- Ans
- ☐ 1. From birth to one week
 - ☐ 2. From birth to two weeks
 - ☐ 3. From birth to four weeks
 - ☒ 4. From birth to one year

Question ID : 395795585
Chosen Option : 3

Q.186 Poliomyelitis is spread by

- Ans
- ☐ 1. Bacteria
 - ☒ 2. Virus
 - ☐ 3. Water
 - ☐ 4. Mosquito

Question ID : 395795181
Chosen Option : 3

Q.187 Symptoms of Dengue include all, except:

- Ans
- ☐ 1. Eye pain
 - ☒ 2. Low grade Fever
 - ☐ 3. Joint pain
 - ☐ 4. High Fever

Question ID : 395795152
Chosen Option : 1

Q.188 At what time during prenatal development should the nurse expect the greatest fetal weight gain?

- Ans
- ☐ 1. Implantation period
 - ☒ 2. Third trimester
 - ☐ 3. First trimester
 - ☐ 4. Second trimester

Question ID : 395795134
Chosen Option : 2

Q.189 Accumulation of fluid in the abdominal cavity:

- Ans
- ☐ 1. Peritonitis
 - ☐ 2. Edema
 - ☐ 3. Appendicitis
 - ☒ 4. Ascites

Question ID : 39579518
Chosen Option : 1

Q.190 Low birth weight in India is considered when:

- Ans
- ☐ 1. Weight of new born is below 2.8 kg
 - ☐ 2. Weight of new born is between 2.5 and 2.7 kg
 - ☒ 3. Weight of new born is below 2500 gms

☒ 4. Weight of new born is below 2700 gms

Question ID : 395795179
Chosen Option : 3

Q.191 Proponent of germ theory of disease

- Ans
- ☒ 1. Robert Brown
 - ☒ 2. Charles Darwin
 - ☒ 3. Robert Hook
 - ☒ 4. Louis Pasteur

Question ID : 39579531
Chosen Option : 4

Q.192 Target groups in ICDS programme are all EXCEPT:

- Ans
- ☒ 1. Pregnant and lactating women
 - ☒ 2. Women in 15-44 years age group
 - ☒ 3. School going children
 - ☒ 4. Children upto 6 years

Question ID : 39579552
Chosen Option : 3

Q.193 What is the normal capillary refill time in children?

- Ans
- ☒ 1. Less than 3 secs
 - ☒ 2. 5 secs
 - ☒ 3. Less than 1 sec
 - ☒ 4. More than 3 secs

Question ID : 39579566
Chosen Option : 3

Q.194 Full form of DOTS is

- Ans
- ☒ 1. Directly Observed Treatment Short-Course
 - ☒ 2. Distantly Observed Treatment Short-Course
 - ☒ 3. Differently Overviewed Tuberculosis Strategy
 - ☒ 4. Distinctly Overviewed Tele Short –Course

Question ID : 39579554
Chosen Option : 1

Q.195 Epidemiological triad comprises of

- Ans
- ☒ 1. Agent, Host and Disease
 - ☒ 2. Agent, host and environment
 - ☒ 3. Agent, host and infection
 - ☒ 4. Agent, host and organism

Question ID : 39579529
Chosen Option : 2

Q.196 Which nutritional deficiency is common among adolescents in India?

- Ans
- ☒ 1. Calcium deficiency
 - ☒ 2. Iron Deficiency Anaemia

- ☒ 3. Hypothyroidism
- ☒ 4. Zinc deficiency

Question ID : 39579594
Chosen Option : 2

Q.197 Weaning starts at

- Ans
- ☒ 1. 12th month
 - ☒ 2. 6th month
 - ☒ 3. 15th month
 - ☒ 4. 9th month

Question ID : 39579582
Chosen Option : 2

Q.198 The reflex that causes the baby's toes to spread when the sole of the foot is stroked is:

- Ans
- ☒ 1. Moro reflex
 - ☒ 2. Rooting reflex
 - ☒ 3. Sucking reflex
 - ☒ 4. Babinski reflex

Question ID : 39579565
Chosen Option : 4

Q.199 Eclampsia is

- Ans
- ☒ 1. Pre-eclampsia + Hypertension
 - ☒ 2. Pre-eclampsia + convulsions(Hypertension + Proteinuria and convulsions)
 - ☒ 3. Hypertension + convulsions
 - ☒ 4. Hypertension+ Proteinuria

Question ID : 395795113
Chosen Option : 2

Q.200 Physician induced infection

- Ans
- ☒ 1. Iatrogenic infection
 - ☒ 2. Indirect infection
 - ☒ 3. Opportunistic infection
 - ☒ 4. Nosocomial infection

Question ID : 39579524
Chosen Option : 1