



# Teachingninja.in



**Latest Govt Job updates**



**Private Job updates**



**Free Mock tests available**

**Visit - [teachingninja.in](http://teachingninja.in)**

# OSSC

## Previous Year Paper

### AYUSH Assistant

#### 01 Dec, 2019



28026

AYUSH(Main) – 2017 – Set – 2  
**Composite Paper**

: INSTRUCTIONS TO CANDIDATES :

**THIS BOOKLET CONTAINS 100 QUESTIONS OF 1 MARK EACH IN 16 PAGES.  
PLEASE CHECK THE QUESTION-SET BEFORE USE. IF ANY DEFECTS ARE  
NOTICED, PLEASE BRING IT TO THE NOTICE OF THE INVIGILATOR.**

1. Read the instructions carefully before using the OMR answer sheet provided.
2. Fill in Part – A of the OMR answer sheet first, mentioning the Roll No., Set Code and other data as applicable in the place(s) indicated therein and darken the appropriate circles in blue **or** black ball point pen only.
3. While darkening the circle in Part – B of the OMR answer sheet, use blue **or** black ball point pen only. Use of pencil is not allowed in the Test. Darkening of more than one circle/option shall not be taken for evaluation.
4. Do not write any name/surname **or** put any symbol, sign, slogan, prayer **or** any mark of identification in Part – B of the OMR answer sheet. **Any such act is liable to render the answer sheet unfit for evaluation.**
5. Do not use any other form except the OMR answer sheet provided along with the question-set.
6. Do not tamper with the bar code **or** any other portion of the OMR answer sheet.
7. Candidates may use the blank sheet attached to these instructions for doing the rough work, if needed.
8. Do not attach any additional sheet **or** paper to the OMR answer sheet.
9. Return the OMR answer sheet **only** to the Invigilator before leaving the examination hall.
10. Candidates may take with them the respective question-sets after the examination is over.
11. Mobile Phone **or** any Communication Devices is not allowed inside the Examination Hall. The candidates are strictly advised **not to carry** any Mobile Phone **or** Communication Devices with them into the Examination Hall. Any candidate who is in **possession of Mobile Phone/Communication Devices** inside the Examination Hall is liable to be debarred from the valuation of his/her answer paper.
12. Violation of these instructions shall **entail disqualification of the candidate.**
13. There is negative marking of 0.25 mark for each wrong answer.

LT – 1B/17

( Turn over )

# AYUSH(Main) – 2017 – Set – 2

## Composite Paper

Time : 1 hour

Full Marks : 100

Each question carries 1 mark.

**There is negative marking of 0.25 mark for each wrong answer.**

**Answer all questions, choosing the correct one from the alternatives suggested and darken the appropriate circle using BLUE or BLACK BALL POINT PEN.**

1. A capacitor and an inductor are connected in separate AC circuits with a bulb glowing in both circuits. The bulb glows more brightly when :
  - (1) A dielectric is introduced into gap between plates of capacitor
  - (2) Separation between the plates of capacitor increases
  - (3) The iron rod is introduced into the induction coil
  - (4) Number of turns in the induction coil is increased
2. A current of 5 amp is flowing at 220V in the primary coil of a transformer. If the voltage produced in the secondary coil is 2200V and 50% of power is lost, then the current in the secondary coil is :
  - (1) 2.5 amp
  - (2) 0.25 amp
  - (3) 5 amp
  - (4) 0.5 amp
3. Temperature of the metal wire subjected to a constant potential difference increases, then drift velocity of the electron in it :
  - (1) Increases, the thermal velocity increases
  - (2) Decreases, the thermal velocity decreases
  - (3) Decreases, the thermal velocity increases
  - (4) Increases, the thermal velocity decreases
4. A charge  $Q$  is enclosed by a Gaussian sphere of radius  $R$ . If the radius is doubled, the outward electric flux will be :
  - (1) Doubled
  - (2) Increased four times
  - (3) Reduced to half
  - (4) Same

5. How many  $6\text{mF}$ ,  $200\text{V}$  condensers are needed to make a condenser of  $18\text{pF}$ ,  $600\text{V}$ ?

- 9
- 18
- 3
- 27

6. If  $\mu_0$  is permeability and  $\epsilon_0$  is permittivity of free space, then the speed of light in vacuum is:

- $\sqrt{\mu_0 \epsilon_0}$
- $\frac{1}{\sqrt{\mu_0 \epsilon_0}}$
- $\sqrt{\frac{\mu_0}{\epsilon_0}}$
- $\sqrt{\frac{\epsilon_0}{\mu_0}}$

7. Two identical conducting ball have different +ve charges  $q_1$  and  $q_2$  respectively. The balls are brought together so that they touch each other and then kept in their original position. The force between them is:

- Greater than before the balls touched
- Same as that of before the balls touched
- Zero
- Less than that of before the balls touched

8. A beam of parallel rays is brought to a focus by a plano convex lens. A thin concave lens of same focal length is joined to the first lens. The effect is:

- The focal point shifts towards the lens
- The focus remains undisturbed
- The focus shifts to infinity
- The focus shifts away from the lens

9. A fish in water of refractive index  $n$  looks at a bird vertically above in the air. If  $Y$  is the height of the bird and  $X$  is the depth of the fish from the surface, the distance of the bird estimated by the fish is:

- $X + nY$
- $X + Y\left(1 - \frac{1}{n}\right)$
- $X + Y\left(1 + \frac{1}{n}\right)$
- $Y + X\left(1 - \frac{1}{n}\right)$

10. A ray of light enters from rarer to denser medium. The angle of incidence is  $i$ . The reflected and refracted rays are mutually perpendicular. The critical angle is:

- $\sin^{-1}(tani)$
- $\sin^{-1}(coti)$
- $\tan^{-1}(sini)$
- $\cos^{-1}(tani)$

LT - 1B/17

(4)

Contd.

11. The spectrum of an oil flame is an example of:

- (1) Line absorption spectrum
- (2) Band emission spectrum
- (3) Line emission spectrum
- (4) Continuous emission spectrum

12. Magnetic field at the centre of a circular current carrying coil of radius  $r$  is  $B_c$ . The magnetic field on its axis at a distance  $r$  from the centre is  $B_a$ .

The ratio  $\frac{B_c}{B_a}$  is:

- (1)  $1 : \sqrt{2}$
- (2)  $1 : 2\sqrt{2}$
- (3)  $2\sqrt{2} : 1$
- (4)  $\sqrt{2} : 1$

13. There is a uniform magnetic field directed perpendicular and into the plane of the paper. An irregular shaped conducting loop is slowly changing into circular loop in the plane of the paper. Then:

- (1) AC is induced in the loop
- (2) Current is induced in the loop in anti-clockwise direction
- (3) No current is induced in the loop
- (4) Current is induced in the loop in clockwise direction

14. An electron is moving in an orbit of a hydrogen atom for which there can be maximum of six transitions. An

electron moving in an orbit of another hydrogen atom for which there can be maximum of three transitions. The ratio of velocities of the electron in these two orbits is:

- (1)  $\frac{5}{4}$
- (2)  $\frac{3}{4}$
- (3)  $\frac{1}{2}$
- (4)  $\frac{2}{3}$

15. The dimensions of resistance are same as those of \_\_\_\_\_, where  $h$  is Planck's constant and  $e$  is the charge.

- (1)  $\frac{h}{e^2}$
- (2)  $\frac{h}{e}$
- (3)  $\frac{h^2}{e^2}$
- (4)  $\frac{h^2}{e}$

16. A and B are two metals with threshold frequency  $1.8 \times 10^{14}$  Hz and  $2.2 \times 10^{14}$  Hz. Two identical photons of energy 0.825 eV each are incident on them. Then photo electrons are emitted from:

- (1) A alone
- (2) B alone
- (3) Both (1) and (2)
- (4) Neither (1) nor (2)

17. A radioactive sample  $S_1$  having activity  $A_1$  has twice number of nuclei as another sample  $S_2$  of activity  $A_2$ . If  $A_2 = 2A_1$ , then the ratio of half life of  $S_1$  to that of  $S_2$  is :

(1) 2  
(2) 0.75  
(3) 3  
(4) 4

18. A radioactive element forms its own isotopes after 3 consecutive disintegration. The particles emitted are :

(1) 2  $\alpha$ -particles and 1  $\beta$ -particle  
(2) 2  $\beta$ -particles and 1  $\alpha$ -particle  
(3) 1  $\alpha$ -particle and 2  $\beta$ -particles  
(4) 3  $\beta$ -particles

19. The ratio of velocity of sound in hydrogen and oxygen at STP is :

(1) 16 : 1  
(2) 8 : 1  
(3) 4 : 1  
(4) 2 : 1

20. If the Sun were to increase in temperature from  $T$  to  $2T$  and its radius from  $R$  to  $2R$ , then the ratio of radiant energy received on earth to what it was previously will be :

(1) 4  
(2) 16

(3) 32  
(4) 64

21. Which of the following types of light are strongly absorbed by the plants ?

(1) Blue and red  
(2) Indigo and yellow  
(3) Orange and violet  
(4) Yellow and violet

22. Who wrote Akbarnama ?

(1) Abdul Qadir Badauni  
(2) Abdul Rahim Khan-e-Khana  
(3) Abu'l Fazl ibn Mubarak  
(4) Faizi

23. What was the form of government suggested by the Cabinet Mission Plan 1946 for India ?

(1) A federation  
(2) A confederation  
(3) A unitary form of states  
(4) A union of states

24. On which of the following hills is the hill station 'Yercaud' located ?

(1) The Javadi Hills  
(2) The Nilgiri Hills  
(3) The Palani Hills  
(4) The Shevaroy Hills

25. Which among the following rivers is not a tributary of the river Mahanadi?

- (1) The Ib
- (2) The Indravati
- (3) The Ong
- (4) The Tel

26. Which type of farming is generally practised in the densely populated areas of the world?

- (1) Commercial farming
- (2) Extensive farming
- (3) Intensive farming
- (4) Plantation farming

27. Which of the following Union Territories has been provided with Legislative Assembly?

- (1) Chandigarh
- (2) Dadra and Nagar Haveli
- (3) Delhi
- (4) Lakshadweep

28. Which district in Odisha has the highest literacy rate as per the Census 2011?

- (1) Cuttack
- (2) Jagatsinghpur
- (3) Kendrapara
- (4) Khordha

29. Which of the following trophies is meant for a game different from the other three?

- (1) Durand Cup
- (2) Rangaswamy Cup
- (3) Santosh Trophy
- (4) Rovers Cup

30. Which of the following ethnic people of the Andaman and Nicobar Islands is different from the other three on the basis of racial heritage?

- (1) Jarwa
- (2) Onge
- (3) Sentinelese
- (4) Shompen

31. The balloon like outgrowth of parenchyma into the lumen of the vessel is known as:

- (1) Histogen
- (2) Tyloses
- (3) Phellogen
- (4) Tunica

32. Vascular bundles are bicolateral in the stem of:

- (1) Canna
- (2) Tridax
- (3) Cucurbita
- (4) Pisum

33. Which of the following was used by Harshey and Chase to prove that DNA is the chemical basis of heredity ?

- (1) TMV
- (2) CMV
- (3)  $T_2$  phage
- (4) SPV

34. Which of the following is a bacterial disease ?

- (1) Influenza and Mumps
- (2) Small pox and Chicken pox
- (3) Polio and hydrophobia
- (4) None of these

35. What is the first intermediate stable product of photosynthesis ?

- (1) PEP
- (2) PGA
- (3) PGAL
- (4) Pyruvic acid

36. Camellia Sinensis belongs to which family ?

- (1) Theaceae
- (2) Musaceae
- (3) Loganiaceae
- (4) Gamineae

37. Fungi differs from algae in :

- (1) Lacking chlorophyll
- (2) Having cell wall of chitin and cellulose

38. (3) Having glycogen as reserve food material

39. (4) All of these

38. Which plant hormone solely responsible for fruit ripening ?

- (1) Auxin
- (2) Abscisic acid
- (3) Ethylene
- (4) Cytokinins

39. The point where the funicle is attached to the body of ovule is called :

- (1) Chalaza
- (2) Hilum
- (3) Endosperm
- (4) Micropyle

40. Which of the following is not a free living nitrogen fixer ?

- (1) Rhizobium
- (2) Azotobacter
- (3) Nostoc
- (4) Anabaena

41. In which form the synthesised food in plants is transported through phloem ?

- (1) Maltose
- (2) Fructose
- (3) Glucose
- (4) Sucrose

42. The biological interpreter of genetic code is :

- t-RNA
- m-RNA
- Ribosome
- All of these

43. The bacterial and blue-green algae cells contain :

- Many linkage groups of each
- One linkage group of each
- No linkage group
- Only two linkage groups of each

44. Non-green large sized parenchyma with waste products is called :

- Mesophylls
- Prosenchyma
- Idioblast
- Spongy parenchyma

45. Which type of lichens are phycia and parmelia ?

- Crustose
- Foliose
- Fruticose
- None of these

46. Antihaemorrhagic vitamin is :

- Vit - A
- Vit - B
- Vit - E
- Vit - K

47. A haemophilic man marries a normal woman whose father was known to be a bleeder. Then it is expected that :

- All their children will be bleeder
- Half of their children will be bleeder
- $1/4^{\text{th}}$  of their children will be bleeder
- $1/3^{\text{rd}}$  of their children will be bleeder

48. Self fertilization in hydra never occurs, because they are :

- Asexual
- Unisexual
- Protandrous
- Protogynous

49. Lamina propria or stroma is related to :

- Mammalian Liver
- Human Intestine
- Pancreatic Acini
- Ovary of Mammal

50. Mammary glands are modifications of :

- Sweat Gland
- Sebaceous Gland
- Ceruminous Gland
- Milk Glands

51. Which of the following organ is called as 'jack of all trades' ?

- Kidney
- Pancreas
- Pituitary
- Skin

52. Ramsar Convention was held in :

- (1) India
- (2) Indonesia
- (3) Iran
- (4) Germany

53. Anagenesis is also known as :

- (1) Phyletic Speciation
- (2) Multiplicative Speciation
- (3) Gradual Speciation
- (4) Allopatric Speciation

54. What belongs to a class but not to a family ?

- (1) Species
- (2) Genus
- (3) Order
- (4) Phylum

55. Alimentary canal is not found in :

- (1) Arachnida
- (2) Apoda
- (3) Decapoda
- (4) Cestoda

56. Which of the following is not a component of innate immunity ?

- (1) Antibodies
- (2) Interferon
- (3) Complement protein
- (4) Phagocytes

57. Which date is observed as World Animal Day ?

- (1) 5<sup>th</sup> June

(2) 25<sup>th</sup> July

(3) 3<sup>rd</sup> October

(4) 19<sup>th</sup> December

58. How many meiotic divisions are needed to form 100 spermatozoa ?

- (1) 25
- (2) 50
- (3) 100
- (4) None of these

59. A cross between two red tomatoes produced 92 red and 31 yellow offsprings. What are the genotypes of the parents ?

- (1) RR x rr
- (2) Rr x rr
- (3) Rr x Rr
- (4) Rr x RR

60. Papillary muscles are found in :

- (1) Haemocoel of cockroach
- (2) Auricles of heart
- (3) Ventricles of heart
- (4) Arm

61. Which of the following alloys generally does not contain zinc ?

- (1) Brass
- (2) Bronze
- (3) German Silver
- (4) Gun metal

62. Which of the following substances contains maximum number of water molecules per mole in its crystal ?

- Potash alum
- Mohr salt
- Washing soda
- Blue vitriol

63. The pure form of iron is :

- Pig Iron
- Cast Iron
- Wrought Iron
- Invar

64. Which of the following pair of electrodes has positive values of standard electrode potential ?

- $K^+ \left/ \right. K$ ,  $Fe^{2+} \left/ \right. Fe$
- $Cu^{2+} \left/ \right. Cu$ ,  $Ag^+ \left/ \right. Ag$
- $Co^{2+} \left/ \right. Co$ ,  $Ba^{2+} \left/ \right. Ba$
- $\frac{1}{2} F_2 \left/ \right. F^-$ ,  $Li^+ \left/ \right. Li$

65. Which of the following salts provides coloured gas on thermal decomposition ?

- Potassium chlorate
- Ammonium nitrite
- Sodium nitrate
- Lead nitrate

66. The reagent used to distinguish formaldehyde and acetaldehyde is :

- Alkaline iodine
- Alkaline phenol
- Tollen's reagent
- Baeyer's reagent

67. Nylon 6 is a polymer, its monomer is :

- Hexamethylenediamine co-polymer of
- Adipoly chloride
- Both (1) and (2)
- Caprolactam

68. The percentage of empty space in a body centred cubic arrangement is :

- 74
- 68
- 32
- 26

69. 1 mole of liquid A and 2 moles of liquid B make a solution having a total vapour pressure of 38 torr. The vapour pressure of pure A and pure B are 45 torr and 36 torr respectively. The given solution :

- Is an ideal solution
- Shows negative deviation
- Is a minimum boiling azeotrope
- Shows positive deviation

70. When a catalyst increases the rate of a chemical reaction, the rate constant:

- (1) Remains constant
- (2) Increases
- (3) Decreases
- (4) May increase or decrease depending on order of reaction

71. The term 'sorption' stands for:

- (1) Absorption
- (2) Adsorption
- (3) Both absorption and adsorption
- (4) Desorption

72. Among the following electrolytes, the most effective coagulating agent for  $Sb_2S_3$  solution is:

- (1)  $K_2SO_4$
- (2)  $CaCl_2$
- (3)  $Al_2(SO_4)_3$
- (4)  $Na_3PO_4$

73. Which of the following compounds has higher magnetic moment?

- (1)  $[Fe(CN)_6]^{3-}$
- (2)  $[Fe(CN)_6]^{4-}$
- (3)  $[Ni(CO)_4]$
- (4)  $[Fe(H_2O)_6]^{3+}$

74. Among the trihalides of phosphorus \_\_\_\_\_ has higher bond angle.

- (1)  $PF_3$
- (2)  $PBr_3$
- (3)  $PI_3$
- (4)  $PCl_3$

75. Which of the following are peroxyacids of sulfur?

- (1)  $H_2SO_5$  and  $H_2S_2O_8$
- (2)  $H_2SO_5$  and  $H_2S_2O_7$
- (3)  $H_2S_2O_7$  and  $H_2S_2O_8$
- (4)  $H_2S_2O_6$  and  $H_2S_2O_7$

76. In which of the following pair, the nature of hybridisation is not same?

- (1)  $PCl_3$ ,  $CHCl_3$
- (2)  $SO_2$ ,  $SnCl_2$
- (3)  $NH_3$ ,  $NH_4^+$
- (4)  $XeF_2$ ,  $BeF_2$

77. In the preparation of xenon compounds, Bartlett had taken  $O_2PtF_6$  as a base compound. This is because:

- (1) Both  $O_2$  and Xe have same size
- (2) Xenon and Oxygen are gases
- (3) Oxygen molecule is paramagnetic
- (4) Both dioxygen and Xenon have almost same  $\Delta H$  values

78. In which of the following compounds, nitrogen exhibits highest oxidation state ?

- Hydrazine
- Ammonia
- Hydrazoic acid
- Hydroxylamine

79. HI can't be prepared by action of conc.  $H_2SO_4$  on KI because :

- HI is a weaker acid than  $H_2SO_4$
- KI is an insoluble salt
- Both HI and  $H_2SO_4$  are oxidants
- HI is a strong reducing agent

80. Explosive reaction takes place when conc.  $H_2SO_4$  is added to potassium permanganate. This is due to the formation of :

- $MnO$
- $Mn_2O_3$
- $Mn_2O_5$
- $Mn_2O_7$

81. Which of the following is wrongly matched ?

- $[Cu(NH_3)_4]^{2+}$  — Square planar
- $[NiCO)_4]$  — Neutral ligand
- $[Co(en)_3]^{3+}$  — follows EAN rule
- $[Cr(NH_3)_6]^{3+}$  —  $sp^3d^2$

82. Flerovium is a superheavy artificial element with symbol Fl. Its atomic number is :

- 114
- 115
- 113
- 116

83. Acetic acid exists as a dimer in benzene due to :

- Solvation
- Intermolecular H-bonding
- Presence of  $-COOH$
- Presence of  $\alpha$ -H atom

84. Equanil is a drug to control :

- Pneumonia
- Malaria
- Cold fever
- Mental disease

85. Which hormone contains iodine ?

- Thyroxine
- Insulin
- Adrenaline
- Testosterone

86. Which of the following solution has lower pH value ?

- 2M  $NaCl(aq.)$
- 0.2M caustic soda solution
- 1M  $NH_4Cl(aq.)$
- 1M sodium acetate solution

87. The compound which reacts faster with Lucas reagent at room temperature is :


- (1) Benzyl alcohol
- (2) Butan-2-ol
- (3) 2-methylpropan-1-ol
- (4) 2-methylpropan-2-ol

88. Which of the following process is not exothermic ?

- (1) Adsorption
- (2) Combustion
- (3) Neutralisation
- (4) Evaporation

89. Which of the following is a stronger conjugate base ?

- (1)  $\text{ClO}_4^-$
- (2)  $\text{ClO}_3^-$
- (3)  $\text{ClO}_2^-$
- (4)  $\text{ClO}^-$



the product 'Z' is :

- (1) Benzaldehyde
- (2) Benzoic acid
- (3) Benzene
- (4) Toluene

91. A body is projected vertically upward. The times corresponding to height  $h$  while ascending and descending are  $t_1$  and  $t_2$  respectively. Then velocity of projection is :

- (1)  $g\sqrt{t_1 t_2}$
- (2)  $\frac{g(t_1 + t_2)}{2}$
- (3)  $\frac{g\sqrt{t_1 t_2}}{2}$
- (4)  $g \frac{t_1 t_2}{t_1 + t_2}$

92. A body of mass 5 kg is thrown vertically up with K. E. = 490J. The height at which the K. E. of the body becomes half of the original is :

- (1) 12.5 m
- (2) 10 m
- (3) 5 cm
- (4) 500 cm

93. A child is sitting on a swing. Its minimum and maximum heights from the ground are 0.75 m and 2 m respectively. Its maximum speed will be :

- (1) 10 m/s
- (2) 5 m/s
- (3) 8 m/s
- (4) 15 m/s

94. A string vibrates with frequency of 200 Hz. When its length is doubled and tension is altered, it begins to vibrate with a frequency of 300 Hz. Ratio of new tension to original tension is :

- (1) 9 : 1
- (2) 1 : 9
- (3) 1 : 3
- (4) 3 : 1

95. A simple pendulum is suspended from the ceiling of a lift. When the lift is at rest, its time period is  $T$ . With what acceleration should the lift be accelerated upwards to reduce its period to  $\frac{T}{2}$  ?

- (1)  $2g$
- (2)  $4g$
- (3)  $3g$
- (4)  $g$

96. Two simple harmonic motions are represented by  $y_1 = 5[\sin 2pt + \sqrt{3} \cos 2pt]$  and  $y_2 = 5 \sin(2\pi t + \pi/4)$ . The ratio of their amplitudes is :

- (1) 1 : 3
- (2)  $\sqrt{3} : 1$
- (3) 1 : 1
- (4) 2 : 1

97. A planet moving along an elliptical orbit is closest to the sun at a

distance  $r_1$  and farthest away at a distance  $r_2$ . If  $v_1$  and  $v_2$  are linear velocities at  $r_1$  and  $r_2$ , then  $\frac{v_1}{v_2}$  is :

- (1)  $\frac{r_1}{r_2}$
- (2)  $\left(\frac{r_1}{r_2}\right)^2$
- (3)  $\left(\frac{r_2}{r_1}\right)$
- (4)  $\left(\frac{r_2}{r_1}\right)^2$

98. A body floats in water with 40% of its volume outside water. When the same body floats in an oil, 60% of its volume remains outside oil. The relative density of oil is :

- (1) 0.9
- (2) 1.0
- (3) 1.2
- (4) 1.5

99. Hot water cools from  $60^\circ\text{C}$  to  $50^\circ\text{C}$  in first 10 minutes and to  $42^\circ\text{C}$  in next 10 minutes. Temperature of surrounding is :

- (1)  $10^\circ\text{C}$
- (2)  $15^\circ\text{C}$
- (3)  $20^\circ\text{C}$
- (4)  $30^\circ\text{C}$

100. If a black body emits 0.5 Joules of energy per second when it is at  $27^\circ\text{C}$ , then the amount of energy emitted by it when it is at  $627^\circ\text{C}$  will be :

- (1) 162 J
- (2) 40.5 J
- (3) 135 J
- (4) 13.5 J