



Teachingninja.in



Latest Govt Job updates



Private Job updates



Free Mock tests available

Visit - teachingninja.in

Maharashtra PWD

Previous Year Paper
JE (Civil)
15 Dec, 2023 Shift 3



Answer Key of PWD Recruitment Exam 2023, 13th Dec to 28th Dec 2023 for Objection Handling Purpose Only

Participant ID	
Participant Name	
Test Center Name	
Test Date	15/12/2023
Test Time	4:00 PM - 5:30 PM
Subject	Junior Engineer (Civil)
Candidates Application photo	
Candidate Registration photo	

Section : Civil Engineering (Diploma Level)

Q.1 Which of the following does a plywood have?

- Ans
- 1. Heavyweight material
 - 2. Flexibility
 - 3. Showing swelling and wrapping
 - 4. More impact resistance

Question Type : MCQ

Question ID : 630680198676

Option 1 ID : 630680770663

Option 2 ID : 630680770666

Option 3 ID : 630680770665

Option 4 ID : 630680770664

Status : Answered

Chosen Option : 2

Marks : 0

Q.2 Early setting and early hardening concrete admixtures are termed as _____.

- Ans 1. organic retarders
 2. accelerators
 3. silica
 4. fly ash

Question Type : MCQ
Question ID : 630680160627
Option 1 ID : 630680621883
Option 2 ID : 630680621881
Option 3 ID : 630680621880
Option 4 ID : 630680621882
Status : Answered
Chosen Option : 2
Marks : 2

Q.3 Undesirable and unwanted sound is called noise. The regulations about noise levels in the workspace environment are to be in sync with _____.

- Ans 1. OSRA
 2. OSYA
 3. OSMA
 4. OSHA

Question Type : MCQ
Question ID : 630680182627
Option 1 ID : 630680707615
Option 2 ID : 630680707616
Option 3 ID : 630680707614
Option 4 ID : 630680707613
Status : Marked For Review
Chosen Option : 1
Marks : 0

Q.4 What is the unit of measurement for planking, strutting, clearing of shrubs, brushwood, small trees, including removals and disposal as per IS:1200?

- Ans 1. Cubic metres
 2. Numbers
 3. Running metres
 4. Square metres

Question Type : MCQ
Question ID : 630680211771
Option 1 ID : 630680821231
Option 2 ID : 630680821234
Option 3 ID : 630680821233
Option 4 ID : 630680821232
Status : Answered
Chosen Option : 2
Marks : 0

Q.5 Identify the correct assumption made in Bernoulli's equation.

- Ans
- 1. The flow is compressible.
 - 2. The flow is unsteady.
 - 3. The fluid is ideal.
 - 4. The flow is rotational.

Question Type : MCQ
Question ID : 630680206137
Option 1 ID : 630680799350
Option 2 ID : 630680799348
Option 3 ID : 630680799347
Option 4 ID : 630680799349
Status : Answered
Chosen Option : 3
Marks : 2

Q.6 Aerated concrete generally exists as _____ in weight.

- Ans
- 1. dense
 - 2. light
 - 3. bulky
 - 4. moderate

Question Type : MCQ
Question ID : 630680198668
Option 1 ID : 630680770631
Option 2 ID : 630680770632
Option 3 ID : 630680770634
Option 4 ID : 630680770633
Status : Answered
Chosen Option : 2
Marks : 2

Q.7 Which of the following is the first step in the process of preparation of brick earth?

- Ans
- 1. Selecting a location
 - 2. Excavating
 - 3. Washing
 - 4. Unsoiling

Question Type : MCQ
Question ID : 630680198670
Option 1 ID : 630680770640
Option 2 ID : 630680770639
Option 3 ID : 630680770641
Option 4 ID : 630680770642
Status : Answered
Chosen Option : 4
Marks : 2

Q.8 Which of the following is used in a micro-optic theodolite?

Ans 1. Optical micrometer

- 2. Both optical micrometer and optoelectronic scanning
- 3. Optoelectronic scanning
- 4. Vernier

Question Type : MCQ
Question ID : 630680163127
Option 1 ID : 630680631733
Option 2 ID : 630680631735
Option 3 ID : 630680631734
Option 4 ID : 630680631732
Status : Answered
Chosen Option : 2
Marks : 0

Q.9 For no tension to be developed anywhere in a masonry dam, the resultant stress should be located according to which option?

Ans 1. Located within end one-third of width consisting of toe

- 2. Located within middle one-third of width
- 3. Located within middle one-sixth of width
- 4. Located within middle one-quarter of width

Question Type : MCQ
Question ID : 630680191189
Option 1 ID : 630680741398
Option 2 ID : 630680741399
Option 3 ID : 630680741400
Option 4 ID : 630680741397
Status : Answered
Chosen Option : 1
Marks : 0

Q.10 The crippling load will be maximum for a column with_____.

Ans 1. one end hinged and other free

- 2. both ends free
- 3. both ends fixed
- 4. one end fixed and other end free

Question Type : MCQ
Question ID : 630680311953
Option 1 ID : 6306801213718
Option 2 ID : 6306801213720
Option 3 ID : 6306801213719
Option 4 ID : 6306801213717
Status : Answered
Chosen Option : 3
Marks : 2

Q.11 Which of the following statements is correct with respect to resultant stress at any section in a circular masonry chimney?

- Ans
- 1. It is always advised to keep the resultant stress in tensile condition.
 - 2. It is a sum of bending stress and shear stress.
 - 3. It is a sum of bending stress and direct tensile stress.
 - 4. It may be compressive or tensile in nature as per input parameters.

Question Type : MCQ

Question ID : 630680191183

Option 1 ID : 630680741376

Option 2 ID : 630680741374

Option 3 ID : 630680741373

Option 4 ID : 630680741375

Status : Answered

Chosen Option : 4

Marks : 2

Q.12 Which of the following assumptions of Rankine's theory are addressed/corrected in Coulomb's theory?

- i. The wall can be inclined.
- ii. The soil can be heterogeneous and anisotropic.
- iii. The backfill can be inclined.
- iv. The wall can have friction.

- Ans
- 1. i, iii and iv
 - 2. ii and iii
 - 3. i, ii and iii
 - 4. i, ii and iv

Question Type : MCQ

Question ID : 630680181855

Option 1 ID : 630680704656

Option 2 ID : 630680704657

Option 3 ID : 630680704654

Option 4 ID : 630680704655

Status : Answered

Chosen Option : 3

Marks : 0

Q.13 The term $\frac{v^2}{2g}$ in the Bernoulli's equation is known as _____ .

Where

v = velocity of flow

g = acceleration due to gravity

- Ans
- 1. datum head
 - 2. potential head
 - 3. kinetic head
 - 4. static head

Question Type : MCQ

Question ID : 630680206140

Option 1 ID : 630680799362

Option 2 ID : 630680799360

Option 3 ID : 630680799359

Option 4 ID : 630680799361

Status : Answered

Chosen Option : 3

Marks : 2

Q.14 The vertical member in the middle of a window frame, which subdivides the window, is called _____.

- Ans
- 1. sill
 - 2. mullion
 - 3. transom
 - 4. rebate

Question Type : MCQ

Question ID : 630680167320

Option 1 ID : 630680648046

Option 2 ID : 630680648044

Option 3 ID : 630680648047

Option 4 ID : 630680648045

Status : Answered

Chosen Option : 2

Marks : 2

Q.15 In case of eccentric loading on a short column, zero tensile stress will be visible at extreme fibre if _____.

- Ans
- 1. total axial compressive stress is more than bending stress at extreme fibre
 - 2. load is applied at the centroid
 - 3. load is eccentrically applied anywhere
 - 4. total axial compressive stress is equal to bending stress at extreme fibre

Question Type : MCQ

Question ID : 630680191198

Option 1 ID : 630680741435

Option 2 ID : 630680741433

Option 3 ID : 630680741434

Option 4 ID : 630680741436

Status : Answered

Chosen Option : 1

Marks : 0

Q.16 The sulphur cycle is overloaded, due to burning of fossil fuels at an ever-increasing rate. An adverse ecological effect caused by high concentration of sulphur in the atmosphere is _____.

- Ans
- 1. global warming
 - 2. acid rain
 - 3. greenhouse effect
 - 4. ozone depletion

Question Type : MCQ

Question ID : 630680191243

Option 1 ID : 630680741613

Option 2 ID : 630680741614

Option 3 ID : 630680741615

Option 4 ID : 630680741616

Status : Answered

Chosen Option : 2

Marks : 2

Q.17 The effective diameter of a soil is _____.

- Ans
- 1. the particle size which settles with 100% efficiency in the hydrometer test
 - 2. the particle size corresponding to 90% finer particles
 - 3. the particle size corresponding to 10% finer particles
 - 4. the particle size below which the soil is uniformly graded

Question Type : MCQ

Question ID : 630680181890

Option 1 ID : 630680704794

Option 2 ID : 630680704795

Option 3 ID : 630680704796

Option 4 ID : 630680704797

Status : Answered

Chosen Option : 3

Marks : 2

Q.18 The load transfer across the transverse joints in a concrete pavement is done by _____.

- Ans
- 1. tie bars
 - 2. anchor bars
 - 3. joist bars
 - 4. dowel bars

Question Type : MCQ

Question ID : 630680191594

Option 1 ID : 630680742998

Option 2 ID : 630680742999

Option 3 ID : 630680743000

Option 4 ID : 630680742997

Status : Answered

Chosen Option : 1

Marks : 0

Q.19 For given water content, which of the following types of aggregate is/are used for more workability of the concrete?

- Ans
- 1. Flaky aggregate only
 - 2. Rough, angular or elongated aggregate
 - 3. Crushed aggregate only
 - 4. Both smooth and rounded aggregate

Question Type : MCQ

Question ID : 630680160601

Option 1 ID : 630680621778

Option 2 ID : 630680621777

Option 3 ID : 630680621779

Option 4 ID : 630680621776

Status : Answered

Chosen Option : 4

Marks : 2

Q.20 Which of the following options best describes a transit theodolite?

- Ans
- 1. The telescope can be rotated through a horizontal plane.
 - 2. The telescope can be revolved through 180° in a vertical plane about its horizontal axis.
 - 3. The telescope can be revolved through 90° in a vertical plane about its horizontal axis.
 - 4. The telescope can be revolved through 180° in a horizontal plane about its vertical axis.

Question Type : MCQ

Question ID : 630680163178

Option 1 ID : 630680631938

Option 2 ID : 630680631936

Option 3 ID : 630680631939

Option 4 ID : 630680631937

Status : Answered

Chosen Option : 2

Marks : 2

Q.21 The standard dimension of wooden sleepers for metre gauge railway tracks is _____, except at bridges, points, and crossings.

- Ans 1. 180 cm × 20 cm × 11.5 cm
 2. 275 cm × 25 cm × 13 cm
 3. 150 cm × 18cm × 11.5 cm
 4. 110 cm × 15cm × 10.5 cm

Question Type : MCQ

Question ID : 630680191587

Option 1 ID : 630680742970

Option 2 ID : 630680742969

Option 3 ID : 630680742971

Option 4 ID : 630680742972

Status : Answered

Chosen Option : 2

Marks : 0

Q.22 Consider the below statements and identify the correct answer.

Statement A: The minimum shear reinforcement criteria for beams as mentioned in the IS 456 : 2000, is not applicable for lintel beams whose maximum shear stress is less than half the permissible value.

Statement B: Lintel beams support loads of a portion of the wall above the openings and transmits such load to ends of walls/ piers/ columns over which they are supported.

- Ans 1. Both statements A and B are correct.
 2. Both statements A and B are incorrect.
 3. Statement A is correct and B is incorrect.
 4. Statement B is correct and A is incorrect.

Question Type : MCQ

Question ID : 630680200560

Option 1 ID : 630680777597

Option 2 ID : 630680777598

Option 3 ID : 630680777595

Option 4 ID : 630680777596

Status : Answered

Chosen Option : 1

Marks : 2



Q.23 Consider the following statements.

Statement I: Hydraulic gradient line may rise in the direction of flow.

Statement II: Total energy line rise in the direction of the flow.

Which of the following options is correct?

- Ans
- 1. Both Statement I and II are true.
 - 2. Only Statement II is true.
 - 3. Only Statement I is true.
 - 4. Both Statement I and II are false.

Question Type : MCQ

Question ID : 630680206125

Option 1 ID : 630680799301

Option 2 ID : 630680799300

Option 3 ID : 630680799299

Option 4 ID : 630680799302

Status : Marked For Review

Chosen Option : 1

Marks : 0

Q.24 Which of the following statements is/are true for the total quantity method?

Statement 1:

In the total quantity method, the items of work are divided into the following five sub-divisions: (a) material, (b) labour, (c) plant, (d) overheads, (e) profit.

Statement 2:

The total quantity of each kind or class of material or labour is found and multiplied by their individual unit cost.

- Ans
- 1. Both Statement 1 and Statement 2 are false
 - 2. Statement 1 is true, Statement 2 is false
 - 3. Both Statement 1 and Statement 2 are true
 - 4. Statement 1 is false, Statement 2 is true

Question Type : MCQ

Question ID : 630680211760

Option 1 ID : 630680821188

Option 2 ID : 630680821189

Option 3 ID : 630680821187

Option 4 ID : 630680821190

Status : Answered

Chosen Option : 4

Marks : 0

Q.25 Identify the equation that represents a compressible and incompressible flow, respectively.

Where,

ρ = density of the flowing fluid

A = cross sectional area of flow

V = Velocity of flow

P = pressure of the flowing fluid at any section

- Ans
- 1. $\rho \neq \text{constant}$ and $\rho = \text{constant}$
 - 2. $\rho = \text{constant}$ and $\rho \neq \text{constant}$
 - 3. AV = constant and $\rho \neq \text{constant}$
 - 4. AV = constant and AV \neq constant

Question Type : MCQ

Question ID : 630680206143

Option 1 ID : 630680799371

Option 2 ID : 630680799372

Option 3 ID : 630680799374

Option 4 ID : 630680799373

Status : Answered

Chosen Option : 1

Marks : 2

Q.26 Which of the following statements is FALSE?

- Ans
- 1. The ridge line and the valley line cross at right angles.
 - 2. Irregular contours represent uneven ground.
 - 3. Two contour lines of different elevations can intersect each other on an overhanging cliff.
 - 4. A contour line need not close itself.

Question Type : MCQ

Question ID : 630680163148

Option 1 ID : 630680631818

Option 2 ID : 630680631819

Option 3 ID : 630680631816

Option 4 ID : 630680631817

Status : Answered

Chosen Option : 1

Marks : 0

Q.27 An aqueduct is a type of cross drainage work where the:

- Ans
- 1. drainage water is carried under siphonic action
 - 2. canal is carried below drainage
 - 3. canal is carried at the same level of drainage
 - 4. canal is carried above drainage

Question Type : MCQ

Question ID : 630680199383

Option 1 ID : 630680773174

Option 2 ID : 630680773171

Option 3 ID : 630680773172

Option 4 ID : 630680773173

Status : Answered

Chosen Option : 4

Marks : 2

Q.28 Acid-resistant cement and gypsum are examples of _____ materials.

- Ans 1. rigorous binding
 2. air binding
 3. glued binding
 4. sewn binding

Question Type : MCQ
Question ID : 630680198696
Option 1 ID : 630680770746
Option 2 ID : 630680770744
Option 3 ID : 630680770745
Option 4 ID : 630680770743
Status : Answered
Chosen Option : 1
Marks : 0

Q.29 The extent of s = drainage area may be estimated on a contour map by locating the _____ around the watershed.

- Ans 1. cliff line
 2. ridge line
 3. valley line
 4. contour line

Question Type : MCQ
Question ID : 630680163152
Option 1 ID : 630680631835
Option 2 ID : 630680631832
Option 3 ID : 630680631834
Option 4 ID : 630680631833
Status : Answered
Chosen Option : 2
Marks : 2

Q.30 Geophysical methods and tests with the help of a cone penetrometer are a part of _____ .

- Ans 1. preliminary exploration
 2. undisturbed exploration
 3. detailed exploration
 4. bore exploration

Question Type : MCQ
Question ID : 630680181868
Option 1 ID : 630680704706
Option 2 ID : 630680704709
Option 3 ID : 630680704707
Option 4 ID : 630680704708
Status : Answered
Chosen Option : 2
Marks : 0

Q.31 The angle of inclination provided on the escalator during its construction and fitting at the site is _____.

- Ans
- 1. 60°
 - 2. 30°
 - 3. 10°
 - 4. 75°

Question Type : MCQ

Question ID : 630680167306

Option 1 ID : 630680647990

Option 2 ID : 630680647989

Option 3 ID : 630680647988

Option 4 ID : 630680647991

Status : Answered

Chosen Option : 2

Marks : 2

Q.32 The ratio of maximum shear stress in a circular section to that of maximum shear stress in a rectangular section, assuming that the average shear stress is same for both the section, will be:

- Ans
- 1. $\frac{4}{3}$
 - 2. $\frac{2}{3}$
 - 3. $\frac{8}{9}$
 - 4. $\frac{9}{8}$

Question Type : MCQ

Question ID : 630680311952

Option 1 ID : 6306801213713

Option 2 ID : 6306801213714

Option 3 ID : 6306801213715

Option 4 ID : 6306801213716

Status : Marked For Review

Chosen Option : 3

Marks : 2

Q.33 Which of the forces acting on a gravity dam is considered the most minor force and usually not taken into account for the design purpose?

- Ans
- 1. Uplift pressure
 - 2. Silt pressure
 - 3. Wind pressure
 - 4. Wave pressure

Question Type : MCQ

Question ID : 630680199362

Option 1 ID : 630680773090

Option 2 ID : 630680773089

Option 3 ID : 630680773088

Option 4 ID : 630680773087

Status : Answered

Chosen Option : 3

Marks : 2

Q.34 Sulphur is a basic constituent of proteins in plants and animals. The most common form of sulphur found in water and soil is _____.

- Ans
- 1. sulphur dioxide
 - 2. sulphur trioxide
 - 3. hydrogen sulphide
 - 4. sulphate ions

Question Type : MCQ

Question ID : 630680191242

Option 1 ID : 630680741609

Option 2 ID : 630680741612

Option 3 ID : 630680741610

Option 4 ID : 630680741611

Status : Answered

Chosen Option : 3

Marks : 0

Q.35 Which of the following spillways has an S-shape?

- Ans
- 1. Side channel spillway
 - 2. Ogee spillway
 - 3. Chute spillway
 - 4. Straight drop spillway

Question Type : MCQ

Question ID : 630680199366

Option 1 ID : 630680773106

Option 2 ID : 630680773105

Option 3 ID : 630680773104

Option 4 ID : 630680773103

Status : Answered

Chosen Option : 2

Marks : 2

Q.36 The maximum water-cement ratio that can be implemented in reinforced cement concrete structures exposed to moderate exposure conditions is _____, according to IS 456-2000.

- Ans
- 1. 0.65
 - 2. 0.52
 - 3. 0.5
 - 4. 0.35

Question Type : MCQ
Question ID : 630680160620
Option 1 ID : 630680621855
Option 2 ID : 630680621853
Option 3 ID : 630680621854
Option 4 ID : 630680621852
Status : Marked For Review
Chosen Option : 2
Marks : 0

Q.37 Which of the following is NOT a type of canal based on alignment?

- Ans
- 1. Watershed canal
 - 2. Water course canal
 - 3. Contour canal
 - 4. Side slope canal

Question Type : MCQ
Question ID : 630680199378
Option 1 ID : 630680773152
Option 2 ID : 630680773153
Option 3 ID : 630680773154
Option 4 ID : 630680773151
Status : Answered
Chosen Option : 2
Marks : 2

Q.38 Which of the following is NOT a control measure of reservoir silting?

- Ans
- 1. Proper operation of scouring sluice gates.
 - 2. Growing more vegetation in the catchment area.
 - 3. Construction of large reservoirs on small streams.
 - 4. Sufficient outlets at various elevations in the dam.

Question Type : MCQ
Question ID : 630680199353
Option 1 ID : 630680773052
Option 2 ID : 630680773051
Option 3 ID : 630680773054
Option 4 ID : 630680773053
Status : Answered
Chosen Option : 3
Marks : 2

Q.39 Bamboo is used in which of the following kinds of construction?

- Ans 1. Preparation of artificial sand
 2. Balconies
 3. Scaffoldings
 4. Paving blocks

Question Type : MCQ

Question ID : 630680198701

Option 1 ID : 630680770766

Option 2 ID : 630680770763

Option 3 ID : 630680770765


Option 4 ID : 630680770764

Status : Answered

Chosen Option : 3

Marks : 2

Q.40 Considering the given continuous beam subjected to same intensity of uniformly distributed load throughout the span, it may be concluded that:



- Ans 1. bending moment at all three supports are hogging
 2. bending moment at support B is hogging and bending moments at A and C are zero
 3. bending moment at A and B is hogging, bending moment at C is zero
 4. shear force at A is negative

Question Type : MCQ

Question ID : 630680191220

Option 1 ID : 630680741521

Option 2 ID : 630680741522

Option 3 ID : 630680741523

Option 4 ID : 630680741524

Status : Answered

Chosen Option : 1

Marks : 0

Q.41 Which of the following geometric elements of highways is provided between the carriage way and the footpath?

- Ans
- 1. Camber
 - 2. Median
 - 3. Kerb
 - 4. Drainage

Question Type : MCQ

Question ID : 630680191606

Option 1 ID : 630680743045

Option 2 ID : 630680743048

Option 3 ID : 630680743047

Option 4 ID : 630680743046

Status : Answered

Chosen Option : 3

Marks : 2

Q.42 The CBR value signifies the _____ .

- Ans
- 1. shear resistance of a soil
 - 2. expansion potential of a soil
 - 3. bearing capacity of a soil
 - 4. penetration resistance of a soil

Question Type : MCQ

Question ID : 630680181869

Option 1 ID : 630680704711

Option 2 ID : 630680704712

Option 3 ID : 630680704713

Option 4 ID : 630680704710

Status : Answered

Chosen Option : 4

Marks : 2

Q.43 A cantilever beam AB of length 6 m is subjected to two moments 8 kNm (anti-clockwise) and 10 kNm (clockwise) at 2 m and 4 m away from the fixed end, respectively. The magnitude of BM at 1 m from the fixed end will be equal to_____.

- Ans
- 1. 18 kNm
 - 2. 8 kNm
 - 3. 10 kNm
 - 4. 2 kNm

Question Type : MCQ

Question ID : 630680311966

Option 1 ID : 6306801213771

Option 2 ID : 6306801213770

Option 3 ID : 6306801213769

Option 4 ID : 6306801213772

Status : Marked For Review

Chosen Option : 2

Marks : 0

Q.44 The passenger capacity of a lift is usually calculated by assuming the weight of a person as _____.

- Ans
- 1. 120 kg
 - 2. 68 kg
 - 3. 100 kg
 - 4. 90 kg

Question Type : MCQ

Question ID : 630680167308

Option 1 ID : 630680647999

Option 2 ID : 630680647996

Option 3 ID : 630680647998

Option 4 ID : 630680647997

Status : Answered

Chosen Option : 2

Marks : 2

Q.45 In open channel flow, the predominating external force considered is :

- Ans
- 1. inertia
 - 2. gravity
 - 3. viscosity
 - 4. pressure

Question Type : MCQ

Question ID : 630680206144

Option 1 ID : 630680799377

Option 2 ID : 630680799375

Option 3 ID : 630680799378

Option 4 ID : 630680799376

Status : Answered

Chosen Option : 4

Marks : 0

Q.46 Identify the INCORRECT statement.

- Ans
- 1. An ideal fluid is imaginary.
 - 2. An ideal fluid is incompressible.
 - 3. Newtonian fluid is an ideal fluid.
 - 4. An ideal fluid has no viscosity.

Question Type : MCQ

Question ID : 630680206169

Option 1 ID : 630680799477

Option 2 ID : 630680799475

Option 3 ID : 630680799478

Option 4 ID : 630680799476

Status : Answered

Chosen Option : 3

Marks : 2

Q.47 A trapezoidal stress distribution diagram at the base of a circular chimney is a response of which type of load(s)?

- Ans 1. Both self-weight and wind pressure
 2. Wind pressure only
 3. Self-weight only
 4. Lateral load only

Question Type : MCQ

Question ID : 630680191186

Option 1 ID : 630680741388

Option 2 ID : 630680741386

Option 3 ID : 630680741385

Option 4 ID : 630680741387

Status : Answered

Chosen Option : 1

Marks : 2

Q.48 Which of the following statements is/are true for flexible pavement?

Statement 1:

In flexible pavement, surface painting should be measured in square metres and the quantity of binder in kg per square metre.

Statement 2:

Grouting (full grout or semi-grout) is measured in cubic metres.

- Ans 1. Statement 1 is false, Statement 2 is true
 2. Statement 1 is true, Statement 2 is false
 3. Both Statement 1 and Statement 2 are true
 4. Both Statement 1 and Statement 2 are false

Question Type : MCQ

Question ID : 630680211751

Option 1 ID : 630680821154

Option 2 ID : 630680821153

Option 3 ID : 630680821151

Option 4 ID : 630680821152

Status : Answered

Chosen Option : 3

Marks : 0

Q.49 The bulk density of aggregates does NOT depend upon which of the following factors?

- Ans 1. The container's dimensions and shape
 2. Specific gravity and shape of aggregates
 3. Grading and size of aggregates
 4. Shape and size of aggregates

Question Type : MCQ

Question ID : 630680160600

Option 1 ID : 630680621773

Option 2 ID : 630680621774

Option 3 ID : 630680621775

Option 4 ID : 630680621772

Status : Answered

Chosen Option : 1

Marks : 2

Q.50 A simply supported beam carries various point loads and no other load. Which of the following statements are correct?

- i) The shear force diagram will be triangular.
- ii) The maximum BM will be at a point where shear force is zero.
- iii) The maximum BM will be at a point where the loading is zero.
- iv) The shear force diagram will be composed of rectangular parts.

Ans 1. ii and iv

2. iii and iv

3. i and ii

4. i and iii

Question Type : MCQ

Question ID : 630680311970

Option 1 ID : 6306801213786

Option 2 ID : 6306801213787

Option 3 ID : 6306801213785

Option 4 ID : 6306801213788

Status : Marked For Review

Chosen Option : 4

Marks : 0

Q.51 The inclined structure which is constructed to transport persons or vehicles from one floor to another is called _____.

Ans 1. staircase

2. ramp

3. lintel

4. lift

Question Type : MCQ

Question ID : 630680167311

Option 1 ID : 630680648010

Option 2 ID : 630680648008

Option 3 ID : 630680648011

Option 4 ID : 630680648009

Status : Answered

Chosen Option : 2

Marks : 2

Q.52 If a cantilever beam of length L is subjected to a point load (directed towards up) at its free end, the main reinforcement (longitudinal) should be provided at _____. Ignore the self-weight of the beam.

Ans 1. just above the neutral axis of the beam

2. the top face of the beam with necessary cover thickness

3. the bottom face of the beam with necessary cover thickness

4. neutral axis of the beam

Question Type : MCQ

Question ID : 630680200557

Option 1 ID : 630680777586

Option 2 ID : 630680777584

Option 3 ID : 630680777583

Option 4 ID : 630680777585

Status : Answered

Chosen Option : 3

Marks : 2

Q.53 _____ is a parameter expressed as carbon dioxide equivalent, which measures the total greenhouse gas emissions caused directly and indirectly by a person, organisation, event, product or country.

Ans 1. Carbon footprint

2. Carbon level

3. Carbon credit

4. Carbon trading

Question Type : MCQ

Question ID : 630680191250

Option 1 ID : 630680741642

Option 2 ID : 630680741644

Option 3 ID : 630680741643

Option 4 ID : 630680741641

Status : Answered

Chosen Option : 3

Marks : 0

Q.54 When a person sits on a chair, the nature of stress on the legs of chair is_____.

Ans 1. compressive

2. both tensile and compressive

3. torsional

4. tensile

Question Type : MCQ

Question ID : 630680311974

Option 1 ID : 6306801213802

Option 2 ID : 6306801213803

Option 3 ID : 6306801213804

Option 4 ID : 6306801213801

Status : Answered

Chosen Option : 1

Marks : 2

Q.55 A retaining wall has a backfill height of 5 m. The coefficient of passive earth pressure is 3. What will be the passive earth pressure on the wall for the fully submerged backfill if both the submerged unit weight of soil and the unit weight of water are 10 kN/m^3 ?

Ans 1. 150 kN/m^2

2. 200 kN/m^2

3. 350 kN/m^2

4. 100 kN/m^2

Question Type : MCQ

Question ID : 630680181857

Option 1 ID : 630680704664

Option 2 ID : 630680704662

Option 3 ID : 630680704665

Option 4 ID : 630680704663

Status : Marked For Review

Chosen Option : 3

Marks : 0

Q.56 When the quantities of particular items are not certain, provisional quantities are worked out and provided separately in the estimate for such items. Such items are called as provisional items and such quantities are called as provisional quantities. Select the example of provisional items.

- Ans
- 1. Water for construction purpose
 - 2. Number of bricks in the superstructure
 - 3. Lengthening or shortening of concrete piles
 - 4. Number of bags of cement

Question Type : MCQ
Question ID : 630680211752
Option 1 ID : 630680821156
Option 2 ID : 630680821155
Option 3 ID : 630680821158
Option 4 ID : 630680821157
Status : Answered
Chosen Option : 3
Marks : 2

Q.57 The aggregate impact value of coarse aggregates used for wearing course should not exceed _____.

- Ans
- 1. 60%
 - 2. 30%
 - 3. 40%
 - 4. 50%

Question Type : MCQ
Question ID : 630680191593
Option 1 ID : 630680742996
Option 2 ID : 630680742993
Option 3 ID : 630680742994
Option 4 ID : 630680742995
Status : Answered
Chosen Option : 2
Marks : 2

Q.58 Among the factors associated with reservoir sedimentation, given as options, identify the correct one.

- Ans
- 1. Higher rainfall intensity causes less siltation.
 - 2. Catchment area having no vegetal cover produces more siltation.
 - 3. Steep slope causes less silting through streams.
 - 4. Hard soil in the catchment area results in more siltation than soft one.

Question Type : MCQ
Question ID : 630680199354
Option 1 ID : 630680773058
Option 2 ID : 630680773055
Option 3 ID : 630680773056
Option 4 ID : 630680773057
Status : Answered
Chosen Option : 2
Marks : 2

Q.59 Identify the correct option by considering the below statements with respect to the gradients provided along the railway track

Statement A:

Pusher gradient is flatter than ruling gradient and they are provided to reduce the length of the railway line so that the overall cost

Statement B:

Momentum gradient is flatter than ruling gradient and they are provided in valley portion where a falling gradient is followed by a rising gradient.

- Ans
- 1. Statement B is correct and A is incorrect
 - 2. Both statements are correct
 - 3. Both statements are incorrect
 - 4. Statement A is correct and B is incorrect

Question Type : MCQ

Question ID : 630680191315

Option 1 ID : 630680741902

Option 2 ID : 630680741903

Option 3 ID : 630680741904

Option 4 ID : 630680741901

Status : Answered

Chosen Option : 2

Marks : 0

Q.60 The statements pertaining to the indirect methods of locating contours in a topographic survey are given as options. Identify the INCORRECT statement.

- Ans
- 1. The method of squares is most suitable for railway route surveys.
 - 2. Cross-sections should be more closely spaced at places where the contours curve abruptly.
 - 3. The spacing of cross-sections depends upon the character of the terrain.
 - 4. The spacing of cross-sections depends upon the purpose of the survey.

Question Type : MCQ

Question ID : 630680163151

Option 1 ID : 630680631828

Option 2 ID : 630680631829

Option 3 ID : 630680631830

Option 4 ID : 630680631831

Status : Answered

Chosen Option : 4

Marks : 0

Q.61 When using aggregates for a wearing course, the impact value should NOT be greater than _____.

- Ans 1. 30%
 2. 42%
 3. 23%
 4. 34%

Question Type : MCQ

Question ID : 630680160604

Option 1 ID : 630680621791

Option 2 ID : 630680621790

Option 3 ID : 630680621788

Option 4 ID : 630680621789

Status : Answered

Chosen Option : 1

Marks : 2

Q.62 As per IS 456 : 2000, the diameter of longitudinal reinforcement provided in reinforced cement concrete columns shall NOT be less than _____ mm.

- Ans 1. eight
 2. twelve
 3. ten
 4. sixteen

Question Type : MCQ

Question ID : 630680200544

Option 1 ID : 630680777534

Option 2 ID : 630680777532

Option 3 ID : 630680777533

Option 4 ID : 630680777531

Status : Answered

Chosen Option : 2

Marks : 2

Q.63 Identify the name of the given formula used for the estimation of the quantity of earthwork.

$$\text{Quantity of Earthwork} = (Bd_m + Sd_m^2) \times L$$

- Ans 1. Prismoidal formula method
 2. Mid-sectional area method
 3. Average cross-sectional area method
 4. Mean sectional area method

Question Type : MCQ

Question ID : 630680211759

Option 1 ID : 630680821186

Option 2 ID : 630680821185

Option 3 ID : 630680821184

Option 4 ID : 630680821183

Status : Marked For Review

Chosen Option : 3

Marks : 0

Q.64 Impervious core in an earthen dam is placed at:

- Ans
- 1. outer upstream face
 - 2. outer downstream face
 - 3. central position
 - 4. top width

Question Type : MCQ

Question ID : 630680199359

Option 1 ID : 630680773075

Option 2 ID : 630680773076

Option 3 ID : 630680773077

Option 4 ID : 630680773078

Status : Answered

Chosen Option : 2

Marks : 0

Q.65 A steel plate 4 mm thick and 1000 mm long is bent by a couple M_0 into a circular arc such that the radius of curvature is 1500 mm. Find the maximum bending stress if the modulus of elasticity (E) of plate is 2×10^5 N/mm².

- Ans
- 1. 66.67 N/mm²
 - 2. 200 N/mm²
 - 3. 266.67 N/mm²
 - 4. 315 N/mm²

Question Type : MCQ

Question ID : 630680311950

Option 1 ID : 6306801213707

Option 2 ID : 6306801213706

Option 3 ID : 6306801213708

Option 4 ID : 6306801213705

Status : Answered

Chosen Option : 3

Marks : 2

Q.66 With reference to soil exploration, the number and spacing of boreholes do NOT depend upon the:

- Ans
- 1. uniformity of strata
 - 2. size of the site
 - 3. bearing capacity of the soil
 - 4. type of the structure

Question Type : MCQ

Question ID : 630680181865

Option 1 ID : 630680704697

Option 2 ID : 630680704696

Option 3 ID : 630680704694

Option 4 ID : 630680704695

Status : Answered

Chosen Option : 3

Marks : 2

Q.67 Which of the following is a cause of water hammer in pipes?

- Ans
- 1. Turbulent flow condition in the pipe
 - 2. Sudden closure of valve
 - 3. Roughness of pipe material
 - 4. Higher velocity of flow through the pipe material

Question Type : MCQ
Question ID : 630680206132
Option 1 ID : 630680799330
Option 2 ID : 630680799327
Option 3 ID : 630680799328
Option 4 ID : 630680799329
Status : Answered
Chosen Option : 2
Marks : 2

Q.68 Which of the following screws (levelling foot screws, clip screw, capstan screw, vertical circle tangent screw) are used to carry out the permanent adjustment of altitude bubble and vertical index frame of a theodolite(having clip and tangent screws on separate arms, with altitude bubble on the index frame).

- Ans
- 1. Clip screw and vertical circle tangent screw only
 - 2. levelling foot screws, clip screw, capstan screw, and vertical circle tangent screw.
 - 3. Clip screw, and capstan screw only
 - 4. Clip screw, capstan screw, and vertical circle tangent screw only

Question Type : MCQ
Question ID : 630680190911
Option 1 ID : 630680740340
Option 2 ID : 630680740337
Option 3 ID : 630680740339
Option 4 ID : 630680740338
Status : Answered
Chosen Option : 2
Marks : 2

Q.69 What is the fineness modulus value of fine sand?

- Ans
- 1. Less than 1.7
 - 2. 1.5 - 2.1
 - 3. 2.2 - 2.6
 - 4. 0.6 - 1.15

Question Type : MCQ
Question ID : 630680198693
Option 1 ID : 630680770731
Option 2 ID : 630680770732
Option 3 ID : 630680770734
Option 4 ID : 630680770733
Status : Answered
Chosen Option : 3
Marks : 2

Q.70 Bus bays along the highway should be located at least _____ from the intersection.

- Ans
- 1. 300 m
 - 2. 150 m
 - 3. 50 m
 - 4. 75 m

Question Type : MCQ
Question ID : 630680191612
Option 1 ID : 630680743072
Option 2 ID : 630680743071
Option 3 ID : 630680743070
Option 4 ID : 630680743069
Status : Answered
Chosen Option : 2
Marks : 0

Q.71 Which of the following is the principle of the concrete rebound hammer test apparatus?

- Ans
- 1. Conservation of mass.
 - 2. The rebound of an elastic mass depends on the hardness of the concrete surface against which the mass strikes.
 - 3. Conservation of energy.
 - 4. The velocity sound in a solid material is a function of the square root of the ratio of its modulus of elasticity to its density.

Question Type : MCQ
Question ID : 630680160624
Option 1 ID : 630680621870
Option 2 ID : 630680621868
Option 3 ID : 630680621869
Option 4 ID : 630680621871
Status : Answered
Chosen Option : 2
Marks : 2

Q.72 As per NBC-2016, constructed buildings have been divided into _____ groups.

- Ans
- 1. 4
 - 2. 2
 - 3. 3
 - 4. 9

Question Type : MCQ
Question ID : 630680167321
Option 1 ID : 630680648048
Option 2 ID : 630680648050
Option 3 ID : 630680648049
Option 4 ID : 630680648051
Status : Answered
Chosen Option : 4
Marks : 2

Q.73 A masonry dam has height 9 m and base width 3 m. Find the maximum distance from the mid-point of base of dam beyond which resultant stress is not expected to act in order to avoid tension anywhere.

- Ans
- 1. 1.5 m
 - 2. 1 m
 - 3. 2 m
 - 4. 0.5 m

Question Type : MCQ
Question ID : 630680191190
Option 1 ID : 630680741403
Option 2 ID : 630680741402
Option 3 ID : 630680741404
Option 4 ID : 630680741401
Status : Answered
Chosen Option : 2
Marks : 0

Q.74 Identify the correct answer by referring to below mentioned statements.

Statement 1: The moment of resistance capacity of a doubly reinforced beam for a given depth and width of the beam is lesser than that of a singly reinforced beam.
Statement 2: Doubly reinforced beams more are suitable than singly reinforced beams, when the beam is subjected to a shock or impact or accidental lateral thrust.

- Ans
- 1. Both statements 1 and 2 are correct.
 - 2. Statement 2 is correct but 1 is incorrect.
 - 3. Statement 1 is correct but 2 is incorrect.
 - 4. Both statements 1 and 2 are incorrect.

Question Type : MCQ
Question ID : 630680200545
Option 1 ID : 630680777537
Option 2 ID : 630680777536
Option 3 ID : 630680777535
Option 4 ID : 630680777538
Status : Answered
Chosen Option : 2
Marks : 2

Q.75 Wind power or wind energy is mostly the use of wind turbines to generate electricity. One of the disadvantages of wind energy is that _____.

- Ans
- 1. it requires energy storage batteries
 - 2. it supplies energy to rural areas
 - 3. it is renewable energy
 - 4. it causes no pollution during electricity generation

Question Type : MCQ
Question ID : 630680182632
Option 1 ID : 630680707635
Option 2 ID : 630680707636
Option 3 ID : 630680707634
Option 4 ID : 630680707633
Status : Answered
Chosen Option : 1
Marks : 2

Q.76 Select the option that is related to the third word in the same way as the second word is related to the first word.

Norway : Oslo :: Oman : ?

- Ans 1. Muscat
 2. Islamabad
 3. Manila
 4. Cairo

Question Type : MCQ
Question ID : 630680511733
Option 1 ID : 6306801999902
Option 2 ID : 6306801999904
Option 3 ID : 6306801999905
Option 4 ID : 6306801999903
Status : Answered
Chosen Option : 1
Marks : 2

Q.77 Who won the Laureus Sportsman of the Year award in 2023?

- Ans 1. Kylian Mbappe
 2. Carlos Alcaraz
 3. Cristiano Ronaldo
 4. Lionel Messi

Question Type : MCQ
Question ID : 630680511722
Option 1 ID : 6306801999861
Option 2 ID : 6306801999860
Option 3 ID : 6306801999859
Option 4 ID : 6306801999858
Status : Answered
Chosen Option : 1
Marks : 0

Q.78 From the options given below choose the antonym (opposite meaning) of the word:
Mingle

- Ans 1. separate
 2. amalgamate
 3. combine
 4. extinguish

Question Type : MCQ
Question ID : 630680511715
Option 1 ID : 6306801999831
Option 2 ID : 6306801999832
Option 3 ID : 6306801999830
Option 4 ID : 6306801999833
Status : Answered
Chosen Option : 1
Marks : 2

Q.79 Choose the option which is a synonym of (similar to) the word used in the sentence given below:

They had some (trepidation) about agreeing to the plan.

- Ans 1. fear
 2. confidence
 3. excitement
 4. self-assurance

Question Type : MCQ
Question ID : 630680511712
Option 1 ID : 6306801999820
Option 2 ID : 6306801999818
Option 3 ID : 6306801999821
Option 4 ID : 6306801999819
Status : Answered
Chosen Option : 1
Marks : 2

Q.80 From the options given below choose the synonym (similar meaning) of the word: Zeal

- Ans 1. work
 2. apathy
 3. passion
 4. happiness

Question Type : MCQ
Question ID : 630680511714
Option 1 ID : 6306801999829
Option 2 ID : 6306801999827
Option 3 ID : 6306801999826
Option 4 ID : 6306801999828
Status : Answered
Chosen Option : 4
Marks : 0

Q.81 From the options given below choose the antonym (opposite meaning) of the word: Ponder

- Ans 1. study
 2. review
 3. contemplate
 4. disregard

Question Type : MCQ
Question ID : 630680511713
Option 1 ID : 6306801999824
Option 2 ID : 6306801999825
Option 3 ID : 6306801999823
Option 4 ID : 6306801999822
Status : Answered
Chosen Option : 3
Marks : 0

Q.82 खालील शब्दाचा अचूक अर्थ ओळखा.
'अंजन'

- Ans
- 1. धूप
 - 2. कुंकू
 - 3. चंदन
 - 4. काजळ

Question Type : MCQ
Question ID : 630680511716
Option 1 ID : 6306801999837
Option 2 ID : 6306801999834
Option 3 ID : 6306801999836
Option 4 ID : 6306801999835
Status : Answered
Chosen Option : 2
Marks : 0

Q.83 Two statements are given followed by two conclusions numbered I and II. Assuming the statements to be true, even if they seem to be at variance with commonly known facts, decide which of the conclusions logically follow(s) from the statements.

Statements:

- I. Some dreams are vivid.
- II. All vivid dreams are memorable.

Conclusions:

- I. Some memorable are dreams.
- II. Some vivid are dream.

- Ans
- 1. Neither conclusion I nor II follows
 - 2. Only conclusion I follows
 - 3. Both conclusions I and II follow
 - 4. Only conclusion II follows

Question Type : MCQ
Question ID : 630680511732
Option 1 ID : 6306801999901
Option 2 ID : 6306801999898
Option 3 ID : 6306801999900
Option 4 ID : 6306801999899
Status : Answered
Chosen Option : 3
Marks : 2

Q.84 Which Indian language was granted the classical status in 2014?

- Ans 1. Telugu
 2. Tamil
 3. Odia
 4. Sanskrit

Question Type : MCQ
Question ID : 630680511725
Option 1 ID : 6306801999872
Option 2 ID : 6306801999870
Option 3 ID : 6306801999873
Option 4 ID : 6306801999871
Status : Answered
Chosen Option : 2
Marks : 0

Q.85 खालील म्हणीचा योग्य अर्थ ओळखा.
'बोले तैसा चाले त्याची वंदावी पाऊले.'

- Ans 1. कार्यक्रम उरकल्यावर व्यवस्था करणे.
 2. विचाराप्रमाणे आचार करतो त्याला वंदन करावे.
 3. उत्तम स्थिती गेली, पण त्या आठवणी मागे उरल्या.
 4. केवळ बडबड करणाऱ्याच्या हातून तशी कृती होईलच याचा नेम नाही.

Question Type : MCQ
Question ID : 630680511720
Option 1 ID : 6306801999851
Option 2 ID : 6306801999852
Option 3 ID : 6306801999853
Option 4 ID : 6306801999850
Status : Answered
Chosen Option : 2
Marks : 2

Q.86 In a certain code language, if RAINBOW is coded as WOBNIAR, THUNDER is coded as REDNUHT, then what will LIGHTNING be coded as?

- Ans 1. GNINGTHIL
 2. GNIHNTGIL
 3. GNINTIHGL
 4. GNINTHGIL

Question Type : MCQ
Question ID : 630680511730
Option 1 ID : 6306801999893
Option 2 ID : 6306801999891
Option 3 ID : 6306801999892
Option 4 ID : 6306801999890
Status : Answered
Chosen Option : 4
Marks : 2

Q.87 खालील शब्दाचा समानार्थी शब्द ओळखा.
'अगतिक'

- Ans 1. अगणित
 2. असहाय्य
 3. अगोचर
 4. उत्साही

Question Type : MCQ
Question ID : 630680511717
Option 1 ID : 6306801999839
Option 2 ID : 6306801999841
Option 3 ID : 6306801999838
Option 4 ID : 6306801999840
Status : Answered
Chosen Option : 2
Marks : 2

Q.88 खालील शब्दाचा विरुद्धार्थी शब्द ओळखा.
'व्यवहार्य'

- Ans 1. व्यवस्थापन
 2. व्यवस्थित
 3. अव्यवहाय
 4. अविरत

Question Type : MCQ
Question ID : 630680511718
Option 1 ID : 6306801999842
Option 2 ID : 6306801999845
Option 3 ID : 6306801999844
Option 4 ID : 6306801999843
Status : Answered
Chosen Option : 3
Marks : 2

Q.89 Which of the following is the coldest location in India?

- Ans 1. Phalodi
 2. Dras Valley
 3. Dehradun
 4. Spiti

Question Type : MCQ
Question ID : 630680511726
Option 1 ID : 6306801999876
Option 2 ID : 6306801999875
Option 3 ID : 6306801999877
Option 4 ID : 6306801999874
Status : Answered
Chosen Option : 3
Marks : 0

Q.90 How many symbols are there in the given series that are immediately preceded by a number and followed by a symbol?

9 * 2 @ 6 % 0 \$ 1 ^ 3 * 6 % 4 @ 9 ^ 2 ! 5 \$ 1

Ans 1. 0

2. 2

3. 3

4. 5

Question Type : MCQ

Question ID : 630680511729

Option 1 ID : 6306801999888

Option 2 ID : 6306801999887

Option 3 ID : 6306801999889

Option 4 ID : 6306801999886

Status : Answered

Chosen Option : 1

Marks : 2

Q.91 The idea of Fundamental Duties was inspired from the constitution of which country?

Ans 1. Russia

2. England

3. Japan

4. Canada

Question Type : MCQ

Question ID : 630680511727

Option 1 ID : 6306801999881

Option 2 ID : 6306801999880

Option 3 ID : 6306801999878

Option 4 ID : 6306801999879

Status : Answered

Chosen Option : 1

Marks : 2

Q.92 Who earned the nickname "Frontier Gandhi"?

Ans 1. Bhagat Singh

2. Chittaranjan Das

3. Subhas Chandra Bose

4. Abdul Ghaffar Khan

Question Type : MCQ

Question ID : 630680511724

Option 1 ID : 6306801999868

Option 2 ID : 6306801999866

Option 3 ID : 6306801999869

Option 4 ID : 6306801999867

Status : Answered

Chosen Option : 2

Marks : 0

Q.93 खालील वाक्यचाराचा योग्य अर्थ ओळखा.
'कानोसा घेणे'

- Ans
- 1. उपदेश करणे
 - 2. बदल करणे
 - 3. चाहूल घेणे
 - 4. आधार घेणे

Question Type : MCQ
Question ID : 630680511721
Option 1 ID : 6306801999857
Option 2 ID : 6306801999854
Option 3 ID : 6306801999855
Option 4 ID : 6306801999856
Status : Answered
Chosen Option : 3
Marks : 2

Q.94 Four letter-clusters have been given, out of which three are alike in some manner and one is different. Select the odd letter-cluster.

- Ans
- 1. AZY
 - 2. JIH
 - 3. DCB
 - 4. UST

Question Type : MCQ
Question ID : 630680511734
Option 1 ID : 6306801999907
Option 2 ID : 6306801999909
Option 3 ID : 6306801999908
Option 4 ID : 6306801999906
Status : Answered
Chosen Option : 4
Marks : 2

Q.95 Pointing to a girl in the photograph, a man says, "She is the sister of my mother's only son." How is the girl related to the man?

- Ans
- 1. Sister
 - 2. Daughter
 - 3. Mother's sister
 - 4. Brother's wife

Question Type : MCQ
Question ID : 630680511731
Option 1 ID : 6306801999894
Option 2 ID : 6306801999897
Option 3 ID : 6306801999896
Option 4 ID : 6306801999895
Status : Answered
Chosen Option : 1
Marks : 2

Q.96 Choose the option which are antonyms (opposite of) the word used in the sentence given below:

By strengthening the brittle bones with acrylic paint, scientists have been able to examine the skeletons and draw conclusions about the diet and habits of the residents.

- Ans
- 1. conclusions/ inferences
 - 2. strength/ power
 - 3. brittle/ strong
 - 4. examine/ inspect

Question Type : MCQ
Question ID : 630680511710
Option 1 ID : 6306801999813
Option 2 ID : 6306801999810
Option 3 ID : 6306801999811
Option 4 ID : 6306801999812
Status : Answered
Chosen Option : 3
Marks : 2

Q.97 What position does India hold in Global Hunger Index 2023?

- Ans
- 1. 120
 - 2. 125
 - 3. 110
 - 4. 111

Question Type : MCQ
Question ID : 630680511723
Option 1 ID : 6306801999864
Option 2 ID : 6306801999862
Option 3 ID : 6306801999865
Option 4 ID : 6306801999863
Status : Answered
Chosen Option : 2
Marks : 0

Q.98 Rahim ranks 45th from the bottom in a test of 90 students. Find his rank from the top.

- Ans
- 1. 46
 - 2. 48
 - 3. 45
 - 4. 47

Question Type : MCQ
Question ID : 630680511728
Option 1 ID : 6306801999884
Option 2 ID : 6306801999882
Option 3 ID : 6306801999883
Option 4 ID : 6306801999885
Status : Answered
Chosen Option : 1
Marks : 2

Q.99 खालील वाक्यातील समास ओळखा.
'गैरशिस्त'

- Ans 1. द्वंद्व समास
 2. अव्ययीभाव समास
 3. तत्पुरुष समास
 4. बहुव्रीही समास

Question Type : MCQ
Question ID : 630680511719
Option 1 ID : 6306801999848
Option 2 ID : 6306801999846
Option 3 ID : 6306801999847
Option 4 ID : 6306801999849
Status : Answered
Chosen Option : 2
Marks : 2

Q.100 Choose the option which is a synonym (similar to) the bracketed word used in the sentence given below:

Her daughter is an (eloquent) speaker.

- Ans 1. underconfident
 2. insecure
 3. articulate
 4. unvocal

Question Type : MCQ
Question ID : 630680511711
Option 1 ID : 6306801999815
Option 2 ID : 6306801999817
Option 3 ID : 6306801999814
Option 4 ID : 6306801999816
Status : Answered
Chosen Option : 3
Marks : 2

