



Teachingninja.in



Latest Govt Job updates



Private Job updates



Free Mock tests available

Visit - teachingninja.in



Teachingninja.in

ESIC IMO

Previous Year Paper

6 March 2016

(Allopathic) Paper-I



Question Paper Preview

Notations :

- Options shown in **green** color and with  icon are correct.
- Options shown in **red** color and with  icon are incorrect.

Question Paper Name:

Insurance Medical Officer IMO Grade II Allopathic Paper I 6th March 2016 Actual

Subject Name:

Insurance Medical Officer IMO Grade II Allopathic English

Creation Date:

2016-03-06 10:41:06

Duration:

120

Total Marks:

200

Display Marks:

Yes

Insurance Medical Officer (IMO) Grade-II (Allopathic) – Paper I

Group Number :

1

Group Id :

94973077

Group Maximum Duration :

0

Group Minimum Duration :

120

Revisit allowed for view? :

No

Revisit allowed for edit? :

No

Break time:

0

Mandatory Break time:

No

Group Marks:

200

Domain Knowledge

Section Id :	949730145
Section Number :	1
Section type :	Online
Mandatory or Optional:	Mandatory
Number of Questions:	200
Number of Questions to be attempted:	200
Section Marks:	200
Display Number Panel:	Yes
Group All Questions:	No

Sub-Section Number:	1
Sub-Section Id:	949730153
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 9497306178 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Common form of Diabetic Neuropathy is:

Options :

-  Mononeuropathy

- 2. Distal Symmetric Polyneuropathy
- 3. Proximal Polyneuropathy
- 4. Amyotrophy

Question Number : 2 Question Id : 9497306179 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In Asbestosis all features are seen EXCEPT:

Options :

- 1. Emphysema
- 2. Calcified pleural plaques
- 3. Fibrous pleural thickening
- 4. Diffuse pulmonary interstitial Fibrosis

Question Number : 3 Question Id : 9497306180 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Human Organ Transplantation Act was passed in ____ year.

Options :

- 1. 1994
- 2. 1995
- 3. 1993
- 4. 1992

Question Number : 4 Question Id : 9497306181 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Deficiency of ____ is associated with 'Wernicke's Encephalopathy'.

Options :

- 1. vitamin B₂
- 2. vitamin B₁
- 3. vitamin B₁₂
- 4. vitamin B₄

Question Number : 5 Question Id : 9497306182 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Macrophage releases:

Options :

- 1. Intrinsic Factor
- 2. Interleukin I

3. ✗ Iron

4. ✗ Isotonic Saline

Question Number : 6 Question Id : 9497306183 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Conditions NOT having Autosomal Dominant Inheritance:

Options :

1. ✗ Achondroplasia

2. ✗ Myotonia Dystrophica

3. ✗ Huntington's Chorea

4. ✓ Christmas Disease

Question Number : 7 Question Id : 9497306184 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Chronic consumption of Alcohol results in the following EXCEPT:

Options :

1. ✗ Pancreatitis

2. ✗ Inhibition of Liver Enzymes

3. ✗ Cardiomyopathy

4. ✓ Gynaecomastia

Question Number : 8 Question Id : 9497306185 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

_____ Type of laser is used in the management of after cataract.

Options :

1. ✓ Nd Yag Laser

2. ✗ Argon Laser

3. ✗ Krypton Laser

4. ✗ Excimer Laser

Question Number : 9 Question Id : 9497306186 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Schwartze's Sign is:

Options :

1. ✓ Reddish Hue seen over the Promontory

2. ✗ Greenish Hue seen over the Promontory

3. ✗ Selling over Mastoid

4. Swelling below Mastoid

Question Number : 10 Question Id : 9497306187 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

_____ is an example of Traction Epiphysis.

Options :

1. Head of Ulna
2. Head of Radius
3. Lesser Tubercle of Humerus
4. Greater Tubercle of Humerus

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 11 Question Id : 9497306188 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Seliwanoff's Test is given by:

Options :

1. Galactose
2. Glucose
3. Fructose
4. Maltose

Question Number : 12 Question Id : 9497306189 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Radioactive substances emit all rays EXCEPT:

Options :

1. Gamma Rays
2. X Rays
3. Alpha Rays
4. Beta Rays

Question Number : 13 Question Id : 9497306190 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Duces tecum Means:

Options :

1. Panchnama
2. Requisition
3. Summon
4. Inquest

Question Number : 14 Question Id : 9497306191 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Mallory's degeneration seen in Alcoholic Liver disease is a _____ form of degeneration.

Options :

1. amyloid degeneration
2. hydropic degeneration
3. hyaline degeneration
4. fatty degeneration

Question Number : 15 Question Id : 9497306192 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

_____ is required for the formation of Vitamin K.

Options :

1. Factor VII
2. Factor VIII
3. Factor V
4. Factor VI

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Question Number : 16 Question Id : 9497306193 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

For "Bulimia Nervosa" All statements are correct EXCEPT:

Options :

1. Male cases do not occur
2. Dental Problems are a recognized association
3. Weight is usually normal
4. Diabetes Mellitus is a recognized association

Question Number : 17 Question Id : 9497306194 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Nephrogenic Diabetes Insipidus is seen with:

Options :

1. Minocycline
2. Doxycycline
3. Demeclocycline
4. Oxytetracycline

Question Number : 18 Question Id : 9497306195 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Mucocele of _____ causes secondary Optic Nerve Atrophy.

Options :

1. frontal sinus
2. sphenoid sinus
3. maxillary sinus
4. ethmoid sinus

Question Number : 19 Question Id : 9497306196 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Perforation commonly associated with Cholesteatoma is:

Options :

1. Perforation Posterior to Handle of Malleus
2. Perforation anterior to Handle of Malleus
3. Central Perforation
4. Attic and Marginal

Question Number : 20 Question Id : 9497306197 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

_____ is related to Surgical neck of Humerus.

Options :

1. Axillary Nerve
2. Median Nerve
3. Ulnar Nerve
4. Radial Nerve

Question Number : 21 Question Id : 9497306198 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Triacylglycerol in Plasma Lipoproteins is Hydrolyzed by:

Options :

1. Pancreatic Lipase
2. Lingual Lipase
3. Linoleic Acid
4. Lipoprotein Lipase

Question Number : 22 Question Id : 9497306199 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Radiological Feature “Pelkan Spur” is seen in:

Options :

1. ✗ Megaloblastic Anaemia
2. ✗ Sickel cell Anaemia
3. ✓ Scurvy
4. ✗ Rickets

Question Number : 23 Question Id : 9497306200 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Cephalic index is used to determine:

Options :

1. ✗ Sex
2. ✓ Race
3. ✗ Age
4. ✗ Language

Question Number : 24 Question Id : 9497306201 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

When one cell type is being replaced by another cell type, it is known as:

Options :

1. ✗ Metastasis
2. ✗ Dysplasia
3. ✗ Anaplasia
4. ✓ Metaplasia

Question Number : 25 Question Id : 9497306202 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Deficiency of _____ leads to Classical Haemophilia (Haemophilia A).

Options :

1. ✗ factor V
2. ✗ factor VI
3. ✗ factor VII
4. ✓ factor VIII

Question Number : 26 Question Id : 9497306203 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

A normal child of one and half years old would be expected to be able to do things
EXCEPT:

Options :

1. ✗ Speak short sentences
2. ✓ Point to eyes, nose and mouth when instructed to do so.
3. ✗ Eat with spoon
4. ✗ Draw a Circle

Question Number : 27 Question Id : 9497306204 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All Drugs may be useful in the treatment of Female Infertility EXCEPT:

Options :

1. ✗ Bromocriptine
2. ✗ Goserelin
3. ✗ Danazol
4. ✓ Mifepristone

Question Number : 28 Question Id : 9497306205 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

The earliest sign in Endophthalmitis is:

Options :

1. ✗ Loss of Green Reflex
2. ✗ Loss of Blue Reflex
3. ✓ Loss of Red Reflex
4. ✗ Loss of Yellow Reflex

Question Number : 29 Question Id : 9497306206 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Highest Vitamin A content is seen in:

Options :

1. ✓ Spinach
2. ✗ Rhubarb
3. ✗ Ragi
4. ✗ Kiwi Fruits

Question Number : 30 Question Id : 9497306207 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Radial Bursa contain Tendon of :

Options :

1. ✗ Flexor Digitorum Sperficialis

- 2. Flexor Pollicis Longus
- 3. Flexor Carpi Ulnaris
- 4. Flexor Carpi Radialis

Question Number : 31 Question Id : 9497306208 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Chemical Name to Thymine is:

Options :

- 1. 2, 4 - dioxy - 5 - Methyl Pyrimidine
- 2. 2, 4 - dioxy - 4 - Methyl Pyrimidine
- 3. 2, dioxy Methyl Pyrimidine
- 4. 4 - dioxy Methyl Pyrimidine

Question Number : 32 Question Id : 9497306209 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

On Radiological X Ray 'H' Shaped Vertebra is seen in _____ type of Anaemia.

Options :

- 1. Aplastic Anaemia
- 2. Megaloblastic Anaemia
- 3. Iron Deficiency Anaemia
- 4. Sickle cell Anaemia

Question Number : 33 Question Id : 9497306210 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Battle's sign is:

Options :

- 1. Shoulder Ecchymosis
- 2. Vaginal Ecchymosis
- 3. Medial Ecchymosis
- 4. Mastoid Ecchymosis

Question Number : 34 Question Id : 9497306211 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Genes that determine A and B blood group Phenotypes are located on:

Options :

- 1. Chromosome 9
- 2. Chromosome 10

3. ✘ Chromosome 11
4. ✘ Chromosome 12

Question Number : 35 Question Id : 9497306212 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Action Potential is characterized by all of the following EXCEPT:

Options :

1. ✘ It self Propagates
2. ✓ It Propagates in one direction only
3. ✘ Follows all or none phenomenon
4. ✘ It is nondecremental

Question Number : 36 Question Id : 9497306213 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All statements regarding Wiskott - Aldrich Syndrome are correct EXCEPT:

Options :

1. ✘ It can be Present with Cerebral Haemorrhage
2. ✘ Eczema is often present
3. ✓ Decreased level of serum IgA and IgE
4. ✘ Thrombocytopenia is typically present

Question Number : 37 Question Id : 9497306214 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Feminization is not a side effect of:

Options :

1. ✓ Mesterolone
2. ✘ Testosterone propionate
3. ✘ Testosterone
4. ✘ Testosterone cypionate

Question Number : 38 Question Id : 9497306215 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Injuries which can cause Angle Recession Glaucoma is:

Options :

1. ✘ Cutting Injuries
2. ✘ Corrosive Burns injuries
3. ✘ Chemical Injuries

4. ✓ Concussion Injuries

Question Number : 39 Question Id : 9497306216 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are Essential Fatty Acid (EFA) EXCEPT:

Options :

1. ✗ Linolenic Acid
2. ✗ Linoleic Acid
3. ✗ Arachidonic Acid
4. ✓ Stearic Acid

Question Number : 40 Question Id : 9497306217 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

A Muscle which is involved in Flexes of both Hip and Knee Joints?

Options :

1. ✓ Sartorius Muscle
2. ✗ Rectus Femoris
3. ✗ Gluteus Minimus
4. ✗ Quadratus Femoris

Question Number : 41 Question Id : 9497306218 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

LDH-5 Isoenzyme is increased in all EXCEPT:

Options :

1. ✗ Muscular Dystrophies
2. ✓ Pulmonary Embolism
3. ✗ Breast Carcinoma
4. ✗ Acute Hepatitis

Question Number : 42 Question Id : 9497306219 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Barium Meal is used for Diagnosis of:

Options :

1. ✓ Gastric outlet Obstruction
2. ✗ Perforated Meckels Diverticulum
3. ✗ Uterine Perforation
4. ✗ Small Intestine Obstruction

Question Number : 43 Question Id : 9497306220 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Pink Disease also called as Acrodynia occurs due to poisoning of:

Options :

1. ✗ Arsenic
2. ✓ Mercury
3. ✗ Organo Phosphates
4. ✗ Carbamates

Question Number : 44 Question Id : 9497306221 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

_____ Enterotoxin of *Staphylococcus aureus* causes Toxic Shock Syndrome.

Options :

1. ✗ A
2. ✗ F
3. ✗ E
4. ✓ C

Question Number : 45 Question Id : 9497306222 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

First Micturition Reflex is initiated when urine volume in Urinary bladder is:

Options :

1. ✗ 50 ml
2. ✗ 100 ml
3. ✓ 150 ml
4. ✗ 200 ml

Question Number : 46 Question Id : 9497306223 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All statements regarding Ewing's Sarcoma are correct EXCEPT:

Options :

1. ✗ 30% of presentation have metastatic disease
2. ✗ Femur is common site
3. ✗ Pain is rare
4. ✓ Treatment of choice is Amputation

Question Number : 47 Question Id : 9497306224 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Antimotility drugs are contraindicated in:

Options :

1. ✘ After Anal surgery
2. ✘ Ileostomy patients
3. ✘ Mild travelers diarrhea
4. ✓ Acute infective diarrhea

Question Number : 48 Question Id : 9497306225 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Drugs which can cause Optic Neuropathy are all EXCEPT:

Options :

1. ✓ Rifampicin
2. ✘ Chloramphenicol
3. ✘ Ethambutol
4. ✘ INH

Question Number : 49 Question Id : 9497306226 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Commonest cause of post-neonatal mortality rate in India is:

Options :

1. ✘ Pertusis
2. ✘ Tuberculosis
3. ✓ Diarrhea
4. ✘ SIDS

Question Number : 50 Question Id : 9497306227 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Following Structures transmits through Superficial Inguinal Ring EXCEPT:

Options :

1. ✓ Femoral branch of Genito - femoral Nerve
2. ✘ Ilioinguinal Nerve
3. ✘ Vas Deferens
4. ✘ Round Ligament of Uterus

Question Number : 51 Question Id : 9497306228 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Peptides is hydrolyzed to smaller peptides by:

Options :

1. ✘ Chymotrypsin and Erepsein

2. ✗ Chymotrypsin and Pepsin
3. ✗ Trypsin and Pepsin
4. ✓ Trypsin and Chymotrypsin

Question Number : 52 Question Id : 9497306229 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Microscopic aggregation of Epithelioid cells surrounded by a collar of Mononuclear Leukocytes i.e. Lymphocytes and Plasma cells is a feature of:

Options :

1. ✗ Chemotaxix migration
2. ✓ Granulomatous Inflammation
3. ✗ Chronic Inflammation
4. ✗ Acute Inflammation

Question Number : 53 Question Id : 9497306230 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Failure rate of contraceptive methods is determined by:

Options :

1. ✗ Social Index
2. ✓ Pearl Index
3. ✗ Humero femoral Index
4. ✗ Half Life

Question Number : 54 Question Id : 9497306231 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Dick Toxin is:

Options :

1. ✗ Strptolysin O
2. ✗ Streptodornase
3. ✓ Erythrogenic Toxin
4. ✗ C Antigen

Question Number : 55 Question Id : 9497306232 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

“Surfactant” is secreted by:

Options :

1. ✗ Type I Alveolar Epithelial cells
2. ✓ Type II Alveolar Epithelial cells

3. ✘ Terminal Bronchial cells
4. ✘ Entire Respiratory Tract

Question Number : 56 Question Id : 9497306233 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Condition which requires Surgical Management in New born Period is?

Options :

1. ✓ Hirschsprung's disease
2. ✘ Phimosis
3. ✘ Umbilical Hernia
4. ✘ Tongue Tie

Question Number : 57 Question Id : 9497306234 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Ulcer with watery discharge is seen in:

Options :

1. ✓ Tuberculosis
2. ✘ Leprosy
3. ✘ Lepramatous Leprosy
4. ✘ Meleney's ulcer

Question Number : 58 Question Id : 9497306235 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Cheating Muscle is:

Options :

1. ✘ Inferior Rectus
2. ✓ Superior Oblique
3. ✘ Inferior Oblique
4. ✘ Superior Rectus

Question Number : 59 Question Id : 9497306236 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

'Corpulence Index' means:

Options :

1. ✓ Measurement of Obesity
2. ✘ Measurement of Biceps
3. ✘ Measurement of waist

4. Measurement of Head circumference

Question Number : 60 Question Id : 9497306237 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Paralysis of _____ causes Medial Deviation of Eyeball.

Options :

1. Superior Rectus Muscle
2. Inferior Rectus Muscle
3. Lateral Rectus Muscle
4. Medial Rectus Muscle

Question Number : 61 Question Id : 9497306238 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In Mac Ardle's disease there is deficiency of _____ Enzymes.

Options :

1. enolase
2. muscle Phosphorylase
3. hepatic Phosphorylase
4. pyruvate Kinase

Question Number : 62 Question Id : 9497306239 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Liquefactive Necrosis is seen in _____ Types of Cells?

Options :

1. lung Cells
2. spleen Cells
3. brain Cells
4. adrenal Cells

Question Number : 63 Question Id : 9497306240 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

At State Level at what temperature Oral Polio Vaccine (OPV) is stored?

Options :

1. 2 – 4° C
2. -5° C
3. -10° C
4. -20° C

Question Number : 64 Question Id : 9497306241 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Diphtheria toxin acts by:

Options :

1. Stimulating Acetylcholine release
2. Inhibiting Acetylcholine release
3. Stimulating Protein Synthesis
4. Inhibiting Protein Synthesis

Question Number : 65 Question Id : 9497306242 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

_____ is the leading cause of Mortality in Patients with Chronic Renal Failure.

Options :

1. Cardiovascular disease
2. Malignancy
3. Bleeding disorder
4. Respiratory tract Infections

Question Number : 66 Question Id : 9497306243 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Pes cavus is not associated with:

Options :

1. Spina bifida occulta
2. Marfan Syndrome
3. Friedreich's ataxia
4. Diastematomeliya

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Question Number : 67 Question Id : 9497306244 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

'Lucid Interval' is indicative of:

Options :

1. Sub Arachnoid Haemorrhage
2. Middle Meningeal Haemorrhage
3. Subdural Haemorrhage
4. Intracranial Haemorrhage

Question Number : 68 Question Id : 9497306245 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

A woman of age 20 years reports to the emergency room, she gives the history that she fainted at her work place in the morning hours. She had a mild vaginal bleeding. Her abdomen is diffusely tender and distended. She also complains of pain in abdomen and shoulder. On examination temperature is 98.0 * F Pulse 120 beats/ min, Blood pressure 92/50 mm hg. What shall be the best diagnostic procedure to confirm the diagnosis based on available clinical data?

Options :

1. Dilatation and curettage
2. Pregnancy Test
3. Culdocentesis
4. Laparoscopy

Question Number : 69 Question Id : 9497306246 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Time interval between diagnosis by early detection and diagnosis by other means is:

Options :

1. Latent Period
2. Serial Interval
3. Lead Time
4. Lucid Interval

Question Number : 70 Question Id : 9497306247 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Pain Sensation is carried by _____ Tract.

Options :

1. anterior Spinocerebellar
2. lateral Spinothalamic
3. medial Spinothalamic
4. posterior Spinocerebellar

Question Number : 71 Question Id : 9497306248 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Fructokinase is present in:

Options :

1. Heart
2. Brain

- 3. ✗ Adipose tissue
- 4. ✓ Intestine

Question Number : 72 Question Id : 9497306249 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Total Creatinine Kinase activity begins to rise within _____ duration after Myocardial Infarction.

Options :

- 1. ✗ 0-20 Minutes after Myocardial Infarction
- 2. ✗ 30 Minutes – 1 Hour after Myocardial Infarction
- 3. ✗ 1 Hour to 2 Hours after Myocardial Infarction
- 4. ✓ 4 Hours to 6 Hours after Myocardial Infarction

Question Number : 73 Question Id : 9497306250 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In Ramsay Hunt Syndrome, Herpes Zoster involves which Ganglia?

Options :

- 1. ✗ Spiral Ganglion
- 2. ✓ Geniculate Ganglion
- 3. ✗ Stellate Ganglion
- 4. ✗ Basal Ganglion

Question Number : 74 Question Id : 9497306251 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Antibody which can cross Placenta?

Options :

- 1. ✓ IgG
- 2. ✗ IgE
- 3. ✗ IgD
- 4. ✗ IgA

Question Number : 75 Question Id : 9497306252 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Conduction velocity in SA Node (Sinoatrial Node) fibres is:

Options :

- 1. ✗ 0.01 meter / Second
- 2. ✓ 0.05 meter / Second

- 3. ✘ 0.5 meter / Second
- 4. ✘ 0.8 meter / Second

Question Number : 76 Question Id : 9497306253 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Drug that can cause Bronchospasm is:

Options :

- 1. ✘ Paracetamol
- 2. ✓ Atenolol
- 3. ✘ Salmeterol
- 4. ✘ Captopril

Question Number : 77 Question Id : 9497306254 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Tracheostomy is done through:

Options :

- 1. ✘ Cricothyroid membrane
- 2. ✘ First and Second tracheal rings
- 3. ✓ Second and fourth tracheal rings
- 4. ✘ Fifth to Seventh tracheal rings

Question Number : 78 Question Id : 9497306255 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which test is not done in case of Intra Uterine Growth Retardation (IUGR)?

Options :

- 1. ✘ Oxytocin challenge test
- 2. ✘ USG Abdomen
- 3. ✘ Non stress test
- 4. ✓ Amniocentesis

Question Number : 79 Question Id : 9497306256 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Chernobyl tragedy (Radiation Pollution) is an example of:

Options :

- 1. ✘ Repeated exposure pandemic
- 2. ✓ Continuous or repeated exposure epidemic
- 3. ✘ Modern Epidemic

4. Old Epidemic

Question Number : 80 Question Id : 9497306257 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are the Branches of Left Coronary Artery EXCEPT:

Options :

1. Anterior Interventricular Artery
2. Posterior Interventricular Artery
3. Marginal Artery
4. Circumflex Artery

Question Number : 81 Question Id : 9497306258 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In Von Gierke's disease there is deficiency of _____ Enzyme.

Options :

1. Glucose 1 Phosphate
2. 6 Phosphogluconate
3. Glucose 6 Phosphate
4. Glucokinase

Question Number : 82 Question Id : 9497306259 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Deficiency of _____ is associated with Plummer-Vinson Syndrome?

Options :

1. iron
2. copper
3. zinc
4. sodium

Question Number : 83 Question Id : 9497306260 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Wickham's Striae in the Oral cavity is a manifestation of:

Options :

1. HIV Infection
2. Leukemia
3. Lichen Planus
4. Oral Candidiasis

Question Number : 84 Question Id : 9497306261 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Pityriasis Versicolor is caused by:

Options :

1. T. Beigelli
2. M. Furfur
3. T. Rubrum
4. R. Seeberi

Question Number : 85 Question Id : 9497306262 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Impaired mineralization of the bone is known as:

Options :

1. Osteoporosis
2. Osteomalacia
3. Osteopenia
4. Osteoclast

Question Number : 86 Question Id : 9497306263 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All statements regarding Klinefelter syndrome are correct EXCEPT:

Options :

1. 99% males have spermatogenesis
2. Gynaecomastia is present
3. Barr bodies present in nuclei of cells in Boys with the syndrome
4. Decreased levels of LH (Lutenizing Hormone) / FSH (Follicle stimulating Hormone)

Question Number : 87 Question Id : 9497306264 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Rodent Ulcer is:

Options :

1. Squamous Cell Carcinoma
2. Adenoma
3. Lymphosarcoma
4. Basal Cell Carcinoma

Question Number : 88 Question Id : 9497306265 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Serum Alfa fetoprotein level is increased in:

Options :

1. Endodermal cell tumor
2. Dysergminoma
3. Choriocarcinoma
4. Immature teratoma

Question Number : 89 Question Id : 9497306266 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Adenocarcinoma with Sarcoma of Uterus; condition is known as:

Options :

1. Sarcoma Uterus
2. Stein-Leventhal Syndrome
3. Mixed Mullerian carcinogenesis
4. Homologous Sarcoma

Question Number : 90 Question Id : 9497306267 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Tonsil has _____ Kind of Epithelium.

Options :

1. simple Columnar
2. simple Columnar Ciliated
3. stratified Squamous keratinized
4. stratified Squamous Nonkeratinized

Question Number : 91 Question Id : 9497306268 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Deficiency of _____ leads to Fatty Liver.

Options :

1. phosphatidic Acid
2. pantothenic Acid
3. lumisterol
4. caproic Acid

Question Number : 92 Question Id : 9497306269 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Most common variety of Hodgkin's disease is seen in patients of more than fifty years age.

Options :

1. Nodular Sclerosis
2. Mixed Cellularity
3. Lymphocyte depletion
4. Lymphocyte Predominance

Question Number : 93 Question Id : 9497306270 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Morbidity in a community can best be estimated by:

Options :

1. Active Surveillance
2. Passive Surveillance
3. Active Monitoring
4. Passive Monitoring

Question Number : 94 Question Id : 9497306271 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Parasite which shares a common antigen with Mycobacterium Tuberculosis is:

Options :

1. L. Braziliensis
2. T. Cruzi
3. L. Donavani
4. T. Brucei

Question Number : 95 Question Id : 9497306272 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Vagal Inhibition is an example of:

Options :

1. Hypovolemic Shock
2. Septicemic Shock
3. Cardiogenic Shock
4. Neurogenic Shock

Question Number : 96 Question Id : 9497306273 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All statements regarding Sudden Infant Death Syndrome (SIDS) are correct EXCEPT:

Options :

1. ✓ It does not occur after 6 month of age.
2. ✗ It occurs commonly in Lower Socio-economic groups
3. ✗ Two fold increase risk to Baby dying of SIDS, if parents Smoke.
4. ✗ Siblings of child who suffered SIDS have five fold increased chance of dying from SIDS

Question Number : 97 Question Id : 9497306274 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

'Pott's Puffy' Tumour is:

Options :

1. ✓ An Extradural Abscess
2. ✓ Subdural Abscess
3. ✗ Malignant Tumor
4. ✗ Adrenal gland Tumour

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 98 Question Id : 9497306275 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Ideal time for performing Chorionic Villous sampling is:

Options :

1. ✗ 6 to 8 weeks
2. ✓ 10 to 13 weeks
3. ✗ 14 to 18 weeks
4. ✗ 18 to 20 weeks

Question Number : 99 Question Id : 9497306276 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Rokitansky – Kuster - Hauser syndrome is associated with:

Options :

1. ✓ Mullerian Agenesis
2. ✓ Vaginal Atresia
3. ✗ Edward Syndrome
4. ✗ Ovarian agenesis

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 100 Question Id : 9497306277 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Somites develop from:

Options :

1. ✗ Primary Mesoderm
2. ✓ Paraxial Mesoderm
3. ✗ Intermediate Mesoderm
4. ✗ Secondary Mesoderm

Question Number : 101 Question Id : 9497306278 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Deficiency of _____ causes disease Pellagra.

Options :

1. ✗ folic Acid
2. ✗ vitamin A
3. ✗ vitamin B2
4. ✓ nicotinic Acid

Question Number : 102 Question Id : 9497306279 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

‘Flask shaped Ulcer’ is seen in:

Options :

1. ✗ Campylobacter rectus
2. ✗ Escherichia coli
3. ✓ Entamoeba Histolytica
4. ✗ H Pylori

Question Number : 103 Question Id : 9497306280 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Infection of _____ causes Strawberry Vagina.

Options :

1. ✓ Trichomonas Vaginalis
2. ✗ Syphilis
3. ✗ Candida Albicans
4. ✗ Cytomegalovirus

Question Number : 104 Question Id : 9497306281 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

“Jame’s Dots” are seen in Red Blood Cells which are infected with:

Options :

1. ✗ P. Malariae
2. ✗ P. Falciparum
3. ✗ P. Vivax
4. ✓ P. Ovale

Question Number : 105 Question Id : 9497306282 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Glycine is secreted by:

Options :

1. ✗ Synapses in Cerebrum
2. ✓ Synapses in Spinal Cord
3. ✗ Synapses in Basal Ganglia
4. ✗ Synapses in Cerebellum

Question Number : 106 Question Id : 9497306283 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Cardiac Glycoside is obtained from plant.

Options :

1. ✓ Strophanthus Gratus
2. ✗ Atropa Belladonna
3. ✗ Strychnous Nux Vomica
4. ✗ Abrus Precatorious

Question Number : 107 Question Id : 9497306284 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Thyroglossal cyst is an example of _____ cyst.

Options :

1. ✗ Sebaceous cyst
2. ✓ Dermoid Cyst
3. ✗ Cystic Hygroma
4. ✗ Tubulo Dermoid cyst

Question Number : 108 Question Id : 9497306285 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Disseminated Intravascular coagulation (DIC) occurs in all EXCEPT:

Options :

1. ✗ Abruptio placentae

2. ✘ Amniotic fluid embolism
3. ✓ Prolonged Pregnancy
4. ✘ Post partum hemorrhage

Question Number : 109 Question Id : 9497306286 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

pH of Amniotic fluid is:

Options :

1. ✓ 7.4 to 7.6
2. ✘ 5.5 to 6.5
3. ✘ 7.5 to 8.0
4. ✓ 7.1 to 7.3

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 110 Question Id : 9497306287 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Left Subclavian Artery develops from:

Options :

1. ✓ Left Seventh Cervical Intersegmental Artery
2. ✘ Embryonic Dorsal Aorta
3. ✘ Left fourth Aortic Arch
4. ✘ Third Aortic Arch

Question Number : 111 Question Id : 9497306288 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In acute Viral Hepatitis, the degree of Liver injury is reflected by:

Options :

1. ✓ HBV DNA
2. ✘ Anti HBS
3. ✘ HBs Ag titer
4. ✘ HBe Ag titer

Question Number : 112 Question Id : 9497306289 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

“Acute Pancreatitis” most common cause is:

Options :

1. ✘ Blunk Injury
2. ✘ Hypovolemic Shock

3. ✗ Renal Stone

4. ✓ Gall stone

Question Number : 113 Question Id : 9497306290 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

“Lynch Suture” is applied on:

Options :

1. ✗ Vagina

2. ✓ Uterus

3. ✗ Cervix

4. ✗ Fallopian tubes

Question Number : 114 Question Id : 9497306291 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Helminth which has copulatory bursa?

Options :

1. ✓ Male Hookworm

2. ✓ Male Roundworm

3. ✗ Male Pinworm

4. ✗ Male whipworm

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 115 Question Id : 9497306292 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Cortisol causes:

Options :

1. ✗ Increase in Capillary Permeability

2. ✗ Increase in Plasma Proteins in Blood

3. ✓ Increase in Amino Acids in Blood

4. ✗ Increase in release of Interleukin I

Question Number : 116 Question Id : 9497306293 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In Acute attack of Angina, the drug given Sublingually is:

Options :

1. ✗ Glycerine

2. ✓ Glyceryl Trinitrate

3. ✗ Amyl Nitrite

4. ❌ Glycerol

Question Number : 117 Question Id : 9497306294 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In Decompression sickness ____ Gas accumulates in Tissues.

Options :

1. ❌ carbon dioxide
2. ❌ oxygen
3. ✓ nitrogen
4. ❌ hydrogen

Question Number : 118 Question Id : 9497306295 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Commonest site of Ectopic pregnancy is:

Options :

1. ❌ Isthmic
2. ❌ Interstitial
3. ❌ Fimbrial
4. ✓ Ampullary

Question Number : 119 Question Id : 9497306296 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are the advantages of Median Episiotomy EXCEPT:

Options :

1. ❌ It increases area of vaginal outlet to facilitate delivery
2. ✓ It decreases the risk to injure anal sphincter and mucosa
3. ❌ Less blood loss compared to Mediolateral technique
4. ❌ It avoids major perineal lacerations

Question Number : 120 Question Id : 9497306297 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Commonest cause of death in Buerger's disease is:

Options :

1. ❌ Carcinoma Lung
2. ✓ Myocardial Infarction
3. ❌ Pulmonary Embolism
4. ❌ Gangrene

Question Number : 121 Question Id : 9497306298 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Urinary Bilirubin in Obstructive Jaundice is:

Options :

1. Normal
2. Decreased
3. Increased
4. Totally Absent

Question Number : 122 Question Id : 9497306299 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Commonest type of Adenoma of Pituitary Gland is:

Options :

1. Prolactin cell adenoma
2. Myxedema
3. Null cell Adenoma
4. Growth hormone cell adenoma

Question Number : 123 Question Id : 9497306300 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Non absorbable suture material is:

Options :

1. Polypropylene
2. Vicryl
3. Polyglycolic acid
4. Collagen

Question Number : 124 Question Id : 9497306301 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which animal is most susceptible to Rabies Virus Infection?

Options :

1. Mice
2. Cat
3. Cow
4. Fox

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 125 Question Id : 9497306302 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Cholecystokinin is synthesized and released by :

Options :

1. I cells
2. ECL cells
3. D cells
4. S cells

Question Number : 126 Question Id : 9497306303 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Sympathomimetic Amine which act indirectly is?

Options :

1. Tetracaine
2. Tryptophan
3. Tyramine
4. Adrenaline

Question Number : 127 Question Id : 9497306304 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Commonest cause of Hyperthyroidism is:

Options :

1. Toxic adenoma
2. Thyroiditis
3. Goiter
4. Grave's disease

Question Number : 128 Question Id : 9497306305 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

A Pregnant lady is diagnosed of Ovarian cyst; how is it to be managed?

Options :

1. Remove ovary cyst by Laprotomy in second trimester
2. Remove at the time of LSCS
3. Wait and watch
4. Immediate removal by Laprotomy

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 129 Question Id : 9497306306 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Muscarinic actions of Acetylcholine include all EXCEPT:

Options :

1. Increase in Blood Pressure
2. Increase in Gut motility
3. Slowing of Heart
4. Constriction of Pupils

Question Number : 130 Question Id : 9497306307 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Leukemia like blood picture is seen in infection with:

Options :

1. Reo Virus
2. Arbo Virus
3. Epstein-Barr Virus
4. Varicella Zoster Virus

Question Number : 131 Question Id : 9497306308 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

The term “Disease eradication” implies:

Options :

1. Interruption of transmission of disease
2. Termination of all transmission of infection by extermination of infectious agent
3. Operations aimed at reducing incidence disease
4. Operation aimed at reducing the effects of infection

Question Number : 132 Question Id : 9497306309 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Prevention of the emergence of risk factors in population groups in which they have not yet appeared is _____ prevention.

Options :

1. primary
2. secondary
3. tertiary
4. primordial

Question Number : 133 Question Id : 9497306310 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

The blotchy, reddish brown rash of measles virus infection is produced by all EXCEPT:

Options :

1. Dilated skin vessels
2. Edema
3. Constricted skin vessels
4. Mononuclear perivascular infiltrate

Question Number : 134 Question Id : 9497306311 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Virchow triad in thrombosis includes:

Options :

1. Hypocoagulability, Endothelial injury and abnormal blood flow
2. Hypercoagulability, Endothelial injury and abnormal blood flow
3. Hypercoagulability, Epithelial injury and abnormal blood flow
4. Hypocoagulability, Epithelial injury and abnormal blood flow

Question Number : 135 Question Id : 9497306312 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

The process in which the cell eats its own content?

Options :

1. Necroptosis
2. Pyroptosis
3. Autophagy
4. Apoptosis

Question Number : 136 Question Id : 9497306313 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which one of the following is not included in Red Blood Cell indices?

Options :

1. Mean corpuscular volume
2. Mean corpuscular haemoglobin
3. Colour index
4. Packed cell volume

Question Number : 137 Question Id : 9497306314 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are live vaccines EXCEPT:

Options :

1. ✗ Yellow fever
2. ✗ Oral polio vaccine
3. ✓ Hepatitis B vaccine
4. ✗ Measles

Question Number : 138 Question Id : 9497306315 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In mumps infection, generation time is:

Options :

1. ✓ less than incubation period
2. ✗ equal to incubation period
3. ✗ more than incubation period
4. ✗ not related to incubation period

Question Number : 139 Question Id : 9497306316 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Relative risk is equal to:

Options :

1. ✗ Incidence of disease among exposed – Incidence of disease among non exposed
2. ✗ Incidence of disease among exposed + Incidence of disease among non exposed
3. ✓ Incidence of disease among exposed / Incidence of disease among non exposed
4. ✗ Incidence of disease among exposed × Incidence of disease among non exposed

Question Number : 140 Question Id : 9497306317 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Byssinosis is caused by Inhalation of:

Options :

1. ✗ Dust containing free silica
2. ✓ Cotton fibre dust
3. ✗ Grain dust
4. ✗ Sugar cane dust

Question Number : 141 Question Id : 9497306318 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Iodization of salt for combating the problem of endemic goitre is an example of:

Options :

1. ✗ Food adulteration
2. ✗ Food additives
3. ✗ Food supplementation
4. ✓ Food fortification

Question Number : 142 Question Id : 9497306319 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which one is not a feature of Type 1 Diabetes?

Options :

1. ✗ Ketonuria
2. ✗ Autoantibodies
3. ✓ Obesity
4. ✗ Typical age at onset is less than 40 years

Question Number : 143 Question Id : 9497306320 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

One of the following is a selective COX- 2 inhibitor:

Options :

1. ✓ Parecoxib
2. ✗ Aspirin
3. ✗ Ibuprofen
4. ✗ Piroxicam

Question Number : 144 Question Id : 9497306321 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which of the following is a calcium channel blocker?

Options :

1. ✗ Atenolol
2. ✓ Nifedipine
3. ✗ Captopril
4. ✗ Losartan

Question Number : 145 Question Id : 9497306322 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Calcitonin is produced by:

Options :

1. ✗ Thyroid follicles

2. ✘ Parathyroid gland
3. ✘ Adrenal gland
4. ✓ Interfollicular 'C' cells

Question Number : 146 Question Id : 9497306323 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Daily maintenance of dose of digoxin is _____ mg.

Options :

1. ✓ 0.25 mg – 0.5 mg
2. ✘ 0.5 mg – 0.875 mg
3. ✘ 0.875 mg – 1.25 mg
4. ✘ 1.25 mg – 1.62 mg

Question Number : 147 Question Id : 9497306324 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

True about Miner' s elbow:

Options :

1. ✘ It is associated with fractured coronoid process
2. ✘ It is due to sprain of radial collateral ligament
3. ✘ It is tearing of fibres of extensor carpi radialis brevis
4. ✓ It is the effusion into the bursa over subcutaneous posterior surface of olecranon process

Question Number : 148 Question Id : 9497306325 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Colle's fracture is defined as fracture of Radius _____.

Options :

1. ✓ 2 cm above its lower end.
2. ✘ 2 cm below its upper end.
3. ✘ 1 cm above its lower end.
4. ✘ 1 cm below its upper end.

Question Number : 149 Question Id : 9497306326 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Complete claw hand' deformity is due to lesion of _____ nerves.

Options :

1. ✘ radial and posterior interosseous
2. ✘ ulnar and radial
3. ✘ radial and median

4. ulnar and median

Question Number : 150 Question Id : 9497306327 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

“Foot drop” occurs due to paralysis of muscles of _____ compartment of leg.

Options :

1. anterior
2. posterior
3. medial
4. lateral

Question Number : 151 Question Id : 9497306328 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

_____ Form of Vitamin A functions in the manner analogous to that of a steroid hormone.

Options :

1. Retinol
2. Retinal
3. Retinoic acid
4. Beta – carotene

Question Number : 152 Question Id : 9497306329 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

One of the following serves as an anticoagulant:

Options :

1. Dermatan sulfate
2. Heparin
3. Hyaluronic acid
4. Chondroitin sulfate

Question Number : 153 Question Id : 9497306330 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

_____ is used to test the adulteration of butter.

Options :

1. Reichert- Meissl number
2. Acid number
3. Iodine number
4. Saponification

Question Number : 154 Question Id : 9497306331 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

False about antrochoanal polypi:

Options :

1. ✘ Common in children
2. ✘ Infectious aetiology
3. ✓ Occurs bilaterally
4. ✘ Grows backwards

Question Number : 155 Question Id : 9497306332 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are true about Singer's nodule except that it occurs:

Options :

1. ✓ Symmetrically on the free edge of vocal cord
2. ✘ At the area of maximum vibration of the vocal cord
3. ✘ At the junction of anterior one third and posterior two thirds of vocal cords
4. ✘ When person speaks in unnatural high tones for prolonged periods

Note: For this question, discrepancy is found in question/answer. Full Marks is being awarded to all candidates.

Question Number : 156 Question Id : 9497306333 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Genesis of origin of cholesteatoma includes all theories EXCEPT:

Options :

1. ✘ Wittmaack's theory
2. ✘ Ruedi's theory
3. ✘ Habermann's theory
4. ✓ Dropping down cell theory

Question Number : 157 Question Id : 9497306334 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Not a feature of Meniere's disease:

Options :

1. ✓ Conductive hearing loss
2. ✘ Vertigo
3. ✘ Aural fullness
4. ✘ Tinnitus

Question Number : 158 Question Id : 9497306335 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

By the age of _____ years a child knows his/her full name and gender.

Options :

1. ✗ 1.5
2. ✗ 2
3. ✗ 2.5
4. ✓ 3

Question Number : 159 Question Id : 9497306336 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Shakir tape is used to measure _____ circumference for the diagnosis of malnutrition in children.

Options :

1. ✓ mid upper arm
2. ✗ thigh
3. ✗ chest
4. ✗ head

Question Number : 160 Question Id : 9497306337 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Under ICDS (Integrated Child Development Services), norms for supplementary nutrition for normal children less than 3 years of age is:

Options :

1. ✓ 500 kilocalories, 12 – 15 grams proteins
2. ✗ 300 kilocalories, 10 – 12 grams proteins
3. ✗ 600 kilocalories, 8 – 10 grams proteins
4. ✗ 500 kilocalories, 8 – 10 grams proteins

Question Number : 161 Question Id : 9497306338 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are the components of Kangaroo mother care EXCEPT:

Options :

1. ✗ Kangaroo position
2. ✗ Kangaroo nutrition
3. ✓ Kangaroo bathing
4. ✗ Kangaroo discharge and follow up

Question Number : 162 Question Id : 9497306339 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Chalazion is defined as:

Options :

1. ✓ Chronic non infective granulomatous inflammation of meibomian gland
2. ✗ Acute suppurative inflammation of gland of Zeis
3. ✗ Suppurative inflammation of the meibomian gland
4. ✗ Acute infective granulomatous inflammation of meibomian gland

Question Number : 163 Question Id : 9497306340 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Absolute indication for enucleation is:

Options :

1. ✓ Painful blind eye
2. ✗ Phthisis bulbi
3. ✓ Retinoblastoma
4. ✗ Anterior staphyloma

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 164 Question Id : 9497306341 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which of the following immunoglobulins has a longest half-life (days)?

Options :

1. ✓ IgG
2. ✗ IgA
3. ✗ IgM
4. ✗ IgD

Question Number : 165 Question Id : 9497306342 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which type of leprosy is seen in when the host resistance is low?

Options :

1. ✗ Tuberculoid Leprosy
2. ✗ Borderline Leprosy
3. ✓ Lepromatous Leprosy
4. ✗ Indeterminate Leprosy

Question Number : 166 Question Id : 9497306343 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which one of the following is a bullet shaped virus?

Options :

1. Rhabdovirus
2. Adenovirus
3. Picornavirus
4. Human immunodeficiency virus

Question Number : 167 Question Id : 9497306344 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

True about Rigor mortis is:

Options :

1. It involves involuntary muscles only
2. In India, it usually last for 12 - 18 hours in winter
3. It extends helps in estimation of time of death
4. Does not depend upon atmospheric condition

Question Number : 168 Question Id : 9497306345 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which of the following distinguishes arsenic poisoning from cholera?

Options :

1. Purging before vomiting
2. Rice watery stools throughout the episode
3. Presence of tenesmus
4. Throat pain after vomiting

Question Number : 169 Question Id : 9497306346 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

When a person sees a dog and mistakes it for a lion is said to be suffering from _____ condition.

Options :

1. delirium
2. hallucination
3. phobia
4. illusion

Question Number : 170 Question Id : 9497306347 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Conn's syndrome is characterised by all of the following EXCEPT:

Options :

1. Increased plasma aldosterone level
2. Increased plasma sodium level
3. Increased potassium level
4. Marked muscular weakness

Question Number : 171 Question Id : 9497306348 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Testosterone synthesis in the Leydig cells of testis is under the control of:

Options :

1. Leutinizing hormone
2. Follicle stimulating hormone
3. Androgen
4. Oestrogen

Question Number : 172 Question Id : 9497306349 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are the methods of termination of pregnancy in first trimester EXCEPT:

Options :

1. Suction evacuation and (or) curettage
2. Mifepristone
3. Methotrexate and misoprostol
4. Oxytocin

Question Number : 173 Question Id : 9497306350 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which of the following is not a feature of Pre-eclampsia?

Options :

1. Convulsions
2. Oedema
3. Hypertension
4. Proteinuria

Question Number : 174 Question Id : 9497306351 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Not a feature of Haematocolpus:

Options :

1. ✘ Observed in young girls
2. ✘ Imperforated hymen
3. ✓ Secondary sexual characters are absent
4. ✘ Presentation is with colicky abdominal pain

Question Number : 175 Question Id : 9497306352 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are the options for topical treatment of deep burns EXCEPT:

Options :

1. ✘ Silver sulphadiazine cream (1%)
2. ✓ Soframycin cream
3. ✘ Silver nitrate solution (0.5%)
4. ✘ Mafenide acetate cream

Question Number : 176 Question Id : 9497306353 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

True about fistula: it is?

Options :

1. ✘ A discontinuity of epithelial surface
A blind ending tract that connects a cavity lined with granulation tissue with an epithelial tissue
2. ✘ tissue
3. ✓ An abnormal communication between two epithelial lined surfaces
4. ✘ Characterised by progressive destruction of surface epithelium and granulating base

Question Number : 177 Question Id : 9497306354 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are true about Budd chiari syndrome EXCEPT:

Options :

1. ✓ Principally found in young males
2. ✘ Venous drainage of liver is occluded
3. ✘ Liver functions are impaired
4. ✘ Usually patients requires lifelong anticoagulants such as warfarin

Question Number : 178 Question Id : 9497306355 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Murphy's sign is present in:

Options :

1. ✗ Acute appendicitis
2. ✗ Orchitis
3. ✓ Acute cholecystitis
4. ✗ Inguinal hernia

Question Number : 179 Question Id : 9497306356 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Subsequent infections by the same parasite in the host is known as:

Options :

1. ✗ Focal infection
2. ✓ Reinfestation
3. ✗ Secondary infection
4. ✗ Cross infection

Question Number : 180 Question Id : 9497306357 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Chancroid is caused by:

Options :

1. ✗ Haemophilus aegyptius
2. ✓ Haemophilus ducreyi
3. ✗ Haemophilus parainfluenzae
4. ✗ Haemophilus haemolyticus

Question Number : 181 Question Id : 9497306358 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All of the following are immediate signs of death EXCEPT:

Options :

1. ✗ Insensibility and loss of voluntary power
2. ✗ Cessation of respiration
3. ✓ Pallor and loss of elasticity of skin
4. ✗ Cessation of circulation

Question Number : 182 Question Id : 9497306359 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Stupor, marked in coordination, marked decrease in responses to stimuli, possibly coma is found at _____ mg % of blood alcohol concentration.

Options :

1. ✗ 50 – 100
2. ✗ 100 – 200
3. ✗ 200 – 300
4. ✓ 300 – 400

Question Number : 183 Question Id : 9497306360 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Rotator cuff is formed by all the following EXCEPT:

Options :

1. ✓ Teres major
2. ✗ Teres minor
3. ✗ Supraspinatus
4. ✗ Infraspinatus

Question Number : 184 Question Id : 9497306361 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which one of the following hormone is predominantly produced in response to fight, flight and flight?

Options :

1. ✓ Epinephrine
2. ✗ Thyroxine
3. ✗ ADH
4. ✗ Aldosterone

Question Number : 185 Question Id : 9497306362 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Which one of the following is known as pellagra preventive factor of Goldberg?

Options :

1. ✗ Pyridoxine
2. ✗ Biotin
3. ✓ Niacin
4. ✗ Thiamine

Question Number : 186 Question Id : 9497306363 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Contraindication of adenoidectomy is:

Options :

1. ✗ Recurrent rhinosinusitis

2. ✗ Adenoid hypertrophy causing snoring
3. ✓ Acute infection of upper respiratory tract
4. ✗ Chronic Suppurative Otitis Media associated with adenoid hyperplasia

Question Number : 187 Question Id : 9497306364 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

The eye lids becomes adherent with the eye ball as a result of adhesion between palpebral and bulbar conjunctiva in:

Options :

1. ✓ Symblepharon
2. ✗ Ankyloblepharon
3. ✗ Blepharophimosis
4. ✗ Lagophthalmos

Question Number : 188 Question Id : 9497306365 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are the ocular manifestation due to mumps infection EXCEPT:

Options :

1. ✗ Conjunctivitis
2. ✗ Keratitis
3. ✓ Koplik's spots on conjunctiva
4. ✗ Acute dacryoadenitis

Question Number : 189 Question Id : 9497306366 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are the etiological features of lagophthalmos EXCEPT:

Options :

1. ✗ Paralysis of orbicularis oculi muscle
2. ✗ Severe ectropion
3. ✗ Symblepharon
4. ✓ Corneal xerosis

Question Number : 190 Question Id : 9497306367 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In habitual cigarette smokers, replacement of normal ciliated columnar epithelial cells of the trachea and bronchi by stratified squamous epithelial cells, is an example of:

Options :

1. Metaplasia
2. Anaplasia
3. Hyperplasia
4. Compensatory hyperplasia

Question Number : 191 Question Id : 9497306368 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Precocious puberty is defined as appearance of secondary sexual characters before the age of _____ years or occurrence of menarche before the age of _____ years.

Options :

1. 8, 10
2. 10, 11
3. 12, 13
4. 13, 15

Question Number : 192 Question Id : 9497306369 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

The ovary of the new born is packed with approximately _____ million primordial follicles.

Options :

1. 1.5 to 2 million
2. 2 to 3 million
3. 4 to 5 million
4. 5 to 6 million

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 193 Question Id : 9497306370 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

To evaluate the approximate age of the child between 12-14 years, radiographs of _____ give helpful clue.

Options :

1. shoulder joint
2. elbow and hip joint
3. knee joint
4. hand and wrist

Question Number : 194 Question Id : 9497306371 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In a normal infant, Moro's reflex disappears by the maximum age of:

Options :

1. ✗ less than a month
2. ✗ 1 to 2 month
3. ✗ 3 to 4 month
4. ✓ 5 to 6 month

Question Number : 195 Question Id : 9497306372 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All of the following minimize the likelihood of hypothermia in a new born child EXCEPT:

Options :

1. ✗ Warm delivery room
2. ✗ Warm resuscitation
3. ✓ Immediate bathing
4. ✗ Breast feeding

Question Number : 196 Question Id : 9497306373 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In which of the following conditions, a barium contrast study shows a 'Hosepipe colon'?

Options :

1. ✓ Ulcerative colitis
2. ✗ Crohn's disease
3. ✗ Volvulus
4. ✗ Intussusception

Question Number : 197 Question Id : 9497306374 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

In which type of hypospadias, the urethral opening is seen between two halves of the scrotum?

Options :

1. ✓ Perineal
2. ✗ Penile
3. ✗ Glanular
4. ✗ Coronal

Question Number : 198 Question Id : 9497306375 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

Repetitive semi-purposeful movements such as blinking of the eyes is an example of:

Options :

1. ✘ Dystonia
2. ✘ Myoclonus
3. ✘ Chorea
4. ✓ Tics

Question Number : 199 Question Id : 9497306376 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

All are included in criteria for diagnosis of Rheumatoid arthritis EXCEPT:

Options :

1. ✓ Brief morning stiffness
2. ✘ Arthritis of three or more joint areas
3. ✘ Duration of more than 6 weeks
4. ✘ Symmetrical arthritis

Question Number : 200 Question Id : 9497306377 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 1 Wrong : 0

True about Cystic Fibrosis is:

Options :

1. ✘ It is an autosomal dominant disease.
2. ✓ It can cause male infertility.
3. ✘ The defect is in the gene which codes for a potassium channel
4. ✘ Diabetes eventually appears in 75% of patients

