



Teachingninja.in



Latest Govt Job updates



Private Job updates



Free Mock tests available

Visit - teachingninja.in



Teachingninja.in

ESIC IMO

Previous Year Paper
Gr-II (Allopathic)
19 Jan, 2014



Question Booklet Series – A

Booklet No.:-

DO NOT OPEN THIS BOOKLET UNTIL TOLD TO DO SO

IMO GR-II

Time Allowed : 2 Hrs.

Questions : 1–200

Roll No.:

OMR Sheet No. :

Name of the Candidate :
(IN CAPITAL LETTERS)

(Signature of the Candidate) : Signature of the Invigilator) :

READ THE FOLLOWING INSTRUCTIONS CAREFULLY BEFORE WRITING ANYTHING ON THIS BOOKLET

1. Before commencing to answer, check that the Question Booklet has all the 200 questions and there is no misprinting, overprinting and/or any other shortcoming in it. If there is any shortcoming, intimate the same to your room invigilator and have it changed. Immediately after the commencement of the examination, you should check that this test booklet does not have any unprinted or torn or missing pages or items, etc. If so, get it replaced by a complete test booklet.
2. **Use Blue/Black Ball Point Pen** for all your work on the OMR Answer Sheet. The ovals on the OMR Answer Sheet are to be completely filled by **Blue/Black Ball Point Pen only. ANSWERS ONCE GIVEN CAN NOT BE CHANGED.**
3. This is an objective type test in which each objective question is followed by four responses serialised (a) to (d). Your task is to choose the correct/best response and mark your response in the OMR Answer Sheet and NOT in the Question Booklet.
4. **There shall be no negative marking for wrong answer.**
5. **All questions are compulsory. Each question carries equal mark.**
6. **DO NOT scribble or do rough work or make any stray marks on the Answer Sheet. DO NOT wrinkle or fold or staple it.**
7. Answer sheet will be processed by Electronic means. Hence, invalidation of answer sheet resulting due to folding or putting stray marks on it or any damage to the answer sheet as well as incomplete/incorrect filling of the answer sheet will be the sole responsibility of the candidate.
8. Rough Work is to be done in the blank space provided for it in the booklet. No other paper will be allowed/provided.
9. Use of Calculators, Slide rules, Mobiles, calculator watches or any such devices and any other study/reference material is NOT allowed inside the examination hall.
10. Take care that you mark only one answer for each question. If more than one answer is given by you for any question, the same will not be evaluated. **Cutting/overwriting the answers are not allowed.**



1. In a lady with threatened abortion, which of the following would not be useful with intact membrane?
 - (a) Antibiotic prophylaxis
 - (b) Best rest
 - (c) Analgesics
 - (d) HCG monitoring
2. Which of the following is the best to assess endometrial cycle?
 - (a) Hormonal profile
 - (b) Body temperature changes
 - (c) Ferning test
 - (d) Spinbarket pattern
3. Which of the following is not seen in human beings?
 - (a) Estrous cycle
 - (b) Menstrual cycle
 - (c) Endometrial cycle
 - (d) Hormonal changes
4. A 18 year old patient presented with primary amenorrhea. On examination her breast and external genitalia are normal. She is most likely suffering from?
 - (a) MKH syndrome
 - (b) Turner's syndrome
 - (c) Noonan syndrome
 - (d) Androgen insensitivity
5. PCOD predisposes to the following except?
 - (a) Increased risk of Ovarian cancer
 - (b) Endometrial cancer
 - (c) Insulin resistance
 - (d) Osteoporosis
6. The 'a' wave of jugular venous pulse is produced by-
 - (a) Atrial relaxation
 - (b) Atrial systole
 - (c) Atrial diastole
 - (d) Rapid venous filling
7. Calcium blocking agents of use in the treatment of hypertension include –
 - (a) Prazosin (b) Lidoflazine
 - (c) Captopril (d) Nifedipine
8. Most important predictor of coronary artery disease-
 - (a) VLDL (b) LDL
 - (c) Chylomicron (d) HDL
9. 'CURB-65' includes-
 - (a) PaO₂ less than 65 mm
 - (b) Coagulopathy
 - (c) Severe Azotemia
 - (d) Base deficit (acidosis)
10. The agent of choice for controlling heparin induced bleeding is-
 - (a) Protamine sulphate (b) Injectable vitamin K
 - (c) Whole blood (d) Fresh frozen plasma
11. Northern blotting is used for analysis of –
 - (a) DNA (b) RNA
 - (c) Proteins (d) Polysaccharides
12. Rapid infusion of insulin causes –
 - (a) Hyperkalemia (b) Hypokalemia
 - (c) Hypernatremia (d) Hyponatremia
13. Digitalis toxicity enhanced by A/E –
 - (a) Renal failure (b) Hyperkalemia
 - (c) Hypercalcemia (d) Hypomagnesemia
14. Best Test for intestinal malabsorption –
 - (a) D-xylose test (b) NBT-PABA TEST
 - (c) Fecal fat estimation (d) Schilling test
15. Plasma urea/creatinine ratio of 20:1 may be seen in –
 - (a) Rhabdomyolysis
 - (b) Ureteric calculi
 - (c) Pre-renal failure
 - (d) Chronic glomerulonephritis
16. Low calcium and high phosphate is seen in –
 - (a) Hyperparathyroidism
 - (b) Hypoparathyroidism
 - (c) Hyperthyroidism
 - (d) Hypothyroidism
17. The most effective contraceptive method recommended in lactating mothers is –
 - (a) Barrier method
 - (b) Progesterone only pill
 - (c) Oral contraceptive pills
 - (d) Lactational amenorrhea
18. What is the drug of choice for emergency contraception?
 - (a) Yuzpe regimen (combined oral pill)
 - (b) High dose oestrogen alone
 - (c) Levonorgestrel only pill
 - (d) Danazol

36. In CRP, the C stands for –

- Canavallin A
- Cellular
- Chondroitin sulfate
- C polysaccharide of streptococcus

37. Rothera's test used for detection of –

- Proteins
- Glucose
- Fatty acid
- Ketones

38. Milkman's Fracture is a type of –

- Pseudofracture
- Clavicular fracture
- Humeral fracture
- Metacarpal fracture

39. Complications of Colle's fracture include all of the following except:

- Sudeck's Osteodystrophy
- Rupture of EPL tendon
- Malunion
- Nonunion

40. Most common site of scaphoid fracture is:

- Distal fragment
- Tilting of the lunate
- Waist
- Proximal fragment

41. Left SVC drains into?

- Left atrium
- Right atrium
- Coronary sinus
- Pericardial sac

42. Urogenital diaphragm is made of the following except:

- Deep transverse perinei
- Perineal membrane
- Colles fascia
- Sphincter Urethrae

43. 'Hybrid' or 'Composite muscles' include the following except?

- Pectenius
- Flexor carpi ulnaris
- Flexor digitorum superficialis
- Biceps femoris

44. Gluteus medius is supplied by?

- Superior gluteal nerve
- Inferior gluteal nerve
- Femoral nerve
- Sciatic nerve

45. Celiac plexus is located:

- Anterolateral to aorta
- Posterolateral to aorta
- Anterolateral to lumbar sympathetic chain
- Posterolateral to lumbar sympathetic chain

46. In severe exercise, CO increases up to 5 times, while pulmonary blood pressure rises minimally because?

- Additional parallel vessels open up
- Sympathetic stimulation causes greater distensibility of pulmonary vessels
- Large amount of smooth muscles in pulmonary arterioles.
- Larger area of pulmonary circulation

47. Non-respiratory Function of lung?

- Anion excretion
- Sodium balance
- Potassium balance
- Magnesium balance

48. The hot fomentation relieves the intestinal spasm pain by inhibition of?

- Cholinergic receptors
- Adrenergic receptors
- Cold receptors
- Heat receptors

49. A 40 years old patient was brought with recent onset personality changes and behavioural problems. He had diarrhea since few days. On examination there was hypersalivation and blue lines were noted on gums. Fine tremors were also noted. There is no organomegaly. What is the likely diagnosis?

- Lead poisoning
- Mercury poisoning
- Arsenic poisoning
- Copper toxicity

50. Mechanisms of injuries caused by Lightning include the following except one?

- Compression effect due to compression air wave striking the abdomen
- Direct effect from electric discharges passing to ground
- Surface flash burns from discharges
- Mechanical effect due to force of displaced air around the flash by heat expansion

51. Morphine can be used in all the following conditions except –

- Head injury
- Asthma
- Hypothyroidism
- Diabetes

52. All are antiemetics except –

- Domperidone
- Ondansetron
- Phenazocine
- Cyclizine

53. A patient is receiving linezolid therapy for 14 days, which of the following should be monitored:

- Renal function tests
- Liver enzymes
- Platelet monitoring
- Monitoring of reflex

54. Toxicity of Amphotericin B can be reduced by using:

- Liquid preparation
- Granules
- Liposomal preparation
- Subcutaneous administration

55. Which of the following can cause acute Pancreatitis:

- Abacavir
- Lamivudine
- Zidovudine
- Didanosine

56. Reflex which is not present in child at birth is –

- Moro's reflex
- Symmetric tonic neck reflex
- Crossed extensor reflex
- Asymmetric tonic neck reflex

57. Most common cause of sepsis in India within 2 months –

- H influenza
- E.coli
- Coagulase positive staph aureus
- Group B streptococcus

58. A case of jaundice with 50% direct bilirubin, other LFTs normal. Diagnosis is –

- Rotor syndrome
- Gilbert syndrome
- Glucuronyl transferase deficiency
- Primary biliary cirrhosis

59. Infant of diabetic mother with weight 3.8 Kg presented with seizures after 16 hours of birth. What is the cause–

- Hypoglycemia
- Hypocalcemia
- Birth asphyxia
- Intraventricular hemorrhage

60. Electron microscopy is diagnostic in?

- Good pasture's syndrome
- Wegener's granulomatosis
- PAN
- Alport's syndrome

61. Drug of choice in Theophylline poisoning –

- Cortisone
- Propranolol
- Thyroxine
- Phenobarbitone

62. Which of the following drugs has been found to be useful in acute severe asthma?

- Magnesium Sulphate
- Anti-leukotrine
- Cromolyn Sodium
- Cyclosporine

63. Parathyroid hormone –

- Decreases bone resorption
- Increases bone resorption
- Enhances phosphate reabsorption from kidney
- Decreases calcium reabsorption from kidney

64. Buspirone is an:

- Anxiolytic
- Muscle relaxant
- Sedation
- Anticonvulsant

65. Oxygen content in anaesthetic mixture is:

- 25%
- 30%
- 33%
- None of these

66. Alcohol intake during pregnancy causes, all, except –

- Brachycephaly
- Microcephaly
- Hyperkinetic movements
- Congenital anomalies

67. Which teratogen causes deafness?

- Isotretinoin
- Chloroquine
- Alcohol
- Warfarin

68. Digoxin toxicity is increased by all except –
 (a) Renal impairment
 (b) Hyperkalemia
 (c) Hypercalcemia
 (d) Hypomagnesemia

69. Tylectomy literally mean –
 (a) Excision of a lump
 (b) Excision of LN
 (c) Excision of breast
 (d) Excision of skin

70. The most common histologic type of thyroid cancer is:
 (a) Medullary type
 (b) Follicular type
 (c) Papillary type
 (d) Anaplastic type

71. Best test to diagnose gastroesophageal reflux disease and quantify acid output:
 (a) Esohagogram
 (b) Endoscopy
 (c) Manometry
 (d) 24 hr pH monitoring

72. The most common cause of gastric outlet obstruction in India is:
 (a) Tuberculosis
 (b) Cancer of stomach
 (c) Duodenal lymphoma
 (d) Peptic ulcer disease

73. Most common infection after splenectomy is –
 (a) Anaerobic
 (b) Staphylococcal
 (c) Streptococcal
 (d) Pneumococcal

74. Most common type of choledochal cyst?
 (a) Type 1 (b) Type 2
 (c) Type 3 (d) Type 6

75. Best prognosis for carcinoma of pancreas is in the region of –
 (a) Head (b) Tail
 (c) Body (d) Periampullary

76. Colopotomy is done to treat –
 (a) Ischeorectal abscess
 (b) Pelvic abscess
 (c) Appendicular abscess
 (d) Perianal abscess

77. Parastomal hernia is most frequently seen with:
 (a) End Colostomy (b) Loop Colostomy
 (c) End Ileostomy (d) Loop Ileostomy

78. Best investigation to diagnose piles is –
 (a) Proctosigmoidoscopy
 (b) Barium enema
 (c) Ultrasound
 (d) Proctoscopy

79. Z score is used in?
 (a) Nominal data
 (b) Normal distribution curve
 (c) t test
 (d) Chi square test

80. True about corneal transplant:
 (a) Eye ball is removed from the donor and the Complete eyeball is preserved in ice for corneal transplant
 (b) Cornea of persons more than 60 years of age is not taken for transplant
 (c) Specular microscopy is ideal for the endothelial count
 (d) HLA matching is required essentially

81. Retinoblastoma is associated with?
 (a) Osteosarcoma (b) Chondrosarcoma
 (c) Fibrosarcoma (d) Rhabdomyosarcoma

82. Topical Mitomycin C is useful in treatment of?
 (a) Angiofibroma
 (b) Tracheal stenosis
 (c) Skull base Osteomyelitis
 (d) Laryngeal carcinoma

83. Laser used in laryngeal work?
 (a) Argon (b) CO₂
 (c) Holmium (d) ND Yag

84. Following can be visualized on Bronchoscopy except?
 (a) Vocal cords
 (b) Trachea
 (c) Subcarinal nodes
 (d) First division of subsegmental bronchioles

85. Down's syndrome most commonly occurs due to?
 (a) Reciprocal translocation
 (b) Nondysjunction in maternal meiosis
 (c) Translocation defect
 (d) Nondysjunction in paternal meiosis

86. Which of the following is NOT associated with increase in the risk of seizures in future in a child with febrile seizures?

- Developmental delay
- Early age of onset
- Complex partial seizures
- Family history positive

87. Which of the milestone develops first –

- Mirror play
- Crawling
- Creeping
- Pincer grasp

88. A year 6 old child with IQ of 50. Which of the following can the child do –

- Identify colours
- Read a sentence
- Ride a bicycle
- Copy a triangle

89. Which of the following is the best indicator of long term nutritional status –

- Mid arm circumference
- Height for age
- Weight for age
- Weight for height

90. Indicator of moderate to severe malnutritions is:

- Serum transferrin 160
- Body mass index 19
- Albumin 2.1 g/dl
- Transthyretin

91. Craniotabes is seen in following except –

- Rickets
- Syphilis
- Osteogenesis imperfecta
- Thalassemia

92. Anti infective vitamin is –

- Vitamin B₆
- Vitamin A
- Vitamin D
- Vitamin C

93. Abnormalities of copper metabolism are implicated in the pathogenesis of all the following except –

- Wilson's disease
- Monkes' Kinky-hair syndrome
- Indian childhood cirrhosis
- Keshan disease

94. A 2 years old child is brought by parents with history of seizures and developmental delay. He has multiple hypopigmented macules over the back. What the most probable diagnosis?

- Neurofibromatosis type 1
- Tuberous sclerosis
- Sturge Weber syndrome
- Linear Sebaceous Nevi Syndrome

95. Following can be used in Rx of myoclonic seizures except:

- Valproate
- Carbamazepine
- Topiramate
- Zonisamide

96. Commonest cause of ureteric injury during surgical operation is –

- Abdomino-perineal resection
- Hysterectomy
- Prostatectomy
- Colectomy

97. Bladder tumours mostly arises from –

- Mucosa
- Submucosa
- Muscularis Mucosa
- Seorsa

98. Semen analysis of a young man who presented with primary infertility revealed low volume, fructose negative ejaculate with azoospermia. Which of the following is the most useful imaging modality to evaluate the cause of his infertility?

- Colour duplex ultrasonography of the scrotum
- Transrectal ultrasonography
- Retrograde urethrography
- Spermatic venography

99. Optic urethroplasty is done in –

- Congenital stricture of urethra
- Hypospadias
- Epispadias
- Testicular tumour's

100. Most common testicular tumor in prepubertal adults is:

- Yolk sac tumor
- Embryonal cell Ca
- Seminoma
- Teratoma

101. Which of the following is the best parameter to assess fluid intake in a poly-trauma patient –

- Urine output
- BP
- Pulse
- Pulse oximetry

102. Orthobaric oxygen is used in :-

- CO poisoning
- Ventilation failure
- Aerobic infection
- Gangrene

103. Which of the following is microaerophilic –

- Campylobacter
- Vibrio
- Bacteroides
- Pseudomonas

104. All are methods of sterilization by dry heat except –

- Flaming
- Incineration
- Hot air oven
- Autoclaving

105. False regarding bacterial plasmids is?

- Extrachromosomal
- Eliminated by treating with radiation
- Transmission of different species
- Can cause lysogenic conversion

106. Insulin secretion is inhibited by?

- Secretin
- Epinephrine
- GH
- Gastrin

107. Effect of bradykinin includes?

- Vasodilatation
- Vasoconstriction
- Increased vascular permeability
- Pain

108. Mitochondrial enzyme in liver?

- SGOT
- SGPT
- Gamma glutamyl transferase
- Nucleotidase

109. Pink color on rothera's test:

- Proteins
- Fatty acids
- Glucose
- Ketone bodies

110. Prenatal diagnosis of haemophilia can be done by?

- Microarray
- Cytogenetic analysis
- Linkage analysis
- DNA sequence polymorphism

111. Gout is a disorder of?

- Purine metabolism
- Pyrimidine metabolism
- Urea metabolism
- Lipid metabolism

112. BMR is increased in the following except:

- Physical activity
- Food intake
- Hyperthyroidism
- Obesity

113. BMR mainly depends on?

- Daily activities
- Lean body mass
- Body surface area
- Body Mass Index

114. Mechanism of action of Theophyline?

- Mast cell stabilization
- Phosphodiesterase inhibition
- Leukotriene antagonism
- β 2 sympathomimetic

115. Allopurinol is used in treatment of?

- Gout
- Hypothyroidism
- Hypertension
- Hyperlipidemia

116. B cell maturation takes place in –

- Thymus
- Lymph node
- Bone marrow
- Spleen

117. Culture media of leptospirosis –

- Korthof
- Perkin
- Tinsdale
- Baker's

118. All of the following statements about Chlamydia trachomatis are true except –

- Genital chlamydial infections are often asymptomatic
- Can be cultured
- Inclusion conjunctivitis is caused by C. trachomatis serotypes D-K
- Penicillin is the treatment of choice

119. Which of the following literally means “flow of seed” –

- (a) Anthrax
- (b) Clostridia
- (c) Gonorrhoea
- (d) Proteus

120. Conjunctivitis is caused by all except –

- (a) CMV
- (b) Enterovirus 70
- (c) Coxsackies A24
- (d) Adenovirus

121. Cloudy swelling is due to –

- (a) Accumulation of water intracellularly
- (b) Fat accumulation intracellularly
- (c) Lysozyme degeneration
- (d) Glycogen accumulation intracellularly

122. Basement membrane degeneration is mediated by –

- (a) Metalloproteinases
- (b) Oxidases
- (c) Elastases
- (d) Hydrocylases

123. Sago spleen is seen in –

- (a) Gaucher's disease
- (b) Malaria
- (c) Amyloidosis
- (d) Felty's disease

124. Salt losing nephritis is a feature of –

- (a) Interstitial nephritis
- (b) Polycystic kidney
- (c) Lupus nephritis
- (d) Renal amyloidosis

125. All are of adult size at birth except –

- (a) Mastoid antrum
- (b) Ear Ossicles
- (c) Tympanic cavity
- (d) Maxillary antrum

126. Goblet cells are present in –

- (a) Trachea
- (b) Jejunum
- (c) Epididymis
- (d) Ileum

127. Most common cause of death after Total Hip Replacement is –

- (a) Infection
- (b) Pneumonia
- (c) Anemia
- (d) Thromboembolism

128. Bouchard's nodes are seen in –

- (a) Proximal IP joints
- (b) Distal IP joints
- (c) Sternoclavicular joints
- (d) Knee joint

129. Which of the following is NOT a primary skin disease?

- (a) Reiter's syndrome
- (b) Bowen's disease
- (c) Psoriasis
- (d) Lichen planus

130. An otherwise healthy male presents with a creamy curd like white patch on the tongue. The probable diagnosis is –

- (a) Candidiasis
- (b) Histoplasmosis
- (c) Lichen planus
- (d) Aspergillosis

131. In spinal anesthesia, the drug is deposited between –

- (a) Dura and arachnoid
- (b) Pia and arachnoid
- (c) Dura and vertebra
- (d) Into the cord substance

132. Which among the following is NOT used for surface anaesthesia –

- (a) Lignocaine
- (b) Procaine
- (c) Tetracaine
- (d) Benzocaine

133. Which is a hinge joint –

- (a) Knee
- (b) Elbow
- (c) Metacarpo Phalangeal
- (d) Atlanto Axial

134. What is Agoraphobia?

- (a) Fear of heights
- (b) Fear of closed spaces
- (c) Fear of open space
- (d) Fear of dogs

135. Best diagnosis for dissecting aorta is –

- (a) CT Scan
- (b) MRI
- (c) Angiography
- (d) X-ray

IMO [A-8]

136. Egg on side appearance is seen in:

- (a) TOF
- (b) TAPVC
- (c) Uncorrected TGA
- (d) Truncus arteriosus

137. Best investigation in acute cholecystitis is –

- (a) Technetium scan
- (b) HIDA scan
- (c) Pipida scan
- (d) Plain X-ray abdomen

138. All of the following heart sounds occur shortly after S_2 except –

- (a) Opening snap
- (b) Pericardial knock
- (c) Ejection click
- (d) Tumor plop

139. Enlarged pulsatile liver is seen in –

- (a) Tricuspid regurgitation
- (b) Aortic regurgitation
- (c) Mitral regurgitation
- (d) Pulmonary regurgitation

140. Cardiomyopathy may be seen in all of the following except –

- (a) Duchenne muscular dystrophy
- (b) Friedrich's ataxia
- (c) Type IUI glycogen storage disease
- (d) Alkaptonuria

141. Test for reversible cardiac ischemia –

- (a) Angiography
- (b) Thallium scan
- (c) MUGA
- (d) Resting Echocardiography

142. Most common cause of acute RVF –

- (a) Massive pulmonary embolism
- (b) Tricuspid stenosis
- (c) Pulmonary stenosis
- (d) Tricuspid regurgitation

143. All are causes of pulmonary hypertension except –

- (a) Hyperventilation
- (b) Morbid obesity
- (c) High altitude
- (d) Fenfluramine

144. Which valve is least affected in Rheumatic fever?

- (a) Pulmonary valve
- (b) Tricuspid valve
- (c) Mitral valve
- (d) Aortic valve

145. A patient presents with tachycardia, $BP < 100 \text{ mm systolic}$ and postural hypotension.

Diagnosis is –

- (a) Vasovagal attack
- (b) Diabetic neuropathy
- (c) Shy drager syndrome
- (d) Bleeding peptic ulcer

146. Left ventricular hypertrophy is caused by all except –

- (a) MS
- (b) MR
- (c) AS
- (d) AR

147. Calcium Gluconate is not used in CPR by –

- (a) Hypocalcemia
- (b) Hypokalemia
- (c) Hyperkalemia
- (d) Calcium antagonism

148. A 28 year old woman having limited cutaneous scleroderma for the last 10 years complains of shortness of breath for last one month. Her pulmonary function tests (PFT) are as follow –

| PFT | Observed | Predicted |
|------|----------|-----------|
| FVC | 2.63 | 2.82 |
| FEV1 | 88% | 80% |
| DLCO | 5.26 | 16.3 |

What is most likely diagnosis in this case?

- (a) Interstitial lung disease
- (b) Pulmonary artery hypertension
- (c) Congestive heart failure
- (d) Bronchiectasis

149. The most definitive method of diagnosing pulmonary embolism is –

- (a) Pulmonary angiography
- (b) Radioisotope perfusion pulmonary scintigraphy
- (c) EKG
- (d) Venography

150. All of the following features are seen in viral pneumonia except –

- (a) Presence of interstitial inflammation
- (b) Predominance of alveolar exudates
- (c) Bronchiolitis
- (d) Multinucleate giant cells in the bronchiolar wall

151. MAO inhibitors should not be used with?

- (a) Buprenorphine
- (b) Pethidine
- (c) Pentazocine
- (d) Morphine

152. Imatinib is useful in treatment of?

- (a) Neurofibromatosis
- (b) CD117 positive GIST
- (c) Neuroendocrine tumors of pancreas
- (d) Breast ca

153. Toxicity of Amphotericin B can be reduced by suing?

- (a) Liquid preparation
- (b) Granules
- (c) Liposomal preparation
- (d) Subcutaneously

154. Which of the following form of steroid base is most potent?

- (a) Gel
- (b) Lotion
- (c) Ointment
- (d) Cream

155. Treatment of choice for patient with meningococcal meningitis who is allergic to penicillin?

- (a) Chloramphenicol
- (b) Meropenam
- (c) Linezolid
- (d) Tiecoplanin

156. If a Patient receiving Linezolid therapy for 14 days, which of the following should be monitored?

- (a) Renal function tests
- (b) Liver enzyme assessment
- (c) Platelet monitoring
- (d) Monitoring of Reflex

157. Characteristic feature of apoptosis?

- (a) Cell membrane intact
- (b) Cytoplasmic eosinophilia
- (c) Nuclear moulding
- (d) Cell swelling

158. Following are Granulomatous vasculitis except?

- (a) Chrug straus disease
- (b) Takayasu's arteritis
- (c) Wegener's granulomatosis
- (d) Burger's disease

159. Bronchiectasis is most common in which lobe—

- (a) Right upper lobe
- (b) Right middle lobe
- (c) Left upper lobe
- (d) Left lower lobe

160. True about lung carcinoma?

- (a) More than 75% of lung cancers are squamous cell type
- (b) Oat cell carcinoma frequently show cavitation
- (c) Lung calcification is characteristically seen in oat cell carcinoma
- (d) Oat cell carcinoma is commonly associated with bilateral hilar lymphadenopathy

161. Not a cause of hemoptysis –

- (a) Pneumonia
- (b) Bronchiectasis
- (c) Empyema
- (d) Mitral stenosis

162. Rampal, 45 year old man presents with history of recurrent hemoptysis and purulent sputum. His chest X-Ray is normal, which of the following will be the next best investigation for him?

- (a) HRCT
- (b) CT guided angiography
- (c) Angiography
- (d) Spiral CT

163. Smoking is generally not associated as a risk factor with –

- (a) Small cell carcinoma
- (b) Respiratory bronchiolitis
- (c) Emphysema
- (d) Bronchiolitis obliterans organizing pneumonia

164. Which of the following collagen disorder is NOT commonly associated with pulmonary fibrosis—

- (a) SLE
- (b) Progressive systemic sclerosis
- (c) Dermatomyositis
- (d) Rheumatoid arthritis

165. Which of the following is not true about the autistic specific disorders?

- (a) Impaired communication
- (b) Impaired imagination
- (c) Language development is delayed
- (d) Vision problems

166. A school going boy was noted with vacant stare several times a day. There was no history of fever, seizures and neurological deterioration. What is the diagnosis?

- (a) Atonic seizures
- (b) Absence seizures
- (c) Myoclonic seizures
- (d) School phobia

167. True about Wilson's disease?

- (a) Increase in urinary copper and increased serum ceruloplasmin and copper
- (b) Increase serum ceruloplasmin levels with increased urinary copper
- (c) Elevated hepatic copper level and increased serum ceruloplasmin levels
- (d) Increase in urinary copper and decreased serum ceruloplasmin

168. Most common cause of genital ulcer in a HIV patient?

- (a) Syphilis
- (b) Chlamydia
- (c) Herpes
- (d) Gonorrhoea

169. A 60 year old female was given anaesthesia for a prolonged surgery. After surgery she was extubated but was found to have poor respiration with BP of 100/80 mm of Hg. Blood analysis revealed $\text{PCO}_2=200$ and the blood pH was 7.42. What is the diagnosis?

- (a) Respiratory failure
- (b) Intraoperative hypoxia
- (c) Incomplete recovery from muscle relaxants
- (d) None of these

170. Which of the following is not a Behaviour Therapy technique?

- (a) Flooding
- (b) Counter-transference
- (c) Counter-conditioning
- (d) Systematic desensitisation

171. Vaginal sphincter is formed by all except –

- (a) Internal urethral sphincter
- (b) External urethral sphincter
- (c) Pubovaginalis
- (d) Bulbospongiosus

172. Osteomeatal complex refers to –

- (a) Maxillary ostium, ethmoid infundibulum, hiatus semilunaris and frontal recess
- (b) Frontal recess, inferior meatus, sphenoid sinus
- (c) Hiatus semilunaris maxillary ostium, sphenoethmoid recess
- (d) None of the given options

173. Muscle spindle detects –

- (a) Tension
- (b) Length
- (c) Proprioception
- (d) Stretch

174. Which of the following is not true about idiopathic pulmonary Hemosiderosis –

- (a) Iron deficiency anemia
- (b) Eosinopenia
- (c) ↑ Bilirubin
- (d) ↑ Reticulocyte count

175. A truck driver has chronic cough with fever since one month. Chest x-ray show bilateral reticulonodular infiltrates in mid and lower zones. Which of the following is possible diagnosis?

- (a) Tuberculosis
- (b) ILD
- (c) Pneumococcal pneumonia
- (d) Pneumocystis carini pneumonia

176. All of the following conditions are observed in Gout. except –

- (a) Uric acid nephrolithiasis
- (b) Deficiency of enzyme Xanthine oxidase
- (c) Increase in serum urate concentration
- (d) Renal disease involving interstitial tissues

177. Most common organism associated with reactive arthritis is –

- (a) Staphylococcus
- (b) Shigella
- (c) Chlamydia
- (d) Yersinia

178. All of the following are true about Raynaud's disease except –

- (a) More common in females
- (b) Positive antinuclear antibodies
- (c) Most common cause of Raynaud's phenomenon
- (d) Has good prognosis

179. The following condition is not associated with an increased anion-gap type of metabolic acidosis-

- (a) Shock
- (b) Ingestion of antifreeze
- (c) Diabetic ketoacidosis
- (d) COPD

180. Positive urinary anion gap is found in –

- (a) Alcoholic ketoacidosis
- (b) Diabetic ketoacidosis
- (c) Renal tubular acidosis
- (d) Diarrhea

181. The cause for Resurgent malaria are following except?

- (a) Inadequate vector control
- (b) Mosquito mutations
- (c) Improper use of drug treatment
- (d) Increase in the number Plasmodium species

182. Which of the following disease is inherited only in males?

- (a) Autosomal dominant
- (b) Autosomal recessive
- (c) X-linked dominant
- (d) X-linked recessive

183. True about antiphospholipid antibody syndrome include following:

- (a) Bleeding (b) Thrombosis
- (c) Recurrent fetal loss (d) Autoimmune disease

184. Which of the following test should be first done in non-mismatch blood transfusion reaction?

- (a) Direct Coomb's test
- (b) Indirect Coomb's test
- (c) Antibodies in donor's serum
- (d) Antibodies in recipient's serum

185. Beck's triad:

- (a) Right Ventricular Infarction
- (b) Constrictive pericarditis
- (c) Restrictive Pericarditis
- (d) Cardiac Tamponade

186. True about third heart sound?

- (a) Heard due to contraction of right ventricle
- (b) Loud in ASD
- (c) Can be heard in constrictive pericarditis
- (d) Soft in cardiac tamponade

187. Drugs used in management of migraine include the following except?

- (a) Valproate (b) Ethosuximide
- (c) Topiramate (d) Verapamil

188. Serotonin syndrome caused by the following except:

- (a) Chlorpromazine (b) Sumatriptan
- (c) TCA (d) RIMA

189. Pathology in motor neuron disease is at?

- (a) Anterior horn cells
- (b) Posterior column tracts
- (c) NMJ
- (d) Peripheral nervous system

190. Brown tumor of bone is seen in?

- (a) Hyperparathyroidism
- (b) Hypoparathyroidism
- (c) Hypothyroidism
- (d) Hyperthyroidism

191. Primary impact injury most commonly involves?

- (a) Brain (b) Abdomen
- (c) Neck (d) Legs

192. The path of which of the following bullet can be followed after shot from gun?

- (a) Incendiary bullet (b) Ricochet bullet
- (c) Tracer bullet (d) Tandem bullet

193. A 30 years old female married five years back died. Under which of following, autopsy of this patient should be conducted?

- (a) CrPC 174 (b) CrPC 176
- (c) CrPC 304 (d) CrPC 306

194. Rural-urban difference is not seen with?

- (a) Chronic bronchitis (b) Schizophrenia
- (c) Lung cancer (d) Tuberculosis

195. Mass immunization is indicated in the following except?

- (a) Leprosy (b) Cholera
- (c) Influenza (d) Polio

196. "ASHA" stands for Accredited Social Health Activist:

- (a) Accredited Social Health Activist
- (b) Appointed Social Health Activist
- (c) Advanced Social Health Activist
- (d) Attached Health Activist

197. JSY stands for?

- (a) Janani Social Yojna
- (b) Jan Suchil Yojna
- (c) Janani Suraksha Yojna
- (d) Jan Sulab-sauchalay Yojna

198. Which of the following predisposes to atherosclerosis?

- (a) Insulin deficiency
- (b) Hyperestrogenemia
- (c) Anaemia
- (d) Testosterone loss

199. The most common oncogenic human papiloma virus?

- (a) HPV-16 (b) HPV-18
- (c) HPV-31 (d) HPV-33

200. Most important investigation in VVF?

- (a) Three swab test (b) IVP
- (c) Cystoscopy (d) Vaginal culture